

MODULE	CATEGORY	SELECTION	QTY	ITEM	DESCRIPTION	EXTERNAL NOTE
--------	----------	-----------	-----	------	-------------	---------------

CUSTOMER SPOKANE CO FIRE DIST #8

UNIT ID UNASSIGNED

DESIGN Model 1

DATE 10/6/2025

GSO #: 25106 & 25107




SOURCEWELL

SOEV1937-A/B

Jordan Koffler

Jordan Koffler

UNASSIGNED

MODULE	CATEGORY	SELECTION	QTY	ITEM	DESCRIPTION	EXTERNAL NOTE
1	CHASSIS	FORD F550 (SUPPLIED)	1	DEPT SUPPLIED CHASSIS	CUSTOMER SUPPLIED FORD F550 N/C REF ONLY	
1	CHASSIS FINISH	FACTORY		DISCLAIMER	CHASSIS FINISH: FACTORY PAINT COLOR N/C REF ONLY	
1	SUSPENSION, WHEEL & TIRE	BUCKSTOP S3 FORD (INSTALLED)	1	BUCK F235S3	BUCKSTOP STAGE 3 SRW FORD F550 CONVERSION KIT 335/80R20 CONTINENTAL MPT81 (5), 11"X20" REVERSIBLE DOT ALUM WHEELS (5), HIGH ARCH FENDER FLARES, OUTBACK BUMPER (WIDE), 3.5" SUSP. LIFT, SPEEDO, ABS, TRACTION CONTROL CALIBRATION MODULE / CORRECTION, RADFLO REMOTE RESERVOIR TUNED 2.5" SHAFT SHOCKS	
			1	VDSL BSINSTALL	INSTALL - BUCKSTOP	
1	BUMPER	BUCKSTOP [SRW] (INC W/KIT S1 OR S3) FORD F550	1	BUCK F175WOB	BUCKSTOP CONV KIT FRONT BUMPER - CONFIGURED AS FOLLOWS F175WOB BUMPER, W/ OUTBACK GRILL GAURD (PC HAMMER BLACK), DITCH LIGHT CUTOUTS, WINCH MOUNTING PLATE ASSY (BUILT EXTRA WIDE FOR TIRE COVERAGE, FLUSH FIT W/ FLARES) (N/C REF ONLY \$ INC W/ SRW CONVERION #F235S2 OR #F235S3)	
1	CAB STEPS	AFTERMARKET, DUAL STEP, FORD F550	1	AZN 840265263167	OEDRO 6" RUNNING BOARDS - FORD, BOLT ON, STEEL NERF BAR, DOUBLE STAIR DESIGN, BLACK POWDERCOAT	
2	STRIPING	CUSTOM	1	SUN SUPPLY INC / HAPPY SIGN LLC	STRIPING PER DEPT SPECS / MATCH FLEET: 6" WHITE STRIPE, 1/2" GAP, 1" WHITE TRACER TOP/BOTTOM STRIPE ALONG BOTTOM OF CAB, BOTTOM L1/R1 WITH CHECK UP TO MIDLINE OF L2, R2+R3 TO BACK OF BODY, BLACK BORDER PINSTRIPE TOP/BOTTOM OF OUTER TRACER	SEE CONCEPTS* *STRIPING LINE*
2	DOOR LOGOS	REFLECTIVE PATCH / MALTESE STYLE [SPEC]	1	SUN SUPPLY INC / HAPPY SIGN LLC	DEPT LOGO ON FRONT CAB DOORS, EA. SIDE: SCFD8 SHIELD LOGO DEPT TO PROVIDE LOGO FILE IN COMPATIBLE FORMAT	N/C REF ONLY INCLUDED IN STRIPING LINE
2	REAR CHEVRON	LIME / RED	1	SUN SUPPLY INC / HAPPY SIGN LLC	6" NFPA CHEVRON, REAR APRON OF BODY, 3M, LIME & RED	N/C REF ONLY INCLUDED IN STRIPING LINE
2	SIDE UNIT ID	UNIT ID REAR CAB DOOR (EA SIDE) [SPEC STYLE]	1	SUN SUPPLY INC / HAPPY SIGN LLC	UNIT ID ON REAR CAB DOORS, EA. SIDE: "BRUSH" OVER UNIT ID # WHITE REFLECTIVE W/ BLUE DROP SHADOW	N/C REF ONLY INCLUDED IN STRIPING LINE
2	REAR UNIT ID	UNIT ID BACKSIDE [SPEC STYLE / PLACEMENT]	1	SUN SUPPLY INC / HAPPY SIGN LLC	UNIT ID ON REAR OF R3 "BRUSH" OVER UNIT ID # WHITE REFLECTIVE W/ BLUE DROP SHADOW	N/C REF ONLY INCLUDED IN STRIPING LINE
2	ROOF UNIT ID	UNIT ID - ROOF CONTRASTING COLOR FROM CHASSIS FINISH	1	SUN SUPPLY INC / HAPPY SIGN LLC	UNIT ID ON CAB ROOF, PLACED REAR OF LIGHTBAR, CONTRASTING COLOR FROM CHASSIS FINISH: WHITE	N/C REF ONLY INCLUDED IN STRIPING LINE
2	ADDED LETTERING	DEPT NAME ON L2 / R2 [SPEC STYLE / CUSTOM	1	SUN SUPPLY INC / HAPPY SIGN LLC	CUSTOM ADDED GRAPHICS / LETTERING "PROTECT - SERVE - EDUCATE" DECAL INSIDE OF STRIPE ON L2 AND R2 "FIRE DISTRICT 8" OVER "SPOKANE COUNTY" OUTER FACING SMOOTH ASPECTS OF LH + RH TOPSIDE BASKETS - WHITE VINYL W/ BLUE DROP SHADOW	N/C REF ONLY INCLUDED IN STRIPING LINE ADD VALLEYFORD AND SALTESE LANGUAGE DISCUSS W DEPT
3	BACK UP CAM	FACTORY + INSTALL TO BODY / HEAD UNIT (BODY)	1	SWEV CUSTOM	FACTORY CAMERA - SUPPLIED W/ CHASSIS, MOUNT TO BODY & ROUTE HARNES TO HEAD UNIT / PROGRAM (CHASSIS SUPPLIED W/ CAMERA & UPFITTER KIT)	
3	BODY FINISH	POWDERCOATING - STANDARD	1	HPI POWDERCOAT	BODY POWDERCOATED JOB COLOR INCLUDING: FLATBED DECK, APRON, RAILS, COMPARTMENTS INSIDE & OUTSIDE, HEX PUNCH GRD, ETC ACCESSORIES POWDERCOATED BLACK BK62 INCLUDING: SHELVES, STEPS, FENDER FLARES, TOPSIDE COFFIN BOXES, TOPSIDE BASKETS, DOOR HANDLES, CROSSFRAME ROCK GAURD	
3	HPI MODEL 1 BODY BASE	HPI MODEL 1 BODY BASE	1	HPI 9055-01-356	HPI BASE ASSY FLATBED DECK, NOTCHED, SQ CORNER, REVERSED C CHANNEL SMOOTH FRAME - INCLUDING FULL BODY ASSY KIT CONTENTS PER BELOW:	
			1	HPI 9055-07-113	6" SILL KIT	
			1	HPI 9055-03-086	STRT CORNER TAILBOARD	
			2	HPI 550-10-001	STEP	
			1	HPI 9020-556	LIFT DOOR TOPSIDE COMPARTMENT - L2 56"WX31.5"HX18"D, VERTICAL LIFT SINGLE DOOR W/ GAS SHOCK (2), ADJ SHELF, D RING HANDLE (BLACK), COMPARTMENT VENT & BACKSIDE LOUVER ASSY	

			1	HPI 9020-556	LIFT DOOR TOPSIDE COMPARTMENT - R2 56"WX31.5"HX18"D, VERTICAL LIFT SINGLE DOOR W/ GAS SHOCK (2), ADJ SHELF, D RING HANDLE (BLACK), COMPARTMENT VENT & BACKSIDE LOUVER ASSY	
			1	HPI 9055-13-047	FENDER SKIRT	
			1	HPI 9055-13-048	FENDER FLARES	
			1	HPI 9055-99-129	FRONT OVERLAY	
			1	HPI 550-18-002	SRW MUDFLAPS	
			1	HPI 9055-99-073	DEF COVER	
			1	HPI 550-09-001	DIESEL FILL KIT	
			1	HPI 9055-12-028	HOSE BOX	
			1	HPI 9055-15-027	CAMERA MOUNT KIT	
			1	HPI 550-00074	SQ CRNR LIGHT KIT	
			1	HPI 550-22-012	WIRING INSTALL KIT	
			1	VENDOR SHIPPING	OUTBOUND FREIGHT TO SWEV FOR INSTALLATION	
			8	SWEV SERV - 101	INSTALLATION OF HPI BODY ASSY TO CHASSIS - INTEGRATE AND WIRE LIGHTING, INSTALL FUEL / DEF NECKS & BEZELS	
3	L1/R1 TRANSVERSE	OPTION 1 (400)	1	HPI 9009-373	TRANSVERSE CROSS FRAME L1 / R1 COMPARTMENT "HORSESHOE/NOTCHED" CENTER @ 18 THRU", SWING DOOR (HINGED CAB SIDE) W/ GAS SHOCK, FIXED SHELF AT THRU SECTION MIDPOINT, D RING HANDLES (BLACK) 51.5" (31.5" TOPSIDE) H X 26"(18" THRU SECTION)W X 18"/SIDE (+60" THRU SECTION) DEEP	
3	L3 POSITION	L3 HEX PUNCH	1	HPI 9027-321	DS FENCE: HEX PUNCH GRD INSTALLED L3 POSITION PC JOB COLOR	
3 R3 POSITION R3 COMPARTMENT			1	HPI 315-CFG-35025	CTECH SINGLE DRAWER INSTALLED TO BASE OF R3 COMPARTMENT FULL EXTENSION	
			1	HPI 9020-555	LIFT DOOR TOPSIDE COMPARTMENT R3 32"W X 31.5"H X 18" D, VERTICAL LIFT SINGLE DOOR W/ GAS SHOCK (2), ADJ SHELF, D RING HANDLE	
3	AFT OF AXLE	GUSSET ASSEMBLY (STANDARD)	1	HPI 9055-99-080	GUSSET ASSEMBLY ENCLOSURE AFT OF AXLE (KIT)	
3	TOPSIDE WALKWAY	FULL CATWALK - DP OVERLAY W/ TREAD SURFACE BLACK GRIP PC (400)	1	RS MECH MOD1 TOPSIDE WALKWAY 400	3/16 ALUM DMND TREAD PLATE TOPSIDE WALKWAY COVERING TOP OF TANK AND L1/R1 CROSSFRAME - NOTCHED FOR FILL TOWERS, POWDERCOATED GRIP TEXTURE BLACK - MOUNTED TO TANK MOUNT INSERTS, EXTENDING TO FRONT OF CROSSFRAME COMPARTMENT, D RINGS FOR SRW STORAGE INTEGRATED (400 GAL TANK)	
3 TOPSIDE - FRONT CF OPTION 4, PRECONNECT			1	HPI 9027-222	HEX PUNCH DIVIDER W/ DUAL SLOT TRAYS FOR TOPSIDE PRECONNECTS ROLLED UPPER EDGES 16" X 96" X 12" W/ DUAL TRAYS SPLIT BY VERTICAL PUNCH RAIL @ 7-7/8" PC BK62	
			1	RS MECH CFPRECONNECT RISER	TOPSIDE RISER FOR PRECONNECT TRAY / PLUMBING BASE PC BK62	
			1	SEARS CUSTOM-BUILD	TOPSIDE COVER - BLACK VINYL - COVER FOR PC TRAYS	
3 TOPSIDE - LH/RH BASKETS OPTION 4 23.5" & 55.5"			1	HPI 9027-224	LH TOPSIDE BASKET HEX PUNCH 23.5" X 18" X 12" PC BK62 SMOOTH OUTER FACE	
			1	HPI 9027-225	RH TOPSIDE BASKET HEX PUNCH 55.5" X 18" X 12" PC BK62 SMOOTH OUTER FACE	
6	TOPSIDE ACCESS	STEP OVER PLUMBING (ENCLOSED)	1	RS MECH MOD1 PLUMBING STEP A	OS CORNER DECK MOUNT STEP OVER PLUMBING, NOTCHED FOR PLUMBING, LINKAGES TO BE INSTALLED FOR VALVE CONTROL THRU FACE, WATERJET CUT AND FORMED .188" 3003 DIAMOND PLATE TOP STEP, WITH .190" 5052 SIDE WALL SUPPORT	
6	BODY SIDE STEPS	BODY - SIDE ZICO (EA SIDE)	2	ZICO PS-8-5	MANUAL PULL OUT STEP ZICO PS-8-5, TO ACCESS TO TOPSIDE LOCATED REAR BOTTOM EDGE OF CROSSFRAME BOX	
4 COMPARTMENT LIGHTING (MODEL 1 STD BODY LAYOUT) SUNSTRIP - COMP LIGHT EA SIDE OPENING			6	FRC LED200-A27	27" SUNSTRIP (L2, R2, R3)	
			3	FRC LED200-A45	45" SUNSTRIP (L1/R1): 1/SIDE + 1 CENTER TOP THRU SECTION	

4	MASTER BATTERY	RED ETCHED ROCKER	1	RSP V1D1-GXXB	CONTURA V ROCKER ON-OFF 1INDB LED 4 TERM	
			1	RS SWGRD	SWITCH GUARD SHROUD	
			1	RSP SW COVER : MASTER POWER	RED ETCHED SW COV	
4	CORE ELECTRICAL, FUSING, SOLENOID, ETC.	STANDARD	1	RS F550ETRAY	F550 BATTERY CLAMP ELECTRONICS MOUNTING TRAY	
			3	AZN INLINE FUSE	INLINE FUSE HEAVY GAUGE	
			2	AZN FB-12-YC	12 GANG FUSE BLOCK, COVER, W/ BUS BAR	
			1	AZN FB-6-YC	6 GANG FUSE BLOCK, COVER, W/ BUS BAR	
			2	AZN 24812	COLE HERSEE 24812-04BX225A SPST SOLENOID	
			15	SHOP SUPPLIES	2/0 RED BATT CABLE (FT)	
			1	BULVACK 300A CIRCUIT BREAKER (MANUAL RESET)	BULVACK 300A CIRCUIT BREAKER (MANUAL RESET)	
			3	AZN SNG3/8STUD	3/8 POWER STUDS (2 PACK, 6 TOTAL)	
			10	SHOP SUPPLIES	4AWG CABLE RED	
			10	SHOP SUPPLIES	8AWG CABLE RED	
			1	SHOP SUPPLIES	TERMINALS	
			1	SHOP SUPPLIES	UNDEFINED WIRE (ALLOWANCE - SHOP STOCK)	
			1	RS MECH CORE E BKT	CORE E BRACKET / C399 POWER DIST : 3/16 ALUM	
4	DOOR AJAR SYSTEM	CAB & BODY AUDIBLE + VISUAL	1	AZN DRAJR12V	RED LIGHT W/ BUZZER 12V	
			6	REV 062652V	1 AMP DIODE	
			3.25	SWEV Serv - 101	INSTALL LABOR	
4	BATT CHARGER	KUSSMAUL CHIEF 4012	1	GRAIN 6CHZ8	80A BREAKER	
			1	KUSS 091-266-12-40	CHIEF 4012	
			15	SHOP SUPPLIES	12AWG 15' RED	
			1	SHOP SUPPLIES	TERMINALS	
			15	SHOP SUPPLIES	12AWG 15' BLACK	
4	AUTO EJECT	KUSSMAUL CHIEF OLED, 20A, RED	1	KUSS 091-55-20-120	20A SUPER AUTO EJ	
			1	KUSS 091-55-266-RD	CHIEF OLED COVER, RED	
			1	SHOP SUPPLIES	5A FUSE, INLINE HOLDER	
			20	SHOP SUPPLIES	14AWG WIRE / ALLOWANCE	
4	SCENE LIGHT SWITCHING	CAB & PUMP PANEL	1	SHOP SUPPLIES	RELAYS AND DIODES A/N TO COMPLETE	
			75	SHOP SUPPLIES	14AWG WIRE / ALLOWANCE (FT)	
			1	SHOP SUPPLIES	TERMINAL & CONNECTOR	
			1	RSP SW COVER : DRIVERS SCENE	DRIVER SCENE SW ETCHED COVER	
			1	RSP SW COVER : OFFICERS SCENE	OFFICER SCENE SW ETCHED COVER	
			1	RSP SW COVER : REAR WORK	REAR WORK LIGHTS SW ETCHED COVER	
			1	RSP SW COVER : TOPSIDE WORK	TOPSIDE WORK SW ETCHED COVER	
			4	RSP VLD2-UXXB	CONTURA V ROCKER SWITCH (ON)OFF(ON)	
4	TOPSIDE WORK LIGHTING	STANDARD 5 X 9" SUNSTRIP SPLIT BETWEEN BASKETS / STEP / CATWALK / TOPSIDE	5	FRC LED200-A09	9" FRC SUNSTRIP LIGHTS - TOPSIDE WORK 1 PER BASKE T/ TOPSIDE COFFIN TO ILLUMINATE CONTENTS 1 PER BASKET / TOPSIDE COFFIN FRONT INSIDE WALL TO ILLUMINATE TOPSIDE (W/ SHROUD) 1 ON BENT EDGE OF CATWALK TO ILLUMINATE STEP AREA (W/SHROUD) SWITCHED AT PUMP PANEL (TOPSIDE WORK) ROCKER SW.	
4	ROCK LIGHTS	2 PER WHEEL POSITION ANGLED TO CENTER	1	AZN YONEDA8PDS	2 LED ROCK LIGHTS PER WHEEL WELL, FORWARD AND BACK OF EACH TIRE, ANGLED INWARDS (8 TOTAL) ROCK LIGHT KIT (ALL SWITCHED TOGETHER) WIRED TO CENCOM / SWITCHED AT CENCOM	
4	GROUND LIGHTING	CAB DOOR POSITIONS & 2 UNDER APRON	6	ROM R03000-6	ROM 6" GROUND LIGHTS - 2 UNDER REAR APRON , 1 UNDER EACH CAB DOOR POSITION (6") - ILLUMINATE GROUND. AUTO ON X ALL W/ CAB DOOR OPEN OR SWITCH	
4	FRONT FOG LIGHTING	AMBER 6" RND	1	AZN OWL-6021Y	6" AMBER FOG LIGHTS INSTALLED IN 6" CUTOUTS IN BUMPER - SWITCHED AT CCTL7 "FOG LIGHTS" PUSH BUTTON	

4	DRIVER SCENE LIGHTING	LIGHTBAR - BODY 20"	1	BAJA 702006	20" BAJA DESIGNS S8 STRAIGHT LED LIGHT BAR: WORK/SCENE, CLEAR, MOUNTED TO DS TOPSIDE - DUAL SWITCHED AT PUMP PANEL OR FROM CAB	
4	OFFICER SCENE LIGHTING	LIGHTBAR - BODY 20"	1	BAJA 702006	20" BAJA DESIGNS S8 STRAIGHT LED LIGHT BAR: WORK/SCENE, CLEAR, MOUNTED TO OS TOPSIDE - DUAL SWITCHED AT PUMP PANEL OR FROM CAB	
4	REAR WORK LIGHTING	DUAL PODS (WHELEN NANO)	2	PAT SW-BKT001-NP6BB	WHELEN NANO PIONEER POD LIGHT ON SWEV ANGLE PEDASTAL BASE MOUNTED OUTER CORNERS OF REAR WORK AREA, REAR FACING, AUTO ON W/ REVERSE OR DUAL SWITCHED (CAB + PUMP PANEL) W/ OFFSET ANGLE MOUNT FOR WHELEN NP6BBLED POD LIGHT BK63	
			2	WHE NP6BB	WHELEN NANO PIONEER POD LIGHT ON SWEV ANGLE PEDASTAL BASE MOUNTED OUTER CORNERS OF REAR WORK AREA, REAR FACING, AUTO ON W/ REVERSE OR DUAL SWITCHED (CAB + PUMP PANEL) W/ OFFSET ANGLE MOUNT FOR WHELEN NP6BBLED POD LIGHT BK62	
5	SYSTEM / CONTROLLER	CENCOM CORE WCX C399 & CCTL7 21& SLIDE CONTROLLER	1	WHE C399	WHELEN CORE WCX - C399 CENCOM CORE SYSTEM - MOUNTED DS UNDER/ BEHIND SEAT CCTL7 WECANX SYSTEM CONTROLLER, 21 PUSH BUTTON AND 4 POS SLIDE SWITCH, PA MIC & CABLE	
			1	WHE CCTL7	WHELEN CORE WCX - C399 CENTOM CORE SYSTEM - MOUNTED DS UNDER/ BEHIND SEAT CCTL7 WECANX SYSTEM CONTROLLER, 21 PUSH BUTTON AND 4 POS SLIDE SWITCH, PA MIC & CABLE	
5	SYNC MODULE	NONE		DISCLAIMER	NO WHELEN VEHICLE TO VEHICLE SYNC SYSEM	
5	LIGHTBAR	WHELEN LIBERTY II WCX (FORD CHASSIS)	1	WHE BJ2DDDD	WHELEN LIBERTY II WECAN X 54" CTR DDDD LIGHTBAR, MOUNTED FRONT CAB DUO R/W FRONT, R/A REAR, R/W CORNER MODULES, LEFT & RIGHT ALLEY LIGHTS, TAKEDOWNS, W/ MKAJ94 MOUNTING STRAP KIT FOR FORD F SERIES	
			1	WHE MKAJ94	WHELEN LIBERTY II WECAN X 54" CTR DDDD LIGHTBAR, MOUNTED FRONT CAB DUO R/W FRONT, R/A REAR, R/W CORNER MODULES, LEFT & RIGHT ALLEY LIGHTS, TAKEDOWNS, W/ MKAJ94 MOUNTING STRAP KIT FOR FORD F SERIES	
5	OPTICOM	NONE		DISCLAIMER	NO OPTICOM	
5	SIREN SPEAKER	F550 GRILL MNT, SA315P	1	WHE SA315P	WHELEN SA315P 123 DB SIREN SPEAKER & SPEAKER	
			1	WHE SAK61AD	SUPER DUTY HIDDEN VEHICLE SPECIFIC SIREN SPEAKER MOUNT	
5	HOWLER SYSTEM	HOWLER SYSTEM DUAL SPKR & AMP / UNIV BKTS	1	WHE CHOWLER	WHELEN HOWLER LOW FREQUENCY SIREN SPEAKER SYSTEM (DUAL) W/ UNIVERSAL MOUNT KIT (2)	
			2	WHE HWLRB23	WHELEN HOWLER LOW FREQUENCY SIREN SPEAKER SYSTEM (DUAL) W/ UNIVERSAL MOUNT KIT (2)	
5	EXPANSION	CEM 16, EXPANDED	3	WHE CEM16	WHELEN 16 OUTPUT, 4 INPUT WECANX EXPANSION MODULE (3) 1 UNDER HOOD FOR FRONT ELECTRONICS, 2 IN PUMP PANEL FOR REAR ELECTRONICS	
5	FRONT BUMPER WARNINGS	M4 R/W DUO	2	WHE M4DD	WHELEN M4 M4DD (CLR) RED/WHITE, FRONT LOWER WARNING LIGHT - MOUNTED TO LOWER OUTSIDE ASPECTS OF BUMPER, FORWARD FACING *QTY 2	
5	FRONT BUMPER WARNING BEZELS	M4 BLACK	1	WHE M4FB	WHELEN M4 BEZEL, BLACK M4FB *QTY 2	
5	FRONT GRILL WARNINGS	ION "T" R/W DUO, CLR LENS	2	WHE TLI2D	WHELEN ION T-SERIES DUO TLI2D (CLR) RED/WHITE, FRONT GRILL WARNING LIGHT - MOUNTED TO BRUSH GUARD UPRIGHTS OR TO GRILL FACE (DEPT SPEC PLACEMENT) *QTY 2	
5	INTERSECTION WARNINGS	M2 RED, CLR LENS	2	WHE ML2RC	WHELEN M2 SERIES LIGHTHEAD ML2RC (CLR) RED, INTERSECTION WARNING LIGHT, MOUNTED TO FRONT FENDER OVER TIRE EA SIDE *QTY 2	
5	INTERSECTION WARNING BEZELS	M2 BLACK	2	WHE M2FB	WHELEN M2 BEZEL, BLACK M2FB *QTY 2	
5	MIDSHIP WARNINGS	M2 RED, CLR LENS	2	WHE ML2RC	WHELEN M2 SERIES LIGHTHEAD ML2RC (CLR) RED, MIDSHIP WARNING LIGHT, MOUNTED TO BEDRAIL OVER TIRE EA SIDE *QTY 2	
5	MIDSHIP WARNING BEZELS	M2 BLACK	2	WHE M2FB	WHELEN M2 BEZEL, BLACK M2FB *QTY 2	
5	REAR LOWER WARNING LIGHTS	M2 R/A DUO, CLR LENS	2	WHE ML2DK	WHELEN M2 SERIES LIGHTHEAD ML2DK (CLR) RED/AMBER, REAR LOWER WARNING LIGHTS (2) MOUNTED TO OUTSIDE BEDRAIL NEAR DOT LIGHT	
5	REAR UPPER WARNING LIGHTS	M2 R/A DUO, CLR LENS	2	WHE ML2DK	WHELEN M2 SERIES LIGHTHEAD ML2DK (CLR) RED/AMBER, UPPER WARNING LIGHT, MOUNTED TO UPPER OUTSIDE BODY CORNERS *QTY 2	

5	REAR LOWER WARNING LIGHT BEZELS	M2 BLACK	2	WHE M2FB	WHELEN M2 BEZEL, BLACK M2FB *QTY 2	
5	REAR UPPER WARNING LIGHT BEZELS	M2 BLACK	2	WHE M2FB	WHELEN M2 BEZEL, BLACK M2FB *QTY 2	
5	PROGRAMMING	STD HARNESSSES	1	WHE C399SP	WHELEN SCANPORT OBDII INTEGRATION MODULE	
			2	KDBCO COREHEXP16	J5/J6 OUTPUT HARN	
			2	KDBCO COREHCAN	J7 DATA COMM HARN	
			2	KDBCO COREHGND	GROUND HARNESS	
			8	SWEV Serv - 101	PROGRAMMING	FINAL PATTERN / PROGRAM FUNCTIONS PER DEPT
6	CENTER CONSOLE	30" FORD 13.3" CONSOLE ASSY SINGLE RAD NO PUMP CONT	1	HAVIS C-VSW- 3000-F150-3	30" FORD 13.3" VSW HAVIS CONSOLE FLAT (30"-9, 24.5"-3.3)	
			5	HAVIS C-FP-1	1" FILLER PLATE	
			1	HAVIS C- EB**TBD**	3.5" RADIO ACCESSORY PLATE (TBD BY RADIO MODEL)	
			1	HAVIS C-EB40- CCS-1P	WHELEN CCTL7 CONTROLLER ACCESSORY PLATE	
			1	HAVIS C-LP2-USB- BL2	CONSOLE ACCESSORY BRACKET KIT WITH 2 LIGHTER PLUG OUTLETS W/ 1 USB-C & USB TYPE A DUAL PORT CHARGER & 2 BLANKS FOR RECTANGULAR ACCESSORIES	
			1	HAVIS C-AP-0325-1	3" ACCESSORY POCKET, 2.5" DEEP	
			1	HAVIS CUP2-1001	INTERNAL CUPHOLDER, DUAL, ADJUSTING	
			1	HAVIS C-FP-2	2" FILLER PLATE	
			1	HAVIS C-AP-0645-L	6" ACCESSORY POCKET W/ LID & LOCK, 4.5" DEEP	
			1	HAVIS C-FP-05	.5" FILLERPLATE	
			2	HAVIS C-ARM-102	SIDE MOUNT ARMREST	
			1	HAVIS C-FPW-5	VSW 3.3 : 5" FILLER PLATE	
			1	HAVIS C-EBW20- USB2-1P	EQUIPMENT BRACKET FOR WIDE VSW CONSOLES, FITS DUAL USB OR SWITCH PANEL	
			1	HAVIS C-FPW-15	VSW 3.3 : 1.5" FILLER PLATE	
			1	HAVIS C-APW-1390	VSW DOCUMENT POCKET : 13" X 9" D	
			1	HAVIS C-FPW-3	VSW 3.3 : 3" FILLER PLATE	
6	RADIO INSTALLATION	SINGLE INSTALL, DEPT SUPPLIED RADIO	1	SWEV CUSTOM	INSTALL DEPT SUPPLIED RADIO UTILIZING DEPT SUPPLIED ANTENNA BASE + COAX KIT - SINGLE RADIO INSTALL TO HAVIS (DOES NOT INCLUDE PROGRAMMING) DEPT TO SPECIFY ANTENNA PLACEMENT AND PROVIDE RADIO MODEL #	
6	WINCH	NONE		DISCLAIMER	NO WINCH	
7	POLY TANK	MODEL 1 400	1	UPF CUSTOM POLY TANK	UPF RECTANGULAR POLY TANK PER DWG 715-TBDX 400 GAL, STD SUMP / DRAIN / SUCTION / VENT 10 GAL INTEGRAL FOAM CELL FOAM CELL X2 NPT FEMALE 2" OVERFLOW VENT BOTT TAB MOUNTING BACK, NUT INSERTS FRONT BOTT TOPSIDE MOUNTING TAPS FOR WALKWAY FOAM AND WATER FILL TOWERS ON DS EDGE, INLINE, WATER FILL ON TANK MIDLINE FORWARD OF FOAM CELL PORT NPT F PLACEMENT TBD PER STD / SEE PRINTS UPPER RIGHT CORNER SLEEVED & NOTCHED FOR TOPSIDE PLUMBING THRU ROUTING X 2 59"W X 64"+2"L X 31.5" H DARLEY 2BE 24K PUMP	
7	PUMP	DARLEY 2BE24K	1	DARLEY STB028	MEDIUM PRESSURE, HIGH VOLUME, DIRECT DRIVE, ENGINE MOUNTED KUBOTA D902 DIESEL 24HP, LIQUID COOLED 200 GPM @ 115 PSI NO-DIS-HEAD, DC: ASSY - FLANGE, 2.0 NPT 3/8-16N (4) ON 2.5 SQ ALUMINUM ALLOY CASING ALUMINUM ALLOY GEAR CASE AND ENGINE ADAPTER BRONZE IMPELLER AND WEAR RINGS STAINLESS STEEL IMPELLER SHAFT MECHANICAL SEAL HEAT-TREATED ALLOY STEEL HELICAL GEARS BALL BEARING CONSTRUCTION 3" NPT SUCTION	

7	TANK - PUMP & SUCTION INLET ASSY		2BE INTAKE ASSY - STD	1	ATP VICTAULIC COUPLING REDUCING 2"-2.5"	3 X 2.5 REDUCING VIC	
				2	ATP VICTAULIC RIGID COUPLING - 3"	ATP VICTAULIC RIGID COUPLING, 3.0", BLACK	
				1	ATP VICTAULIC RIGID COUPLING - 3"	ATP VICTAULIC RIGID COUPLING, 3.0", BLACK	
				1	AKR 88250012	AKRON 8825 VALVE BODY	
				1	AKR 78250309	AKRON F2SS FLANGE W/ 3/4 & SCREEN, 2.5" FEMALE NH SWIVEL	
				1	AKR 115312	AKRON V1S FLANGE 2.5" VICTAULIC	
				1	AKR 78250568	AKRON TS HANDLE 7"	
				1	AKR 742073	AKRON PLATE HDL STOP FOR 8825	
				1	AKR 88300009	8830 VALVE BODY	
				2	AKR 116005	ADPT V1S 3"S/O VLV	
				1	AKR 721238	ATP 251-300RG	
				1	AKR 742095	AKRON SPACER HDL STOP FOR 8830	
				1	IC-3040559-05-02	IC LINKAGE	
				1	SPC HPC3008AC	2.5" CHROME PLUG W/ CHAIN	
				1	RS MECH 8825BKTOPEN	INTAKE ASSY 2.5" VALVE SUPPORT W/ ETCHED LABEL POWDERCOATED BK62, 1/8 ALUM (W/ PASSTHRU)	
				1	RS MECH 8825BKTCLSD	INTAKE ASSY 2.5" VALVE SUPPORT W/ ETCHED LABEL POWDERCOATED BK62, 1/8 ALUM	
				3		2BE INTAKE ASSY ROLL GROOVE VIC X 5 THREAD PIPE 3.0 NPT X 2 CUT, POSITION, AND WELD ALL INTAKE PIPE PER PRINT "2BE INTAKE ASSY - STD"	
				1	WIT QQ W3T10-30	3" S10S TEE BUTTWELD A403 304/304L SS WELD FITTING	
				2	WIT QQ IS3W10-30	3" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	
7	PUMP CONTROL SYSTEM	DARLEY DIGITROL+ PANEL 24K	1	DARLEY DIGITROL+	*UPGRADE* DARLEY PUMP CONTROLS STD FOR DIESEL PUMP (24K): DIGITROL - UPGRADE TO DIGITROL+ FOR MAIN PANEL: ALL FEATURES OF DIGITROL STD THROTTLE TO PRESSURE FEATURE LOW OIL PRESSURE AUTO SHUTDOWN LOSS OF WATER AUTO SHUTDOWN		
7	DUAL CONTROLS	NONE		DISCLAIMER	NO DUAL CONTROL SYSTEM, PUMP CONTROLLED FROM MAIN (REAR) PUMP PANEL ONLY		
7	PUMP FUEL SOURCE	CHASSIS DIESEL - 24K	1	NAPA DFP FD0038	FUEL PUMP - ELECTRIC IN-LINE TYPE		
			1	NAPA BK7357298	FUEL PRESSURE REGULATOR HI-PERF		
			8	NAPA NBH H313	BARRICADE FUEL LINE HOSE - 3/8" 50 PSI		
			6	NAPA BK 7051227	HOSE CLAMP FUEL INJECTION 3/8		
			1	NAPA NOE 7305618	FUEL TANK QUICK CONNECT ADAPT 90°, 5/16" X 5/16"		
7	PUMP PANEL BOX OPTIONS	SWEV INTERNAL BOX	1	PAT SW-PUMP1-BOX	SWEV STANDARD PUMP PANEL BOX, BLACK POWDERCOAT - REMOVEABLE FACE BOX TO ACCOMMODATE ALL PUMP / WORK AREA CONTROLS		
			1	AZN 996299540	PUMP PANEL LIGHT STRIPS (DUAL)		
7	PUMP PANEL FACE OPTIONS	FACE 1 - DIGITROL	1	PAT SW-PFACE-001	SEAWESTERN PUMP PANEL FACE #1 (DARLEY DIGITROL) BLACK FINISH ETCHED: 4 WAY, LOGO		
7	PUMP REMOTE OIL	24K REMOTE OIL		DISCLAIMER	REMOTE OIL FILTER AND DRAIN KIT INCLUDED W/ 24K DIESEL PUMPS, N/C (REF ONLY) DRAIN LINES ROUTED FOR EASE OF USE / SERVICE		
7	WATER LEVEL GAUGE	FRC TANKVISION PRO 400 WATER	1	FRC WLA400-A00	LED WATER DISPLAY, TANKVISION PRO 400, PRIMARY: INSTALLED TO PUMP PANEL, TIED TO PUMP IGN POWER		
7	AUXILLARY WATER LEVEL GAUGE	FRC MAXVISION (QTY 2) SIDES	2	FRC WLA280-A00	LED WATER DISPLAY, MAXVISION, LARGE, REMOTE: INSTALLED TO SIDES OF BODY UPPER FORWARD DOOR FRAME (EA SIDE) L1 / R1 (2), TIED TO PUMP IGN POWER		

7	FOAM LEVEL GAUGE	TANK SIGHT WINDOW		DISCLAIMER	N/C REF ONLY - TANK SIGHT WINDOW FOR FOAM LEVEL INCLUDED IN POLYTANK	
7	IN CAB SLAVE WATER GAUGE	FRC TANKVISION WATER (MINI)	1	FRC WLA205-A00	LED WATER DISPLAY, TANKVISION CAB MINI, REMOTE: INSTALLED TO CONSOLE, TIED TO PUMP IGN POWER	
7	MASTER DRAIN	MASTER DRAIN	1	HALE 104961	VALVE 6 PORT	
			6	WIT W169PLP-6-4	3/8 PUSH X 1/4 MNPT NICKEL 90	
			15	WIT 1120-6B-BLK-500	3/8 DOT TUBING BLACK (FT)	
7	FOAM SYSTEM	TRIDENT	1	TEP 31.008.0	TRIDENT FOAMATE 1.0 CLASS A SYSTEM	
7	FOAM SYSTEM INSTALL, SUPPLY & DRAIN PLUMBING	STANDARD ATP	2	INSUP 60859	1/2 150 304 SS THRD STREET 90 ELBOW P/N 60859	
			2	INSUP 60883	3/4X1/2 150 304SS THRD HEX BUSH 60883	
			1	INSUP 909078	MAINLINE ML232AB-1/2 1/2 THRD BRASS ECON INLINE SPRING CHECK VLV LF	
			2	INSUP 909178	MAINLINE ML5544AB-1/2 1/2 THRD BRASS 2PC FP BALL VLV LF	
			4	WIT 1120-6B-BLK-500	3/8 DOT TUBING BLACK	
			20	WIT 1120-6B-BLU-500	3/8 DOT TUBING BLUE	
			6	WIT 1120-6B-GRN-500	3/8 DOT TUBING GREEN	
			3	WIT 1120-8B-RED-500	1/2 DOT TUBING RED	
			1	WIT 164PLP-6	3/8 PUSH T FITTING TEE	
			4	WIT QQ N3WST-0500	1/2" X CL S40 NIPPLE WELDED TBE 304/304L SS	
			1	WIT W169PLP 8-6	3/8 NPT X 1/2 PUSH (NICKEL) SWIVEL 90° ELBOW	
			1	WIT W169PLP-6-4	¼ NPT X 3/8 PUSH (NICKEL) SWIVEL 90° ELBOW	
			1	WIT W169PLP-6-8	½ NPT X 3/8 PUSH (NICKEL) SWIVEL 90° ELBOW	
			2	WIT W68PLP-6-8	½ NPT X 3/8 PUSH (NICKEL) STRAIGHT	
7	RECIRC COOLER SYSTEM & CONTROL / FOAM CONTROL	3/8 TUBING 4 WAY	1	AZN 033304-10	4 WAY VALVE, MOELLER	
			1	WIT W68PLP-6-4	¼ NPT X 3/8 PUSH (NICKEL) STRAIGHT	
			1	WIT W169PLP-6-4	¼ NPT X 3/8 PUSH (NICKEL) SWIV 90	
			20	WIT 1120-6B-BLU-500	3/8 DOT AIR LINE TUBING - BLUE (FT)	
7	PRIMER	DARLEY FLUIDLESS 12V (PULL TO PRIME VERSION)	1	DARLEY AP00960	DARLEY FLUIDLESS 12V PRIMER - HEAVY DUTY AP00960, PULL TO PRIME ASSY / BEZEL - MOUNT UNDER BODY, CONTROL AT REAR BEDRAIL	
7	PRIMER PLUMBING / INSTALL	DARLEY FLUIDLESS 12V	1	AZN BJ-FHANM	AMG MEGA FUSE HOLDER	
			1	AZN 400AMEGA	400A HIGH CURRENT BOLT MOUNT FUSE	
			1	INSUP 60865	1/2 105 304SS THRD TEE	
			1	INSUP 60871	1/2 150 304SS THRD CPLG	
			3	INSUP 61752	1/2 150 304SS THRD 45 ELBOW	
			15	SHOP SUPPLIES	2/0 RED BATT CABLE	

			8	WIT 1120-12B-BLK-250	3/4 DOT TUBING BLACK 8'	
			4	WIT QQ N3WST-0500	1/2" X CL S40 NIPPLE WELDED TBE 304/304L SS	
			4	WIT VS68NTA-12-8	1/2 MNPT X 3/4 COMPRESSION BRASS DOT STRAIGHT	
7	DISCHARGE DISTRIBUTION - TOPSIDE	SLEEVED THROUGH TANK TO TOPSIDE OUTLETS	1	SWEV SERV - 101	SUB ASSY: SUB ASSY: THRU TANK PLUMBING TO TOPSIDE ROLL GROOVE VIC X1 CUT, POSITION, AND WELD ALL DC PIPE PER PRINT "SUB ASSY: THRU TANK PLUMBING TO TOPSIDE"	
			16	WIT QQ IS3W10-15	1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	
			4	WIT QQ W3D10-15	1.5" S10S SR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	
7	TOPSIDE PRECONNECT(S)	DUAL D/O CROSSFRAME - LINKAGE @ REAR	2	IC-3040559-05-02	IC LINKAGE, FOR PRECONNECT (DRIVER & OFFICER) VALVE CONTROL, VALVE THRU STEP FACE VALVES TO BE LABELED "DRIVER'S PRECONNECT" AND OFFICER'S PRECONNECT" W/ RED & BLUE BEZELS	
			4	ATP VICTAULIC RIGID COUPLING - 1.5"	ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	
			2	AKR 88150020	8815 VALVE BODY	
			4	AKR 115243	ADPT V1S 1.5"S/O VLV MCH	
			2	AKR 721236	HANDLE R1 1.5 FINEBLANK VLV S/O	
			2	AKR 769411	SPACER HDL STL 1/4"F/LONGTRUN .260/.240	
			4	WIT QQ W3D10-15	1.5" S10S SR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	
			6	WIT QQ IS3W10-15	1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	
			1	SWEV SERV - 101	SUB ASSY: TOPSIDE DUAL PC REAR CONT ROLL GROOVE VIC X 6 CUT POSITION AND WELD ALL DC PIPE PER PRINT "SUB ASSY: TOPSIDE DUAL PC REAR CONT"	
			2	SPC MDE7715B	CHICKSON SWIVEL 1.5NPT X 1.5 NST, FREE SWIVEL BRASS	
			1	HAN EF4038-17-18 LT	MODEL: EF4038-17-18 LT 12V 227 MOTOR, 1" 90 DEGREE SUPER SWIVEL JOINT W/ VITON, 1" MALE RISER, BEARING MOUNTED STRAP BRAKE, FH-330 TOP WIND, PAINT BLACK. (NO HOSE) CAPACITY: 125' 1" / 200' 3/4 MOUNTED TO TOP OF BODY LH SIDE (SPECIFY REEL FORWARD OR REEL MID PLACEMENT)	
			1	HAN EF4038-17-18 RT	MODEL: EF4038-17-18 RT 12V 227 MOTOR, 1" 90 DEGREE SUPER SWIVEL JOINT W/ VITON, 1" MALE RISER, BEARING MOUNTED STRAP BRAKE, FH-330 TOP WIND, PAINT BLACK. (NO HOSE) CAPACITY: 125' 1" / 200' 3/4 MOUNTED TO TOP OF BODY RH SIDE (SPECIFY REEL FORWARD OR REEL MID PLACEMENT)	
7	HOSE REEL REWIND(S)	BEDRAIL DUAL TOPSIDE	2	HAN 90030	PUSH BUTTON MOMENTARY REWIND BUTTONS BUTTON MOUNTED TO BEDRAIL INLINE W/ HOSE REELS (EA SIDE)	
			2	AZN BS0040-0010	40 AMP MANUAL RESET BREAKER	
			2	PAT SW-DG005-RWND	BLACK BEZELS ETCHED "REWIND" (INSTALLED TO REWIND BUTTONS)	
7	HOSE REEL DISCHARGE PLUMBING	TOPSIDE DUAL - MID	14	WIT QQ IS3W10-10	1" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	

			3	ATP VICTAULIC RIGID COUPLING - 1"	ATP VICTAULIC RIGID COUPLING, 1", BLACK	
			6	WIT QQ W3A10-10	1" S10S LR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	
			1	WIT QQ W3R10-1510	1-1/2" X 1" S10S CONCENTRIC REDUC BUTTWELD A403 304/304L SS WELD FITTING	
			1	WIT QQ W3T10-10	1" S10S TEE BUTTWELD A403 304/304L SS WELD FITTING	
			2	AKR 88100010	BODY S/A 1.0 L/HDL F/TS	
			2	AKR 78150064	HANDLE TS 1.5 5"LENGTH CP VLV S/O#	
			4	AKR 104976	P1-S 1" FEMALE NPT	
			2	PAT SW-DGR002-1BR	1" VALVE BEZEL LABEL PC BLACK, LASER ETCHED "BOOSTER REEL"	
			5.5	SWEV SERV - 101	SUB ASSY: TOPSIDE DUAL HOSE REEL DC MID CUT, POSITION, THREAD, AND WELD ALL DC PIPE PER PRINT "SUB ASSY: TOPSIDE DUAL HOSE REEL MID"	
7	DRIVER DECK DISCHARGE ASSY	STANDARD 1.5 DC DS DECK	2	ATP VICTAULIC RIGID COUPLING - 1.5"	ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	
			1	AKR 115243	ADPT V1S 1.5"S/O VLV MCH	
			1	AKR 104981	ADPT M1S NH 1.5 VLV S/O MCH CS	
			1	AKR 88150020	8815 VALVE BODY	
			1	AKR 78150064	HANDLE TS 1.5 5"LENGTH CP VLV S/O#	
			1	AKR 742074	PLATE HDL STOP 1.5" 303 ST STL	
			1	SPC HCC2804AC	1-1/2" CHROME CAP W/ CHAIN	
			2.5	SWEV SERV - 101	DS DC ASSY - STD ROLL GROOVE VIC X4 CUT, POSITION, AND WELD ALL DC PIPE PER PRINT "DS DC ASSY - STD"	
			4	WIT QQ IS3W10-15	1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	
			3	WIT BEH SH61900-PP	1.5 INCH PIPE WELD CLAMP	
			1	WIT QQ W3A10-15	1-1/2" S10S LR 90 ELL BUTTWELD A4 304/304L SS WELD FITTING	
7	OFFICER DECK DISCHARGE ASSY	OS DISCHARGE ASSY - STANDARD DISTRIBUTION	1	ATP VICTAULIC COUPLING REDUCING 2"-2.5"	2"-2.5" VICTAULING COUPLING - REDUCING (BLACK)	
			3	ATP VICTAULIC RIGID COUPLING - 1.5"	ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	
			1	ATP VICTAULIC RIGID COUPLING - 2"	ATP VICTAULIC RIGID COUPLING, 2.0", BLACK	
			1	AKR 115243	ADPT V1S 1.5"S/O VLV MCH	
			1	AKR 104981	ADPT M1S NH 1.5 VLV S/O MCH CS	

	1	AKR 88150020	8815 VALVE BODY	
	1	AKR 78150064	HANDLE TS 1.5 5"LENGTH CP VLV S/O#	
	1	AKR 742074	PLATE HDL STOP 1.5" 303 ST STL	
	1	PAT SW-DG004-15DC	1.5" VALVE BEZEL LABEL PC BLACK, LASER ETCHED "1.5" DISCHARGE"	
	1	SPC HCC2804AC	1-1/2" CHROME CAP W/ CHAIN	
	6	SWEV SERV - 101	OS DISCHARGE ASSY - STANDARD DISTRIBUTION ROLL GROOVE VIC X8 CUT, POSITION, FAB AND COPE CORNER, AND WELD ALL DC PIPE PER PRINT "OS DISCHARGE ASSY - STANDARD DISTRIBUTION"	
	3	WIT QQ IS3W10-25	S10S A312 TP 304 /304L WELDED PE STAINLESS STEEL PIPE IMPORT	
	1	WIT QQ W3A10-25	2-1/2" S10S LR 90 ELL BUTTWELD A4 304/304L SS WELD FITTING	
	1	WIT QQ W3R10-2515	2-1/2" X 1-1/2" S10S CONCENTRIC REDUC BUTTWELD A403 304/304L SS WELD FITTING	
	2	WIT QQ IS3W10-15	1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	
	2	WIT QQ W3T10-2515	2-1/2" X 1-1/2" S10S TEE BUTTWELD A403 304/304L: STAINLESS STEEL WELD FITTING	
	1	GRAIN 60WM37	2" WELD CROSS	
	1	WIT QQ IS3W10-20	2" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	
	1	WIT BEH SH61900-PP	1.5 INCH PIPE WELD CLAMP	
	2	WIT BEH SH72875-PP	2.5 INCH PIPE WELD CLAMP	
7		ATP VICTAULIC RIGID COUPLING - 1.5"	ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	
	1	AKR 88150020	8815 VALVE BODY	
	2	AKR 115243	ADPT V1S 1.5"S/O VLV MCH	
	1	AKR 721236	HANDLE R1 1.5 FINEBLANK VLV S/O	
	1	AKR 769411	SPACER HDL STL 1/4"F/LONGTRUN .260/.240	
	1	GRAIN 60VR16	SQUARE HEAD PLUG: BRASS 1.5" MALE NPT	
	1	INSUP 708093	1 1/2 X 8 SCH 40 304SS NIPLE	
	1	IC-3040559-05-02	IC LINKAGE	
	1.5	SWEV SERV - 101	SUB ASSY: STANDARD TANK FILL ROLL GROOVE VIC X3 CUT, POSITION, AND WELD ALL DC PIPE PER PRINT "SUB ASSY: STANDARD TANK FILL"	
	1	WIT QQ W3A10-15	1-1/2" S10S LR 90 ELL BUTTWELD A4 304/304L SS WELD FITTING	

			1	WIT QQ W3D10-15	1-1/2" S10S SR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	
			2	WIT QQ IS3W10-15	1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	
7	REAR DISCHARGE ASSY	2BE OUTLET T	1	ATP VICTAULIC RIGID COUPLING - 2.5"	ATP VICTAULIC RIGID COUPLING, 2.5", BLACK	
			1	ATP VICTAULIC RIGID COUPLING - 1.5"	ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	
			1	RS MECH 2BE FLANGE	2BE FLANGE - WELD	
			1.5	SWEV SERV - 101	2BE INITIAL DC ASSY - STD ROLL GROOVE VIC X 2 CUT, POSITION, AND WELD ALL DC PIPE PER PRINT "2BE INITIAL DC ASSY - STD"	
			1	WIT QQ W3T10-25	2-1/2" S10S TEE BUTTWELD A403 304/304L SS WELD FITTING	
			3	WIT QQ IS3W10-25	S10S A312 TP 304 /304L WELDED PE STAINLESS STEEL PIPE IMPORT	
			0.5	WIT QQ IS3W10-15	1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	
			1	WIT QQ W3R10-2515	2-1/2" X 1-1/2" S10S CONCENTRIC REDUC BUTTWELD A403 304/304L SS WELD FITTING	
			1	WIT QQ W3D10-25	2-1/2" S10S SR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	
			8	BOOSTER HOSE	3/4 RED RUBBER X 150' 1"NH (QTY 2)	300
2	RHB BW134-A	1" NH BOOSTER REEL COUPLINGS - SET				
2	SWEV RECOUPLE DBL	CUT, COUPLE, INSTALL TO HOSE REELS				
8	BOOSTER NOZZLE(S)	C&S 110/23 (DUAL)	2	C&S 110/23	C&S 110/23 DUAL GALLONAGE BOOSTER NOZZLE, 1" FNH (QTY 2)	
8	DRIP TORCH MOUNTS	DUAL MOUNT	2	C&S DT125-MB	DUAL DRIP TORCH MOUNT, DEPT TO SPECIFY PLACEMENT: (DETAIL)	FINALIZE PLACEMENT DURING DEPT ON SITE INSPECTION
8	DRIP TORCHES	2X DRIP TORCH	2	C&S DT125	C&S SUPPLY DRIP TORCH 1.25 GAL, INCLUDED (QTY 2)	
8	HARD SUCTION	2.5 X BODY LENGTH (2) NH	16	A-1 S115-2.5	2.5" SPIRAL SUCTION HOSE	
			2	RHB 7725	2.5 COUPLINGS NH	
			2	SWEV RECOUPLE DBL	CUT, COUPLE, INTALL IN HOSE BOX (2 @ 8')	
8	HANDLE OPTIONS	2 HANDLES PLACEMENT TBD REAR, 12"	2	REV 088821V002	BAR MATERIAL	
			4	REV BH-10089	STANCHION 90	VERTICAL MOUNT INSIDE OF R3 @ 12" & 12" AT 45 FROM R3 TO OS TOPSIDE BASKET AT TANK THRESHOLD
8	HITCH STEP	SWEV HITCH STEP / SHACKLE	1	SWEV DROP STEP SHACKLE ASSEMBLY	SWEV HITCH STEP / REC MOUNT SHACKLE COMBO FLIP STEP ON DROP, 2.5" HITCH MOUNT, ACCEPTS 2" HITCH SHACKLE, DOUBLE PINS, W/ INTEGRATED LIGHT	
8	PAC MOUNT - BOOSTER NOZZLE(S)	HANDLELOK (DUAL)	2	PACT 1004-B	BOOSTER NOZZLE MOUNT, TO EA REEL BASE, PACT 1004 (2)	
8	HOSE HOOKS	HOSE HOOK	1	CFE	IZONE SWING OUT HOSE HOOK MOUNTED TO R3 TO SWING OUTWARD FOR HOSE QUICK LOOPING - SWING OUT TO REAR OF UNIT FINAL PLACEMENT TBD BY DEPT	INSIDE R3 TOP HALF MOUNT AT EDGE OF COMPARTMENT / STOWS INBOARD FOLDS OUT AFT
8	SPANNER / HYD WRENCH SET (MOUNTED)	INCLUDE SPANNER / HYD WR + BKT	1	RHB STYLE 148-3	WRENCH HOLDER SET W/ (1) 105 HYDRANT WRENCH & (2) 101 SPANNER WRENCHES MOUNT LOCATION TBD BY DEPT (DETAIL)	
8	STRAINER	2.5 BARREL STRAINER	1	HAR HTBS-25NH	PROVIDED BARREL STRAINER, 2.5" FNH RIGID, ANODIZED ALUM	
8	TOW HOOK / SHACKLE	2" HITCH MNT SHACKLE	1	AZN ABTS-R-07	INCLUDE 2" HITCH MOUNTED SHACKLE. 15 TON, RED	
8	WHEEL CHOCK MOUNTS	HORIZONTAL MNT 1 PAIR	2	ZICO QCH-32-H	HORIZONTAL HOLDER FOR AC-32W (SHIP LOOSE)	SHIP LOOSE
8	WHEEL CHOCKS	1 PAIR	2	ZICO AC-32-W	ZICO WILDLAND COMPLIANT WHEEL CHOCK, AC-32W	
8	HPI ENGINEERING	NONE		DISCLAIMER	NO ENGINEERING HPI	
8	INTERNAL ENGINEERING	SWEV DESIGN ENGINEERING	1	SWEV CUSTOM	SWEV INTERNAL DESIGN TIME AND ENGINEERING (HRLY)	

8	FINAL INSP. / DELIVERY	AT SWEV (N/C)		DISCLAIMER	FINAL INSPECTION AND DELIVERY TO CUSTOMER @ SWEV YAKIMA, WA REF ONLY, N/C	DEPT RESPONSIBLE FOR INITIAL CHASSIS DELIVERY TO SWEV AND FINAL COMPLETED UNIT INSPECTION AND PICKUP
---	---------------------------	---------------	--	------------	--	---

