

# QUICK SPECIFICATIONS



**JOB:** 2026 MOD 1 DEMO GSO#25113  
**SALES REP:** TBD  
**PROJECT MGR:** JORDAN KOFFLER  
**DATE:** 2/13/2026  
**REF:** V2 CONFIGURATION / IN PROD

SELECTION	SPEC / DESCRIPTION
<b>CHASSIS</b>	
FORD F550 60"CA, 4X4, DIESEL	2026 FORD F550 SUPERDUTY CREW CAB. 4X4, 179" WB, 60" CA, DRW, 19,500 GWV, 6.7L POWERSTROKE DIESEL, RACE RED, FIRE PREP PKG.
<b>SUSPENSION, WHEEL &amp; TIRE</b>	
BUCKSTOP S3 FORD (INSTALLED)	BUCKSTOP SINGLE REAR WHEEL CONVERSION KIT INSTALLED TO CHASSIS. CONVERSION KIT INCLUDES: 335/80R20 CONTINENTAL MPT81 TIRES (5), 11"X20" REVERSIBLE DOT ALUM WHEELS (5) (PC SILVER), HIGH ARCH FENDER FLARES AND BODY MODIFICATIONS, OUTBACK BUMPER (WIDE), 3.5" SUSP. LIFT, SPEEDO, ABS, TRACTION CONTROL CALIBRATION MODULE / CORRECTION, RADFLO REMOTE RESERVOIR TUNED PERFORMANCE 2.5" SHAFT SHOCKS
<b>HOSE REEL MODEL</b>	
REEL 1 (TOPSIDE, DUAL)	DUAL HANNAY MODEL: EF4038-17-18 (LT & RT) 12V ELECTRIC REWIND HOSE REELS MOUNTED TO TOP OF BODY ON LH & RH SIDES PER CONFIGURATION. PAINTED BLACK, 1" NH OUTLET THREADS, W/ STANDARD SPOOL STYLE ROLLER ASSEMBLIES CAPACITY: 125' 1" / 200' 3/4
<b>R3 POSITION</b>	
R3 COMPARTMENT	LIFT DOOR TOPSIDE COMPARTMENT INSTALLED TO R3 BODY POSITION. (32"W X 31.5"H X 18"D): VERTICAL LIFT DOOR WITH DUAL GAS SHOCKS. (2) ADJUSTABLE SHELVES, D RING HANDLE, COMPARTMENT CIRCLE VENT AND LOUVER ASSY. CTECH SINGLE ENCLOSED 6"D DRAWER INSTALLED TO BASE OF R3 COMPARTMENT FOR ADAPTER & APPLIANCE STORAGE.
<b>TOPSIDE PRECONNECT(S)</b>	
NONE	NO TOPSIDE PRECONNECTS INSTALLED
<b>TOPSIDE - FRONT CF</b>	
OPTION 2, COFFIN	TOPSIDE FRONT COFFIN BOX INSTALLED OVER L1/R1 TRANSVERSE (48"W X 18"D X 12"H). T LATCH HANDLE ON LID SURFACE, HINGED CAB SIDE, GAS SHOCK ASSIST, POWDERCOAT BK62
<b>TOPSIDE - LH/RH BASKETS</b>	
OPTION 2, 40.5" LH & 72.25" RH (REELS FWD)	TOPSIDE BASKETS OVER LH & RH BODY COMPARTMENTS, HEX PUNCHED, POWDERCOATED BK62 [REELS TOPSIDE LH/RH FORWARD]. LH: 40.5"W X 18"D X 12"H, POWDERCOATED BK62 RH: 72.25"W X 18"D X 12"H, POWDERCOATED BK62
<b>PUMP CONTROL SYSTEM</b>	
DUAL CONTROLS: DARLEY DIGITROL+ 24K	DIGITROL+ DUAL PANELS: AUX PANEL INSTALLED TO HAVIS CONSOLE DUAL DIGITAL READOUT INTERFACES W/ HOUR MEETER, OIL PSI, ENG COOLANT TEMP, VOLT METER, AND DIGITAL PRESSURE ELECTRONIC THROTTLE, PUSH BUTTON PRIMER, INTEGRATED PRESSURE GOV, INTEGRATED AUTO SHUTDOWN: LOW OIL PRESSURE & LOSS OF WATER
<b>FOAM SYSTEM</b>	
TRIDENT	TRIDENT FOAMATE 1.0 CLASS A FOAM SYSTEM BRASS HOUSING, PROPORTIONER STYLE - MOUNTED TO PLUMBING STEP FACE OR TO PUMP CONTROL AREA INLINE 1/4 TURN VALVES FOR FOAM TANK DRAIN AND FOAM SUPPLY CONTROL INSTALLED WITH FLEXIBLE PUSH TUBING, COLOR CODED FOR APPLICATION
<b>PUMP</b>	
DARLEY 1-1/2AGE24K 3.17 RATIO	DARLEY 1-1/2AGE 24K PUMP (3.17 RATIO) HIGH PRESSURE, LOW VOLUME, GEAR DRIVEN, KUBOTA D902 DIESEL 24HP, LIQUID COOLED STAINLESS STEEL WELDED PLUMBING, VICTAULIC GROOVES & COUPLINGS WHERE NECESSARY - AKRON 2.5" TANK-PUMP AND SUCTION VALVES, FABRICATED VALVE STANDS, FUNCTION LABELS, ETC TANK-PUMP LINKAGE CONTROLLED THROUGH VALVE STAND
<b>L1/R1 TRANSVERSE</b>	
OPTION 1 (400)	TRANSVERSE OVERSLUNG CROSS FRAME L1 / R1 COMPARTMENT, NOTCHED CENTER AT 18"D TO ACCOMMODATE 400 GAL CLASS POLYTANK. SWING DOOR - HINGED CAB SIDE W/ GAS SHOCK, FIXED SHELF AT THRU SECTION MIDPOINT, D RING HANDLES (BLACK) 51.5" (31.5" TOPSIDE) H X 26"(18" THRU SECTION )W X 18"/SIDE (+60" THRU SECTION) D
<b>STRIPING / GRAPHICS</b>	
CUSTOM	FRONT CAB DOOR GRAPHICS: "SEAWESTERN" ARCHED OVER SW HELMET LOGO "EMERGENCY VEHICLES" ARCHED UNDERNEATH. LETTERING IN GOLD LEAF REAR CAB DOOR GRAPHICS: MODEL 1 INSIGNIA GOLD FOIL BODY STRIPE: 4.5" BODY MAIN (BLACK) W/ 3/4 BLACK + GOLD LEAF TRACER TOP & BOTTOM. STRAIGHT THROUGH BOTTOM OF CAB CHECK UP TO BODY MIDLINE AT END OF TRANSVERSE CAB ROOF ID: NONE REAR CHEVRON: RED / LIME ORALITE APRON INSERT REAR GRAPHICS: NONE BODY SIDE GRAPHICS / ADDED LETTERING: "SEAWESTERNEV.COM" ON BEDRAIL BOTH SIDES NEAR DOT LIGHT OTHER: BODY WRAP BOTH SIDES TOPSIDE OF STRIPE - SUBDUED AMERICAN FLAG STARS & STRIPES GRAY  <b>RESTRIPES TO END USER SPECIFICATIONS INCLUDED IN APPARATUS PURCHASE PRICE*****</b>
<b>CHASSIS FINISH</b>	
FACTORY	CHASSIS FINISH TO BE FACTORY OEM PAINT COLOR (FORD RACE RED)

# QUICK SPECIFICATIONS



**JOB:** 2026 MOD 1 DEMO GSO#25113  
**SALES REP:** TBD  
**PROJECT MGR:** JORDAN KOFFLER  
**DATE:** 2/13/2026  
**REF:** V2 CONFIGURATION / IN PROD

SELECTION	SPEC / DESCRIPTION
<b>RADIO INSTALLATION</b>	
PREWIRE ONLY	PREINSTALL COAX ANTENNA BASE KITS W/ CONNECTOR END. MOUNT ANTENNA BASE TO CAB ROOF, INSTALL WATERPROOF CAP, ROUTE COAX TO CONSOLE, LEAVE TERMINATED POWER AND GROUND FOR FUTURE RADIO CONNECTION
<b>BUMPER</b>	
BUCKSTOP [SRW] (INC W/KIT) FORD F550	BUCKSTOP CONVERSION KIT HEAVY DUTY BUMPER WITH BRUSH GUARD [OUTBACK]. FULL TIRE COVERAGE, WINCH MOUNTING PLATE ASSY, 6" ROUND LIGHT CUTOUTS, DITCH LIGHT CUTOUTS. POWDERCOATED HAMMER BLACK - BK62
<b>WINCH</b>	
WARN 16.5 TI, W/ SYNTHETIC CABLE (16,500 LB)	WARN 16.5 TI 16,500 WINCH W/ SYNTHETIC CABLE INSTALLED IN BUCKSTOP FRONT BUMPER
<b>CENTER CONSOLE</b>	
30" FORD 13.3" CONSOLE ASSY SINGLE RAD W/ PUMP CONT	HAVIS 30" FORD VSW CONSOLE: RELOCATE OEM POWER POINTS TO FACE, DUAL CUPHOLDERS, DUAL ARMRESTS, STORAGE POCKETS, ACCESSORY PLATES, & FILLER PLATES TO ACCOMMODATE SELECTIONS SINGLE RADIO, WITH IN CAB PUMP CONTROLS
<b>HPI MODEL 1 BODY BASE</b>	
HPI MODEL 1 BODY BASE	HPI MODEL 1 BODY BASE ASSY: ALUM REVERSED C CHANNEL FLATBED DECK, SMOOTH FRAME, SQUARE CORNER, NOTCHED FORWARD DECK CORNERS. STRAIGHT CORNER TAILBOARD W/ FULL WIDTH APRON STEP. FENDER SKIRTS, FENDER FLARES, BODY FRONT OVERLAY [ROCK GUARD], MUDFLAP KIT, DEF & DIESEL FILL KITS, DOT LIGHTING KIT, APRON HOSE BOX, L2 & R2 TOPSIDE COMPARTMENTS INCLUDED IN STANDARDIZED BODY ASSY (56"W X 31.5"H X 18"D): VERTICAL LIFT DOOR WITH DUAL GAS SHOCK, ADJUSTABLE SHELF, D RING HANDLE, COMPARTMENT CIRCLE VENT AND LOUVER ASSY.
<b>L3 POSITION</b>	
L3 HEX PUNCH	HEX PUNCH FASTBACK ENCLOSURE GUARD INSTALLED TO L3 BODY POSITION. POWDERCOATED JOB COLOR
<b>AFT OF AXLE UNDERBODY</b>	
GUSSET ASSEMBLY (STANDARD)	3/16 ALUMINUM GUSSETED REAR FLATBED UNDERBODY AFT OF AXLE ENCLOSURE KIT. DOUBLE ANGLE INWARD TO TIE FLATBED DECK TO APRON & DEFLECT FROM APRON.
<b>TOPSIDE WALKWAY</b>	
FULL CATWALK - DP OVERLAY W/ TREAD SURFACE BLACK GRIP PC (400)	TEXTURED TOPSIDE DIAMOND TREAD PLATE OVERLAY INSTALLED TO TOP OF TANK AND TRANSVERSE COMPARTMENT TO FRONT OF BODY. OVERLAY TO BE NOTCHED FOR FILL TOWERS AND TOPSIDE PLUMBING DISTRIBUTION OUTLETS. OVERLAY MOUNTS TO TANK THREADED INSERTS. INTEGRATED D RINGS SPACED FOR SPARE TIRE RETENTION. WALKWAY TO BE POWDERCOATED PRISMATIC SUPERGRIP BLACK PTB-6419
<b>TOPSIDE ACCESS</b>	
STEP OVER PLUMBING (ENCLOSED W/ DOOR)	ENCLOSED TOPSIDE ACCESS STEP INSTALLED OVER OFFICER SIDE DISCHARGE DISTRIBUTION AGAINST TANK & R3 COMPARTMENT. STEP NOTCHED FOR PLUMBING, VALVE CONTROLS / LINKAGES, FUNCTION CONTROLS THROUGH FACE (A/N), CUT AND FORMED .188 3003 DIAMOND PLATE TOP STEP (PRISMATIC PTB-6419), .190 5052 SIDE WALL SUPPORT (JOB COLOR) ACCESS DOOR ON FRONT OF STEP HINGED W/ SOUTHCO C2 LATCHES TO ALLOW FOR SERVICE / STORAGE / ACCESSORY COMPONENTS
<b>TOPSIDE TIRE MOUNT</b>	
TRIPLE LOOPS & Y STRAP TO CATWALK	STANDARD TOPSIDE SPARE TIRE RATCHETING Y STRAP, FASTEN SPARE TO TOPSIDE TANK WALKWAY D RINGS
<b>L1/R1 TRANSVERSE ACCESSORIES</b>	
SHELVES - LOWER, EA SIDE	ADJUSTABLE SHELVES ADDED TO OUTER WING PORTIONS OF L1/R1 TRANSVERSE COMPARTMENT (2/ SIDE). SHELF POWDERCOATED HAMMER BLACK - BK62.
<b>L2 OR R2 COMPARTMENT ACCESSORIES</b>	
FULL W 6" HINGED DRAWER	CTECH FULL WIDTH (50"W) 6" DEEP DRAWER MOUNTED TO L2 R2 COMPARTMENT BASE. DRAWER TO HAVE FULL HINGED "WORK SURFACE" LID TO ENCLOSE TOP OF DRAWER WHEN EXTENDED, HINGED INSIDE EDGE W/ PIANO HINGE. FULL PERIMETER LIP AND CENTER SUPPORT
<b>BODY FINISH</b>	
POWDERCOATING - STANDARD	ENTIRE MODEL 1 BODY TO BE POWDERCOATED AS FOLLOWS: JOB COLOR: FLATBED DECK, APRON, RAILS, COMPARTMENTS INSIDE & OUTSIDE, HEX PUNCH GUARDS, ETC BLACK BK62: SHELVES, ACCESSORY COMPONENT, STEPS, FENDER FLARES, TOPSIDE COFFIN BOXES, TOPSIDE BASKETS, DOOR HANDLES, CROSSFRAME ROCK GUARD, ETC
<b>BACK UP CAM</b>	
FACTORY + INSTALL TO BODY / HEAD UNIT (BODY)	FACTORY SUPPLIED BACK UP CAMERA TO BE PLACED AT REAR OF BODY AND INTEGRATED TO HEAD UNIT WITH OEM PROVIDED COMPONENTS AND WIRING HARNESS.
<b>CAB STEPS</b>	
FACTORY	FACTORY CAB STEPS TO BE UTILIZED.
<b>BODY SIDE STEPS</b>	
BODY - SIDE ZICO (EA SIDE)	(2) ZICO PS-8 MANUAL PULL OUT STEPS INSTALLED UNDER L1 & R1 AT REAR BOTTOM EDGE, TO ACCESS TOPSIDE DISCHARGES OR CARGO
<b>BATT CHARGER</b>	

# QUICK SPECIFICATIONS



**JOB:** 2026 MOD 1 DEMO GSO#25113  
**SALES REP:** TBD  
**PROJECT MGR:** JORDAN KOFFLER  
**DATE:** 2/13/2026  
**REF:** V2 CONFIGURATION / IN PROD

SELECTION	SPEC / DESCRIPTION
KUSSMAUL CHIEF 4012	KUSSMAUL CHIEF SERIES BATTERY CHARGER W/ BUILT IN TOUCH DISPLAY AND COMMUNICATIONS. IP32 RATED, PLC LOAD COMPENSATION BUILT IN. CHARGER MOUNTED TO INSIDE WALL OF TRANSVERSE COMPARTMENT, L1 SIDE. INPUT FROM AUTO EJECT AND OUTPUT TO BATTERY WIRING TO BE COVERED WITH Z FLANGE ALUMINUM WIRING COVER.
<b>AUTO EJECT</b>	
KUSSMAUL CHIEF OLED, 20A, RED (4012)	KUSSMAUL 20A SUPER AUTO EJECT W/ CHIEF SERIES OLED RED COVER INSTALLED TO DRIVERS SIDE FENDER SKIRT FORWARD OF REAR AXLE. DIGITAL CHARGE INDICATOR AND STATUS CENTER INTEGRATED TO COVER. PIGTAIL WHIP TO BE PROVIDED
<b>120V OUTLET(S) BODY - SHORELINE</b>	
NONE	NO SHORELINE POWER OUTLETS TO BE INSTALLED TO BODY
<b>INVERTER POWER 2KW</b>	
FORD PRO POWER 2KW	FORD PRO POWER 2KW FACTORY INVERTER SYSTEM, POWER POINT FLUSH MOUNTED TO L1 COMPARTMENT INSIDE WALL. DUAL 120V 20A OUTLETS W/ REMOTE POWER TRIGGER AND FACTORY HARNESS. INVERTER SYSTEM FACTORY INSTALLED UNDER REAR SEAT.
<b>MASTER BATTERY</b>	
RED ETCHED ROCKER	STANDARD MASTER POWER SWITCH TO SUPPLY POWER TO ALL NON OEM ACCESSORIES (LESS LOADS WIRED TO CONSTANT BATTERY PER DEPT SPECIFICATIONS). ROCKER SWITCH INSTALLED TO CONSOLE WITH RED ETCHED COVER "MASTER POWER" AND STAINLESS STEEL SWITCH SHROUD GUARD.
<b>CORE ELECTRICAL DISTRIBUTION</b>	
STANDARD	STANDARD CORE ELECTRONICS DISTRIBUTION AND POWER MANAGEMENT. CENTRALIZED AND LABELED FUSE BLOCKS, RELAYS, ELECTRICAL COMPONENT MOUNTING, SOLENOIDS, HEAVY GAUGE WIRE DISTRIBUTION AND JUNCTIONS / TERMINALS / CONNECTORS AS NEEDED TO COMPLETE.
<b>DOOR AJAR SYSTEM</b>	
CAB & BODY DOORS, AUDIBLE + VISUAL	STANDARD DOOR AJAR: RED LIGHT AND BUZZER INSTALLED TO CENTER CONSOLE. SYSTEM TO ALERT DOOR AJAR FOR ALL BODY DOORS THROUGH COMPARTMENT LIGHTING PRESSURE SWITCH CIRCUIT AND CAB DOORS THROUGH OBDII INTEGRAITON.
<b>SCENE LIGHT SWITCHING</b>	
CAB & PUMP PANEL	SCENE LIGHT SWITCHING - ALL SCENE AND WORK LIGHTS TO BE CONTROLLED FROM PUSH BUTTONS ON CCTL7 W/ CLEARLY LABELED & BACKLIT CONTROLS. TOPSIDE WORK LIGHTS, REAR SCENE LIGHTS, DRIVER BODY SCENE LIGHTS, AND OFFICER BODY SCENE LIGHTS TO BE SWITCHED FROM BOTH CAB AND AT PUMP PANEL [ON OR OFF EITHER POSITION]. PUMP PANEL SWITCHES TO HAVE ETCHED COVERS FOR FUNCTION AND BACKLIT - BOTTOM LEFT IN ROW ON PUMP PANEL.
<b>FRONT FOG LIGHTING</b>	
AMBER 6" RND	6" AMBER LED FOG/DRIVING LIGHTS INSTALLED IN BUMPER ROUND CUTOUTS
<b>FRONT SCENE LIGHTING</b>	
DUAL PODS	(2) WHELEN NP6BB NANO PIONEER LED POD LIGHTS MOUNTED TO FRONT BUMPER UPRIGHTS, INNER
<b>BODY FRONT SCENE LIGHTING</b>	
POD - WHELEN NANO BODY FRONT	(2) WHELEN NP6BB NANO PIONEER LED POD LIGHTS MOUNTED TO FRONT UPPER OUTSIDE CORNERS OF BODY [1/SIDE], ON ANGLED PEDASTAL BASE. LIGHTS DIRECTED AT DIAGONAL AWAY FROM VEHICLE
<b>DRIVER SCENE LIGHTING</b>	
LIGHTBAR - BODY 20"	BAJA DESIGNS S8 20" LED LIGHT BAR MOUNTED TO LH TOPSIDE STORAGE
<b>OFFICER SCENE LIGHTING</b>	
LIGHTBAR - BODY 20"	BAJA DESIGNS S8 20" LED LIGHT BAR MOUNTED TO RH TOPSIDE STORAGE
<b>REAR WORK LIGHTING</b>	
DUAL PODS (WHELEN NANO)	(2) WHELEN NP6BB NANO PIONEER LED POD LIGHTS MOUNTED TO REAR UPPER BODY ON ANGLED PEDASTAL BASE. LIGHTS INBOARD OF REAR UPPER WARNING LIGHTS
<b>TOPSIDE WORK LIGHTING</b>	
STANDARD 5 X 9" SUNSTRIP W/SHROUD	TOPSIDE WORK / ACCESS LIGHTING - 9" FRC SUNSTRIP (5) DISTRIBUTED TO ILLUMINATE TOPSIDE OF APPARATUS AND ACCESS / WALKWAY & STEP. EXPOSED LIGHTS TO HAVE PROTECTIVE SHROUD COVER POWDERCOATED BK62.
<b>ROCK LIGHTS</b>	
2 PER WHEEL POSITION ANGLED TO CENTER	WHITE LED ROCK LIGHTS INSTALLED TO WHEEL OPENINGS, FRONT AND BACK OF EACH TIRE - ANGLED INWARDS. 2 / OPENING (8 TOTAL) SWITCHED TOGETHER.
<b>GROUND LIGHTING</b>	
CAB DOOR POSITIONS & 2 UNDER APRON	ROM GROUND LIGHTS INSTALLED TO CAB AND BODY TO ILLUMINATE GROUND AND WORKING AREA. (2) 12" LIGHTS INSTAKKED TO REAR APRON & (4) 6" LIGHTS INSTALLED TO CAB - 1 UNDER EACH CAB DOOR POSITION. SWITCHED AT CCTL7 AND SWITCHED AUTO ON W/ CAB DOOR OPEN WITH OBDII INTEGRATION.
<b>COMPARTMENT LIGHTING</b>	
SUNSTRIP - COMP LIGHT EA SIDE OPENING	FRC SUNSTRIP STANDARD COMPARTMENT LIGHTING AT DOOR THRESHOLD AS FOLLOWS TOPSIDE LIFT DOOR COMPARTMENTS: 27" [1 / SIDE] L1/R1 TRANSVERSE: 45° ON LH AND RH DOOR, LATCH SIDE ADDED CENTER: 45° AT TOP OF TRANSVERSE FORWARD UPPER EDGE. 45° UNDER SHELF
<b>ARGES SYSTEM / REMOTE LIGHT</b>	
ARGES FENDER DS FORD F550	WHELEN ARGES PRO FOCUS SPOT & FLOOD REMOTE LIGHT MOUNTED TO FORD F550 DRIVER SIDE FRONT FENDER W/ VEHICLE SPECIFIC MOUNT KIT - CONTROLLED FROM HAVIS W/ ARGES CONTROL HEAD (MOUNT 3.3" SECTION)
<b>SYSTEM / CONTROLLER</b>	

# QUICK SPECIFICATIONS



**JOB:** 2026 MOD 1 DEMO GSO#25113  
**SALES REP:** TBD  
**PROJECT MGR:** JORDAN KOFFLER  
**DATE:** 2/13/2026  
**REF:** V2 CONFIGURATION / IN PROD

SELECTION	SPEC / DESCRIPTION
CENCOM CORE WCX C399 & CCTL7 21& SLIDE CONTROLLER, 3X CEM16 EXPANSION MODULES	WHELEN CENCOM CORE WECAN X CONTROL SYSTEM, CCTL7 CONTROL HEAD, AND (3) CEM16 EXPANSION MODULES - 1 UNDER HOOD FOR FRONT ELECTRONICS, 2 IN PUMP PANEL FOR REAR ELECTRONICS. DVI, V2V, VSG, WHELEN CLOUD, WECANX CAPABLE. INTEGRATED SYSTEM TO CONTROL ALL EMERGENCY WARNING, SCENE, AND LOAD OUTPUT FUNCTIONS THROUGHOUT APPARATUS.
<b>PROGRAMMING</b>	
STD HARNESSSES	PROGRAMMING AND INTEGRATION TO STANDARD UNLESS OTHERWISE DISCUSSED W AGENCY PUSH BUTTON SCENE AND WORK, TOP ROW SIREN FUNCTIONS, PROGRAM H/F MODE AND TIE TO FACTORY HORN, OBDII INTEGRATE FOR PARK KILL FUNCTIONS VIA WHELEN SCANPORT, STD SLIDE SWITCH FLASH PATTERNS, ETC)UTILIZING J5 & J6 OUTPUTS FROM CEM16 (X3) AND DIRECT C399 CONNECTIONS. ALL REMOTE MODULES TO CONNECT TO CENCOM VIA J7 DATA HARNESSSES
<b>LIGHTBAR</b>	
WHELEN LIBERTY II WCX (FORD CHASSIS)	WHELEN LIBERTY II 54" LIGHTBAR W/ FORD F550 MOUNTING STRAP KIT. MOUNTED FRONT CAB, DUO RED / WHITE MODULES FRONT, DUO RED / AMBER MODULES REAR, RED / WHITE DUO CORNER MODULES, LEFT & RIGHT ALLEY LIGHTS, FRONT TAKEDOWNS WHITE FUNCTIONS SWITCHED AS SCENE LIGHTS: FRONT SCENE, TAKE DOWN, L ALLEY, R ALLEY
<b>SIREN SPEAKER</b>	
F550 GRILL MNT, SA315P	WHELEN SA315P SIREN SPEAKER INSTALLED BEHIND GRILL W/ SUPER DUTY VEHICLE SPECIFIC SPEAKER MOUNT
<b>FRONT LOWER WARNINGS</b>	
M6 R/W DUO, CLR LENS	FRONT LOWER WARNING INSTALLED TO FRONT BUMPER, TOWARDS OUTSIDE - FORWARD FACING WHELEN M6 SERIES RED W/ CLEAR LENS
<b>FRONT LOWER WARNING BEZELS</b>	
M6 CHROME	CHROME FLANGE BEZEL FOR M6
<b>FRONT GRILL WARNINGS</b>	
T SERIES RED, CLR LENS	FRONT GRILL WARNING INSTALLED TO BUMPER UPRIGHTS - FORWARD FACING WHELEN T SERIES RED W/ CLEAR LENS
<b>INTERSECTION WARNINGS</b>	
T SERIES RED, CLR LENS	INTERSECTION WARNING LIGHTS INSTALLED TO FRONT FENDER NEAR TOP OF WHEEL ARCH, FORWARD - FACING TO LEFT & RIGHT OF APPARATUS WHELEN T SERIES RED W/ CLEAR LENS
<b>INTERSECTION WARNING BEZELS</b>	
NONE / T SERIES	NO FLANGE BEZEL INSTALLED / T SERIES
<b>MIDSHIP WARNINGS</b>	
T SERIES RED, CLR LENS	MIDSHIP WARNING LIGHTS INSTALLED TO BEDRAIL CENTERED OVER WHEEL, FENDER FLARE - FACING TO LEFT & RIGHT OF APPARATUS WHELEN T SERIES RED W/ CLEAR LENS
<b>MIDSHIP WARNING BEZELS</b>	
NONE / T SERIES	NO FLANGE BEZEL INSTALLED / T SERIES
<b>REAR LOWER WARNING LIGHTS</b>	
T SERIES R/A DUO, CLR LENS	REAR LOWER WARNING LIGHTS INSTALLED TO BEDRAIL NEAR DOT LIGHT, OUTSIDE EDGES OF BODY REAR FACING WHELEN T SERIES RED / AMBER DUO W/ CLEAR LENS
<b>REAR UPPER WARNING LIGHTS</b>	
M6 V, RED, COMBO LIGHT PER. SCENE	REAR UPPER WARNING LIGHTS INSTALLED TO UPPER BODY CORNERS, OUTSIDE OF SCENE LIGHT - REAR FACING SCENE FUNCTION TIED TO TOPSIDE WORK LIGHT SWITCH WHELEN M6 V SERIES RED W/ INTEGRATED WORK LIGHT, W/ CLEAR LENS
<b>REAR LOWER WARNING LIGHT BEZELS</b>	
NONE / T SERIES	NO FLANGE BEZEL INSTALLED / T SERIES
<b>REAR UPPER WARNING LIGHT BEZELS</b>	
M6 CHROME	CHROME FLANGE BEZEL FOR M6
<b>SYNC MODULE</b>	
NONE	NO WHELEN VEHICLE TO VEHICLE SYNC SYSTEM
<b>OPTICOM</b>	
LED/IR 795H	795H GTT IR OPTICOM INCLUDED AND PREINSTALLED TO LIGHTBAR CENTER. OPTICOM PROGRAMMED TO 3RD SLIDE POSITION, EMITTER PREWIRED TO TAKEDOWNS
<b>HOWLER SYSTEM</b>	
HOWLER SYSTEM DUAL SPKR & AMP / UNIV BKTS	WHELEN HOWLER LOW FREQUENCY SIREN SPEAKER SYSTEM INSTALLED. DUAL SPEAKERS, MOUNT KITS, AND CORE AMPLIFIER
<b>REAR TRAFFIC ADVISOR</b>	
REAR TRAFFIC ADVISOR	WHELEN TAL65 SURFACE MOUNT TRAFFIC ADVISOR (36") MOUNTED ON REAR FACING TOP LIP EDGE OF TANK TOPSIDE WALKWAY ON FABRICATED MOUNT ENCLOSURE (POWDERCOAT PTB-6419), TACTL5 STANDALONE TRAFFIC ADVISOR CONTROLLER INSTALLED TO VEHICLE DASH
<b>TRACERS - CAB</b>	
TRACERS	WHELEN TRACER 5 LAMP (3 PRIMARY AND 2 SECONDARY MODULES EA) INSTALLED TO CAB SIDES IN RUNNING BOARD AREA. WHITE FUNCTION IN TRACER TO ILLUMINATE W/ GROUND LIGHTS.

# QUICK SPECIFICATIONS



JOB: 2026 MOD 1 DEMO GSO#25113

SALES REP: TBD

PROJECT MGR: JORDAN KOFFLER

DATE: 2/13/2026

REF: V2 CONFIGURATION / IN PROD

SELECTION	SPEC / DESCRIPTION
<b>POLY TANK</b>	
MODEL 1 STANDARD	MODEL 1 440 GALLON RECTANGULAR POLY TANK: 10 GAL INTEGRAL FOAM CELL, MOUNTING BACK, NUT INSERTS FRONT BOTT, TOPSIDE MOUNTING TAPS FOR WALKWAY FOAM AND WATER FILL TOWERS ON DS EDGE, INLINE, WATER FILL ON TANK MIDLINE FORWARD OF FOAM CELL UPPER RIGHT CORNER NOTCHED FOR TOPSIDE DISCHARGE OUTLETS, TANK SLEEVED FOR TOPSIDE DISTRIBUTION 59"W X 64"+2"L X 31.5" H
<b>PRIMER</b>	
DARLEY FLUIDLESS 12V (PUSH BUTTON ELECTRIC VERSION - DIGITROL)	DARLEY FLUIDLESS VANE 12V PRIMER, INSTALLED UNDER BODY. PRIMER FUSED W/ 400A MEGA BOLT STYLE FUSE UNDER HOOD. PRIMER CONTROL W/ PUSH BUTTON AT PANEL(S), DIGITROL WIRING CONTROL PANEL INTERFACE INCLUDED
<b>PUMP PANEL BOX OPTIONS</b>	
SWEV INTERNAL BOX	INTERNAL PUMP PANEL CONTROL BOX, W/ LED PANEL LIGHT, POWDERCOAT BK62
<b>PUMP PANEL FACE OPTIONS</b>	
FACE 1 - DIGITROL	REMOVEABLE PANEL FACE FOR DARLEY DIGITROL, BLACK FINISH WITH ETCHED FUNCTION LABELS
<b>SUB PANEL BOX OPTIONS</b>	
NONE	NO PUMP CONTROL SUB PANEL BOX NECESSARY
<b>RECIRC COOLER SYSTEM &amp; CONTROL / FOAM CONTROL</b>	
3/8 TUBING 4 WAY	4 POSITION VALVE COMBINATION PUMP COOLER, FOAM SUPPLY, AND FOAM FLUSH CONTROLS. VALVE MOUNTED TO PUMP CONTROL PANEL FACE WITH POSITION ETCHED LABELING. SUPPLY RECIRCULATING PUMP COOLER MODE, MODE OFF TO FOAM SUPPLY, MODE OFF TO FOAM FLUSH, REPEAT - ILLUMINATE TANK FOAM OUT FROM ATP FOAM SYSTEM.
<b>FRONT DISCHARGE</b>	
SINGLE - IN PLACE	FRONT BUMPER DISCHARGE OUTLET, VALVED IN PLACE WITH AKRON 1.5" VALVE. INCLUDES CHROME CAP AND CHAIN
<b>GROUND SWEEPS</b>	
NONE	NO FRONT GROUND SWEEPS INSTALLED.
<b>PUMP FUEL SOURCE</b>	
CHASSIS DIESEL - 24K	CHASSIS DIESEL FUEL TANK FOR FUEL SUPPLY TO PUMP: UTILIZE UPFITTER FUEL PICK UP & RETURN
<b>PUMP REMOTE OIL</b>	
24K REMOTE OIL	REMOTE OIL FILTER AND DRAIN KIT FOR 24K DIESEL PUMP
<b>WATER LEVEL GAUGE</b>	
FRC TANKVISION PRO 400 WATER	STANDARD: FRC TANKVISION PRO WATER LEVEL GAUGE (PRIMARY), TRANSDUCER, INSTALLED TO PUMP PANEL
<b>IN CAB SLAVE WATER GAUGE</b>	
FRC TANKVISION WATER (MINI)	FRC TANKVISION MINI REMOTE WATER LEVEL GAUGE, INSTALLED TO HAVS CONSOLE
<b>AUXILLARY WATER LEVEL GAUGE</b>	
FRC MAXVISION (QTY 2) SIDES	FRC MAXVISION, LARGE REMOTE WATER LEVEL GAUGE, INSTALLED TO SIDES OF BODY UPPER FORWARD DOOR FRAME (EA SIDE) L1 / R1
<b>FOAM LEVEL GAUGE</b>	
TANK SIGHT WINDOW	TANK SIGHT WINDOW ONLY NO ADDED FOAM LEVEL GAUGE
<b>DISCHARGE DISTRIBUTION - TOPSIDE</b>	
SLEEVED THROUGH TANK TO TOPSIDE OUTLETS - REELS ONLY	DISCHARGE PLUMBING SLEEVED THROUGH TANK TO FRONT CORNER OUTLET FOR CONNECTION TO TOPSIDE OUTLETS (X1)
<b>HOSE REEL REWIND(S)</b>	
BEDRAIL DUAL TOPSIDE	DUAL PUSH BUTTON MOMENTARY REWIND SWITCHES MOUNTED TO BEDRAIL ON EACH SIDE OF APPARATUS, INLINE WITH HOSE REELS. ETCHED BEZELS "REWIND" INSTALLED TO BOTH SWITCHES.
<b>HOSE REEL DISCHARGE PLUMBING</b>	
TOPSIDE DUAL - FORWARD	STAINLESS STEEL HOSE REEL DISCHARGE PLUMBING FOR DUAL TOPSIDE HOSE REELS IN "REELS FORWARD" CONFIGURATION. FROM TOPSIDE OUTLET, 1" AKRON VALVE IN REEL INLET AREA W/ ETCHED VALVE LABEL "BOOSTER REEL" ON EACH HOSE REEL.
<b>DRIVER DECK DISCHARGE ASSY</b>	
STANDARD 1.5 DC DS DECK	STANDARD 1.5" DISCHARGE ON DRIVER SIDE REAR DECK CORNER. STAINLESS STEEL PLUMBING FROM PUMP INITIAL OUTLET ASSY. 1.5" AKRON VALVE W/ ETCHED VALVE LABEL "1.5" DISCHARGE"
<b>OFFICER DECK DISCHARGE ASSY</b>	
OS DISCHARGE ASSY - STANDARD DISTRIBUTION	STANDARD STAINLESS STEEL WELDED DISTRIBUTION PLUMBING TO OFFICER SIDE FROM PUMP INITIAL DC ASSEMBLY. VICTAULIC COUPLINGS AS NEEDED
<b>DISCHARGE SUB ASSY - 2ND OS DISCHARGE</b>	
NONE	NO STACKED ADDED 1.5" DISCHARGE ON OFFICER SIDE
<b>DISCHARGE SUB ASSY - STD TANK FILL</b>	
STANDARD TANK FILL	STANDARD TANK FILL PLUMBING ASSEMBLY EXTENDING FROM OFFICER SIDE DISCHARGE DISTRIBUTION, THRU TOP OF PLUMBING STEP ALONG TANK WALL AND INTO TANK. 1.5" AKRON VALVE W/ MANUAL CONTROL. ETCHED / BENT BEZEL "TANK FILL"
<b>MASTER DRAIN</b>	
MASTER DRAIN	STANDARD MASTER DRAIN VALVE: INSTALLED TO BOTTOM CORNER OF REAR APRON DRAIN ALL PLUMBING, PUMP, AND LOW POINTS
<b>SPECIALTY / CUSTOM DISCHARGE(S)</b>	
NONE	NO SPECIALTY OR CUSTOM DISCHARGES
<b>REAR CAB ORGANIZER</b>	

# QUICK SPECIFICATIONS



**JOB:** 2026 MOD 1 DEMO GSO#25113  
**SALES REP:** TBD  
**PROJECT MGR:** JORDAN KOFFLER  
**DATE:** 2/13/2026  
**REF:** V2 CONFIGURATION / IN PROD

SELECTION	SPEC / DESCRIPTION
CUSTOM REAR CAB STORAGE	3/16 ALUMINUM REAR CAB FLOOR ORGANIZER TO BE INSTALLED, EXTENDING FROM BACK OF CONSOLE TO FRONT OF REAR SEAT. MATCHING CONSOLE WIDTH AND TAPERING TO A 6" HEIGHT THROUGH MID FLOOR SECTION. ORGANIZER TO INCLUDE 2X CUPHOLDERS. MOUNT TO BACK OF HAVIS CONSOLE.
<b>TOPSIDE ACCESSORIES</b>	
NONE	NO ADDED TOPSIDE ACCESSORIES
<b>WINCH ACCESSORIES</b>	
NONE	NO WINCH ACCESSORIES INCLUDED
<b>BOOSTER HOSE</b>	
1" RED RUBBER X 100' NH (QTY 2)	2 SECTIONS OF 1" RED RUBBER BOOSTER HOSE COUPLED AT 100' - NH, INSTALLED TO TOPSIDE DUAL HOSE REELS
<b>BOOSTER NOZZLE(S)</b>	
C&S 110/23 (DUAL)	C&S 110/23 DUAL GALLONAGE BOOSTER NOZZLE, 1" FNH (QTY 2) INCLUDED
<b>DRIP TORCH MOUNTS</b>	
NONE	NO PROVIDED DRIP TORCH MOUNTS
<b>DRIP TORCHES</b>	
NONE	NO PROVIDED DRIP TORCHES
<b>FLASHLIGHTS - MOUNT &amp; WIRE</b>	
DUAL SL STINGER 2020, 12V	DUAL STREAMLIGHT STINGER 2020S W/ 12V DIRECT WIRE CHARGING HOLDERS MOUNTED UPRIGHT TO BACK OF HAVIS CONSOLE, WIRED TO CONSTANT POWER
<b>PAC MOUNT - BOOSTER NOZZLE(S)</b>	
FLEXMOUNT (DUAL)	PAC TOOL FLEXMOUNT INSTALLED TO EACH REEL BASE
<b>PORTABLE RADIO CHARGERS - MOUNT &amp; WIRE</b>	
NONE	NO PORTABLE RADIO CHARGERS TO BE INSTALLED
<b>SPANNER / HYD WRENCH SET (MOUNTED)</b>	
NONE	NO SPANNER AND HYDRANT WRENCH SET INCLUDED
<b>TOW HOOK / SHACKLE (ADDED)</b>	
2" HITCH MNT SHACKLE	INCLUDE ADDED 2" REC MOUNT SHACKLE AND INSTALL TO FRONT BUMPER
<b>WHEEL CHOCKS AND MOUNTS</b>	
HORIZONTAL MNT 1 PAIR	ZICO AC-32W WILDLAND COMPLIANT WHEEL CHOCK PAIR AND DUAL MOUNTS INCLUDED (SHIP LOOSE)
<b>BULLETPROOF MOUNT OPTIONS</b>	
NONE	NO AMPS 20MM BALL MOUNTS
<b>TABLET MOUNT</b>	
NONE	NO TABLET MOUNT PROVIDED
<b>CAB DOME LIGHTING</b>	
WHELEN R/W COMBO (2) FRONT/REAR	QTY 2 WHELEN SPLIT RED / WHITE SURFACE MOUNT LED INTERIOR LIGHTS TO BE INSTALLED, ADDED TO HEADLINER. 1 EA TO BE CENTERED OVER FRONT AND BACK ROW.
<b>ON BOARD AIR</b>	
VIAR SYSTEM W/ 2 X CONN POINTS (SPEC LOC.)	VIAR HEAVY DUTY ON-BOARD AIR SYSTEM P/N VA10007, MOUNT UNDER BODY, W/ AIR LINE CONNECTION AT BED RAIL (DEPT TO SPEC LOCATION) PROVIDE COIL STYLE 15' AIR LINE W/ NOZZLE, DUST COVER
<b>SPITZ LIFT HOIST</b>	
SPITZ LIFT CRANE 4' MANUAL	SPITZ LIFT 4' FOLDING BOOM MANUAL CRANE, 20' MIL SPEC WEBBING W/ 1.25 TON HOOK LATCH, STRUCTURE MOUNT & ACCOMODATION TO BODY TOPSIDE, HOIST POST MAST ADAPTER 26" USED FOR RAISING / LOWERING SPARE TIRE FROM TOP OF APPARATUS
<b>HARD SUCTION</b>	
2.5 X BODY LENGTH (2) NH	2 SECTIONS OF 2.5" HARD SUCTION COUPLED TO BODY LENGTH AND INCLUDED, NH, PREINSTALLED TO APRON HOSE BOX
<b>REAR GRAB HANDLES</b>	
2 HANDLES PLACEMENT TBD REAR, 12-18"	2 STANDARD GRAB HANDLES PROVIDED AND INSTALLED TO BACK OF APPARATUS IN TOPSIDE ACCESS WALKWAY / STEP AREA AS NEEDED
<b>HITCH STEP</b>	
SWEV HITCH STEP / SHACKLE	FABRICATED HITCH INSERT DROP STEP AND REC MOUNT SHACKLE COMBO FLIP STEP ON DROP, 2.5" HITCH MOUNT, ACCEPTS / ADAPTS TO 2" & PRE INSTALLED W/ INCLUDED 2" HITCH SHACKLE, DOUBLE PINS, W/ INTEGRATED LIGHT WIRED TO GROUND LIGHTS ON PLUG
<b>FINAL INSP. / DELIVERY</b>	
AT SWEV (N/C)	FINAL INSPECTION, IN SERVICE TRAINING, AND DELIVERY TO CUSTOMER AT PRODUCTION FACILITY: YAKIMA, WA
<b>INTERNAL ENGINEERING</b>	
SWEV DESIGN ENGINEERING	INTERNAL DESIGN TIME AND ENGINEERING, CONCEPT DRAWINGS AND APPROVAL PRINTS, JOB SPECIFIC LAYOUT ENGINEERING PER CONFIGURATION