



MOD	ITEM	SELECTION	DESC	QTY	EXTERNAL NOTES
 CUSTOMER SELIGMAN GSO#: 25210 DESIGN MODEL 2 B/R DATE 4/16/2026			 SEAWESTERN EMERGENCY VEHICLES		OTHER SOEVI711 Steve Lynn Jordan Koffler
MOD	CATEGORY	SELECTION	DESC	QTY	EXTERNAL NOTES
9	CHASSIS	RAM 5500 (SUPPLIED)	CUSTOMER SUPPLIED RAM 5500 N/C REF ONLY	1	NO COST REF ONLY
1	CHASSIS FINISH	FACTORY	CHASSIS FINISH: FACTORY PAINT COLOR N/C REF ONLY	1	NO COST REF ONLY
1	SUSPENSION, WHEEL & TIRE	BUCKSTOP S3 RAM (INSTALLED)	BUCKSTOP STAGE 3 SRW RAM 5500 CONVERSION KIT 335/80R20 CONTINENTAL MPT81 (5), 11"x20" REVERSIBLE DOT ALUM WHEELS (5), HIGH ARCH FENDER FLARES, OUTBACK BUMPER (WIDE), 3.5" FRONT SUSP. LIFT, CONTROL ARMS LOCATING AXLE + SETTING CASTER ANGLE, HD TRACK BAR MOUNT, REAR LEAF SPRING BLOCKS & U BOLTS, SPEEDO CALIBRATION MODULE, RADFLO REMOTE RESERVOIR TUNED 2.5" SHAFT SHOCKS BUCKSTOP KIT INSTALL	1	REMOVE WHEELS AND SWAP FOR BLACK 2.27
1	BUMPER	BUCKSTOP [SRW] (INC W/KIT S1 OR S3) RAM 5500	BUCKSTOP CONV KIT FRONT BUMPER - CONFIGURED AS FOLLOWS D195WOB BUMPER, W/ OUTBACK GRILL GAURD (PC HAMMER BLACK), DITCH LIGHT CUTOUTS, WINCH MOUNTING PLATE ASSY (BUILT EXTRA WIDE FOR TIRE COVERAGE, FLUSH FIT W/ FLARES) (N/C REF ONLY \$ INC W/ SRW CONVERSION #D195S1 OR #D195S3)	1	N/C INC W KIT INSTALLED PROX SENSORS PER PRINT
1	CAB STEPS	FACTORY	CHASSIS FACTORY SIDE STEPS TO BE UTILIZED N/C REF ONLY	1	NO COST REF ONLY CHASSIS PROVIDED WITH NO SIDE STEPS*****
1	CAB DOME LIGHTING	FACTORY	NO ADDED IN CAB DOME LIGHTING (FACTORY ONLY)	1	NO COST REF ONLY
2	STRIPING	CUSTOM	STRIPING AS FOLLOWS: MAIN: 4" BLACK REFLECTIVE TRACERS: 1/4" GAP TOP / BOTTOM OF MAIN, 3/4" BLACK TRACER ABOVE AND BELOW PLACEMENT: BOTTOM PORTION OF CAB, STRAIGHT THRU TO BODY ON BOTTOM OF L1 & R1, L3 & R3 SELIGMAN LOGO CAB DOORS BOTH SIDES SELIGMAN LOGO REAR RUD "SELIGMAN" OVER "FIRE DIST" L2 & R2 OVER STRIPE, CENTERED UNIT ID REAR TBD UNIT ID REAR CAB DOORS BOTH SIDES CHEVRON RED / YELLOW REAR OF L3 & R3 VINYL MATERIAL TO COMPLETE STRIPING	1	SEE PRINTS
3	BACK UP CAM	FACTORY + INSTALL TO BODY / HEAD UNIT (BODY)	FACTORY CAMERA - SUPPLIED W/ CHASSIS, MOUNT TO BODY & ROUTE HARNESS TO HEAD UNIT / PROGRAM (CHASSIS SUPPLIED W/ CAMERA & UPFITTER KIT)	1	
3	COMPARTMENT DOORS	AMDOR RUD	AMDOR ROLL UP DOORS (7) - SATIN ANODIZED AMDOR ROLL-UP - SIKKENS WET PAINT OPTION- WHITE TBD - OPTION FOR PAINTING TOP GUTTER AND SIDE FRAMES - STANDARD SILL PLATE - SWEEP OUT+WATER STOP - OPTION FOR 1/2 IN TRACK MITRE - OPTION TO PRE-INSTALL STRIKERS / MECHANICAL DOOR AJAR SWITCH - OPTION FOR 12 VOLT MAGNETIC DOOR AJAR SWITCH - 24 IN + LEADAS - DOUBLE BITTED T001 AUTOMOTIVE KEY LOCKING OPTION - OPTION FOR TRACK PRE-DRILLING FOR LOCK - AMDOR FLEX HD PULL STRAP	1	
3	BODY ASSY-CUSTOM	BODY ASSY	SWEV MODEL 2 STANDARD, W/ L1+R1 TRANSVERSE OPTION, TOPSIDE ENCLOSURE, AND REAR DOOR - ALUM SERVICE BODY 2024 RAM 5500 60" CA - BODY TO CAB HEIGHT	1	
3	BODY ASSY-CUSTOM	BODY INSTALLATION	HPI BODY INSTALLATION	1	
3	BODY ASSY-CUSTOM	TOPSIDE ENCLOSURE	ENCLOSED TOPSIDE BED SECTION	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	SILL KIT	6" BODY SILL KIT TO ACCOMMODATE SRW CONVERSION	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	TAILBOARD	TAILBOARD BUMPER STEP, FULL WIDTH, SERV BODY STYLE GLADIATOR PUNCH PATTERN - PC BLACK BK62	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	L1/R1 TRANSVERSE COMPARTMENT	L1/R1 (TRANSVERSE) COMPARTMENT RUD DOOR (EA SIDE) QTY 2 - LOWER SECTION ADJ SHELVES (1/SIDE) QTY 2 - FULL WIDTH ADJ SHELF	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	L2 & R2 COMPARTMENTS	L2 & R2 TOPSIDE COMPARTMENTS RUD DOOR QTY 1 ADJ SHELF	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	L3 & R3 COMPARTMENTS	L2 & R2 TOPSIDE COMPARTMENTS RUD DOOR QTY 1 ADJ SHELF	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	FENDER FLARES	BODY FENDER FLARE FOR SRW CONVERSION	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	FENDER SKIRT	FENDER SKIRT IN WHEEL OPENING TO ACCOMMODATE SRW CONV	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	FRONT OVERLAY	FRONT BODY: DIAMOND PLATE ALUM 3/16 OVERLAY POWDERCOAT BK62	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	CAMERA MNT	CAMERA MOUNT REAR BEDRAIL	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	SRW MUDFLAPS	SRW MUDFLAP KIT - MULTI POSITION ADJUSTABLE	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	INSTALL KIT	FLATBED INTSTALLATION HARDWARE & WIRING / DOT WIRING : KIT	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	DIESEL FILL KIT	BEDRAIL DIESEL FILL KIT	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	DEF COVER	DEF FILL KIT FRONT BODY HOUSING	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	DRIVER TOPSIDE COFFIN BOX	TOPSIDE TOP LIFT BOX, HINGED AT OUTSIDE, APPROX 98"Wx30"Dx10"H POWDERCOAT BLACK BK62	1	REF ONLY INC W/ BODY ASSY
3	BODY ASSY-CUSTOM	OFFICER TOPSIDE COFFIN BOX	TOPSIDE TOP LIFT BOX, HINGED AT OUTSIDE, APPROX 98"Wx30"Dx10"H POWDERCOAT BLACK BK63	1	REF ONLY INC W/ BODY ASSY
3	BODY FINISH	BODY FINISH	POWDERCOAT BODY SHELL INSIDE AND OUT WHITE POWDERCOAT SHELVES, BODY ACCENTS, AND REAR APRON STEP BLACK BK62 *NOTE* DOORS TO BE FACTORY PAINTED CHASSIS MATCH RAM WHITE - SEE "RUD" LINE	1	REF ONLY INC W/ BODY ASSY

6	TOPSIDE STORAGE	CUSTOM	ALUM STORAGE BASKET OPEN TOP BETWEEN COFFIN BOXES BODY TOPSIDE OVER TRANSVERSE POWDERCOAT BLACK BK62	1	
			MOUNT ASSY FOR DEPT SUPPLIED FOLDING STOKES, MOUNTED BODY TOPSIDE (FOOTMAN LOOPS / STRAPS)	1	
8	TOPSIDE ACCESS	FLIP STEPS	CPI FLIP STEPS, W/ INTEGRATED LIGHT 3 EA SIDE OF REAR RUD	6	
4	COMPARTMENT LIGHTING	AMDOR LUMABAR	AMDOR LUMABAR INTEGRATED TO BOTH SIDES OF DOOR FRAME RED / WHITE HIGH OUTPUT LED LIGHTS AT 30 DEG ANGLE INWARD FACING RED/WHITE FUCTION SWITCHED AT CENCOM DOOR LIGHTS AUTO ON WITH DOOR OPEN	14	
4	ADDED COMPARTMENT LIGHTING	CUSTOM	DUAL 45" FRC SUNSTRIPS MOUNTED TO TOP OF REAR COMPARTMENT / BOTTOM OF ENCLOSURE TO LIGHT UNDERSIDE PUMP OPERATION AREA FINAL MOUNT LOCATION TBD - TIE TO REAR DOOR LIGHTING	2	TOP AND UNDER MID SHELF
4	MASTER BATTERY	RED ETCHED ROCKER	CONTURA V ROCKER ON-OFF 11NDB LED 4 TERM	1	
			SWITCH GUARD SHROUD	1	
			RED ETCHED SW COV	1	
4	CORE ELECTRICAL, FUSING, SOLENOID, ETC.	STANDARD	INLINE FUSE HOLDER, 12AWG ATO/ATC	3	
			12 GANG FUSE BLOCK W/COVER	2	
			6 GANG FUSE BLOCK W/ COVER	1	
			POLLOCK 225A SPST SOLENOID, CONTINUAL DUTY	2	
			2/0 CABLE, RED [PER FT] REC 04716	15	
			BUSSMAN 300 AMP MANUAL RESET BREAKER	1	
			EATON/BUSSMAN 3/8 JUNCTION STUD 250 A BLACK	2	
			EATON /BUSSMAN 3/8 JUNCTION STUD 250A RED	3	
			4 AWG CABLE, RED [PER FT] 04700	10	
			6 AWG CABLE, RED [PER FT] 04728	10	
			REC SHOP SUPPLIES AS NEEDED TO COMPLETE		
			HEAT SHRINK CONNECTORS, RINGS TERMINALS, MALE & FEMALE INSULATED SPADE CONNECTORS 2/3/4/6/8/12 DEUTSCH RECEPTACLE, WEDGE, SOCKET, PINS UNDEFINDED SHOP SUPPLIES, WIRE MATERIAL A/N (ALL ASSEMBLIES)	1	
CORE E BRACKET / C399 POWER DIST : 3/16 ALUM	1				
4	DOOR AJAR SYSTEM	CAB & BODY AUDIBLE + VISUAL	RED LIGHT W/ BUZZER 12V	1	
			1 AMP DIODE	6	
			INSTALL LABOR, DOOR AJAR / COMP LIGHTING SYST	0	
4	BATT CHARGER	KUSSMAUL 1000PLC	BUSSMAN 40 AMP MANUAL RESET BREAKER	1	
			KUSSMAUL 1000PLC BATTERY CHARGER	1	
			[PER FT] 10 AWG WIRE - RED REC 02718	15	
			[PER FT] 10 AWG WIRE - BLACK REC 02718	15	
			REC SHOP SUPPLIES AS NEEDED TO COMPLETE		
HEAT SHRINK CONNECTORS, RINGS TERMINALS, MALE & FEMALE INSULATED SPADE CONNECTORS 2/3/4/6/8/12 DEUTSCH RECEPTACLE, WEDGE, SOCKET, PINS	1				
4	AUTO EJECT	KUSSMAUL 20A, YW	20A SUPER AUTO EJ	1	
			COVER, YELLOW	1	
			INLINE FUSE HOLDER, 12AWG ATO/ATC (FUSE AT 5A)	1	
			[PER FT] 14 AWG WIRE - (COLOR) REPLACE XXX W/ 3 DIGIT COLOR CODE	20	
4	SCENE LIGHT SWITCHING	CAB & PUMP PANEL	RELAYS AND DIODES A/N TO COMPLETE	1	
			[PER FT] 14 AWG WIRE - (COLOR) 02XXX REPLACE XXX W/ 3 DIGIT COLOR CODE	20	
			REC SHOP SUPPLIES AS NEEDED TO COMPLETE		
			HEAT SHRINK CONNECTORS, RINGS TERMINALS, MALE & FEMALE INSULATED SPADE CONNECTORS 2/3/4/6/8/12 DEUTSCH RECEPTACLE, WEDGE, SOCKET, PINS DRIVER SCENE SW ETCHED COVER	1	
				1	

			OFFICER SCENE SW ETCHED COVER	1	
			REAR WORK LIGHTS SW ETCHED COVER	1	
			TOPSIDE WORK SW ETCHED COVER	1	
			CONTURA V ROCKER SWITCH (ON)OFF(ON)	4	
4	TOPSIDE WORK LIGHTING	ADDED 9" SS - SPEC QTY (MULT X QTY)	9" FRC SUNSTRIP LIGHT(S) ADDED - SPEC LOCATION / PLACEMENT / QTY (DETAIL)	2	
4	ROCK LIGHTS	2 PER WHEEL POSITION ANGLED TO CENTER	2 LED ROCK LIGHTS PER WHEEL WELL, FORWARD AND BACK OF EACH TIRE, ANGLED INWARDS (8 TOTAL) ROCK LIGHT KIT (ALL SWITCHED TOGETHER) WIRED TO CENCOM / SWITCHED AT CENCOM	1	
4	GROUND LIGHTING	CAB DOOR POSITIONS & 2 UNDER APRON	ROM 6 12"GROUND LIGHTS - 2 UNDER REAR APRON, 1 UNDER EACH CAB DOOR POSITION - ILLUMINATE GROUND. AUTO ON X ALL W/ CAB DOOR OPEN OR SWITCH	6	
4	FRONT FOG LIGHTING	AMBER 6" RND	6" AMBER FOG LIGHTS INSTALLED IN 6" CUTOUPS IN BUMPER - SWITCHED AT CCTL7 "FOG LIGHTS" PUSH BUTTON	1	
4	DRIVER SCENE LIGHTING	LIGHTBAR - BODY 20"	20" BAJA DESIGNS S8 STRAIGHT LED LIGHT BAR: WORK/SCENE, CLEAR, MOUNTED TO DS TOPSIDE - DUAL SWITCHED AT PUMP PANEL OR FROM CAB	1	
4	OFFICER SCENE LIGHTING	LIGHTBAR - BODY 20"	20" BAJA DESIGNS S8 STRAIGHT LED LIGHT BAR: WORK/SCENE, CLEAR, MOUNTED TO OS TOPSIDE - DUAL SWITCHED AT PUMP PANEL OR FROM CAB	1	
4	REAR WORK LIGHTING	DUAL PODS (WHELEN NANO)	WHELEN NANO PIONEER POD LIGHT ON SWEV ANGLE PEDASTAL BASE MOUNTED OUTER CORNERS OF REAR WORK AREA, REAR FACING, AUTO ON W/ REVERSE OR DUAL SWITCHED (CAB + PUMP PANEL) W/ OFFSET ANGLE MOUNT FOR WHELEN NP6BBLED POD LIGHT BK63 POD BRACKETS, FOR ABOVE	2 2	
5	SYSTEM / CONTROLLER	CENCOM CORE WCX C399 & CCTL7 21& SLIDE CONTROLLER	WHELEN CORE WCX - C399 CENCOM CORE SYSTEM - MOUNTED DS UNDER/ BEHIND SEAT CCTL7 WECANX SYSTEM CONTROLLER, 21 PUSH BUTTON AND 4 POS SLIDE SWITCH, PA MIC & CABLE	1 1	
5	LIGHTBAR	WHELEN LIBERTY II WCX (RAM CHASSIS)	WHELEN LIBERTY II WECAN X 54" CTR DDDD LIGHTBAR, MOUNTED FRONT CAB DUO R/W FRONT, R/A REAR, R/B CORNER MODULES, LEFT & RIGHT ALLEY LIGHTS, TAKEDOWNS MKAJ86 MOUNTING STRAP KIT FOR RAM TRUCK	1 1	
5	SIREN SPEAKER	STANDARD, SA315P	WHELEN SA315P 123 DB SIREN SPEAKER & SPEAKER BRACKET SAK1 UNIV. L ANGLE SPEAKER MOUNTED TO FRONT BUMPER SIREN SPEAKER BRACKET, FOR ABOVE	1 1	
5	HOWLER SYSTEM	HOWLER SYSTEM DUAL SPKR & AMP / UNIV BKTS	WHELEN HOWLER LOW FREQUENCY SIREN SPEAKER SYSTEM (DUAL) W/ UNIVERSAL MOUNT KIT (2) UNIV MOUNT KJIT, FOR ABOVE	1 2	
5	EXPANSION	CEM 16, EXPANDED	WHELEN 16 OUTPUT, 4 INPUT WECANX EXPANSION MODULE (3) 1 UNDER HOOD FOR FRONT ELECTRONICS, 2 IN PUMP PANEL FOR REAR ELECTRONICS	3	
5	FRONT BUMPER WARNINGS	M4 R/W DUO	WHELEN M4 M4DD (CLR) RED/WHITE, FRONT LOWER WARNING LIGHT - MOUNTED TO LOWER OUTSIDE ASPECTS OF BUMPER, FORWARD FACING *QTY 2 (WHITE FUNCTION SW INDEPENDENT AS DITCH LIGHT) RED ONLY IN POS 1&2, RED / WHITE FLASH IN 3RD SLIDE POSITION *BLACK FLANGE	2	
5	FRONT BUMPER WARNING BEZELS	M4 BLACK	BLACK FLANGE FOR ABOVE	2	
5	FRONT BUMPER WARNING ATTACHMENT	M4	SWEV BLACK M4 ADAPTER PLATES FOR BUCKSTOP BUMPER DITCH LIGHT OPENINGS	2	
5	FRONT GRILL WARNINGS	ION B/W DUO	QTY 2 WHELEN T-SERIES SURFACE MOUNT DUO COLOR, CLR LENS BLUE/WHITE - INSTALLED TO UPRIGHTS OF BUMPER FORWARD FACING (UERED ONLY IN POS 1&2, BLUE / WHITE FLASH IN 3RD SLIDE POSITION)	2	
5	INTERSECTION WARNINGS	M2 R/B DUO	WHELEN M2 RED/BLUE DUO, CLEAR LENS MOUNTED TO FRONT FENDERS	2	
5	INTERSECTION WARNING BEZELS	M2 BLACK	WHELEN M2 BLACK FLANGE	2	
5	MIDSHIP WARNINGS	M2 R/B DUO	WHELEN M2 RED/BLUE DUO, CLEAR LENS MOUNTED TO BED RAIL OVER REAR	2	
5	MIDSHIP WARNING BEZELS	M2 BLACK	WHELEN M2 BLACK FLANGE	2	
5	HIGH/SIDE WARNING LIGHTS	M6V2RC RED W/ SCENE FUNCT	WHELEN M6V2RC DUO RED/WHITE COMBINATION WARNING / SCENE LIGHTS MOUNTED TO FRONT AND BACK (SIDE FACING) OF D & O TOPSIDE WHITE FUNCTION TIED TO DRIVER AND OFFICER SCENE LIGHTING SWITCHES, INDEPENDENT	4	
5	HIGH/SIDE WARNING LIGHT BEZELS	M6 BLACK	WHELEN M6 BLACK FLANGE	4	
5	REAR LOWER WARNING LIGHTS	M2 B/A DUO	WHELEN M2 BLUE/AMBER DUO MOUNTED TO OUTER CORNERS OF BEDRAIL REAR FACING *BLACK FLANGE	2	
5	REAR UPPER WARNING LIGHTS	M2 R/A DUO	WHELEN M2 RED/AMBER DUO MOUNTED TO TOP CORNERS (DRIVER / OFFICER TOPSIDES) OF BODY REAR FACING *BLACK FLANGE	2	
5	REAR LOWER WARNING LIGHT BEZELS	M2 BLACK	WHELEN M2 BLACK FLANGE	2	
5	REAR UPPER WARNING LIGHT BEZELS	M2 BLACK	WHELEN M2 BLACK FLANGE	2	
5	PROGRAMMING	STD HARNESSSES	WHELEN SCANPORT OBDII INTEGRATION MODULE J5/J6 OUTPUT HARN J7 DATA COMM HARN GROUND HARNESS PROGRAMMING	1 2 2 2	
6	CENTER CONSOLE	24" RAM 13.3" VSW CONSOLE ASSY SINGLE RAD W PUMP CONT	24" RAM 13.3" VSW HAVIS CONSOLE ANGLED 3.5" RADIO ACCESSORY PLATE (TBD BY RADIO MODEL) 1" FILLER PLATE	1 1 2	

			WHELEN CCTL7 CONTROLLER ACCESSORY PLATE	1	
			1.5" FILLER PLATE	1	
			INTERNAL CUPHOLDER, DUAL, ADJUSTING	1	
			SIDE MOUNT ARMREST	2	
			VSW 3.3 : 4" FILLER PLATE	1	
			VSW 3.3 : 05" FILLER PLATE	1	
			VSW 3.3 : 1" FILLER PLATE	1	
			VSW DOCUMENT POCKET : 13" X 9" D	1	
6	MIC CLIP	MAG MIC	MAG MIC FOR RADIO AND PA MICS	2	
6	RADIO INSTALLATION	SINGLE INSTALL, DEPT SUPPLIED RADIO	INSTALL DEPT SUPPLIED RADIO UTILIZING DEPT SUPPLIED ANTENNA BASE + COAX KIT - SINGLE RADIO INSTALL TO HAVIS (DOES NOT INCLUDE PROGRAMMING) DEPT TO SPECIFY ANTENNA PLACEMENT AND PROVIDE RADIO MODEL #	1	
6	BULLETPPOINT MOUNT OPTIONS	DUAL BALL MNT (DASH) VEH SPECIFIC: RAM 5500	BULLETPPOINT RAM 5500 DASH MOUNT W/ DUAL 20MM BALLS FOR ACCESSORY ATTACHMENT	1	RAD ON HAND
6	TOPSIDE TIRE MOUNT	TRIPLE LOOPS & Y STRAP TO CATWALK	Y STRAP / RATCHETING TO FASTEN TIRE DOWN TO TOPSIDE FROM D RINGS	1	
6	WINCH	WARN 16.5 TI, W/ SYNTHETIC CABLE (16,500 LB)	WARN 97740 16.5 TI, 16,500 WINCH W/ SYNTHETIC CABLE	1	
7	POLY TANK	UPF POLYTANK - 275 GAL	CUSTOM BUILD, WATER TANK WITH 5 GALLON FOAM CELL *TEXTURED BLACK *MOUNTING POINTS THROUGH BOTTOM OF TANK *ROUND FILL TOWERS *1.5" TANK FILL, FNPT *2.5" TANK SUCTION, FNPT *OVERFLOW TO BOTTOM OF TANK * (48 W X 40 D X 37.5" H) 601-0300-000: 300 Gal Rect POLY-TANK NOTE: ~290 USG 2 650-0000-000: Std Features, PolyTank Sump(144in2 or less)/Drain/ Suction(4")/ Vent(4")/Fill(3")/Tower 3 610-0005-000: 5 Gal Foam Cell 4 611-0000-000: Std Features, Foam Cell, NPTF(Suction + Vent)/Tower/Tube Fill 5 658-0004-000: Mounting Block Assy 3-Bolt	1	
7	PUMP	DARLEY 2BE21H	DARLEY 2BE 21H PUMP MEDIUM PRESSURE, HIGH VOLUME, DIRECT DRIVE, ENGINE MOUNTED HONDA GX 630 21HP 100 GPM @ 140 PSI NO-DIS-HEAD, DC: ASSY - FLANGE, 2.0 NPT 3/8-16N (4) ON 2.5 SQ ALUMINUM ALLOY CASING SULFURIC ANODIZED ALUMINUM ALLOY GEAR CASE AND ENGINE ADAPTER BRONZE IMPELLER AND WEAR RING MECHANICAL SEAL 3" NPT SUCTION	1	
7	TANK - PUMP & SUCTION INLET ASSY	2BE INTAKE ASSY - STD	3 X 2.5 REDUCING VIC	1	
			ATP VICTAULIC RIGID COUPLING, 3.0", BLACK	2	
			ATP VICTAULIC RIGID COUPLING, 3.0", BLACK	2	
			AKRON 8825 VALVE BODY	1	
			AKRON F2SS FLANGE W/ 3/4 & SCREEN, 2.5" FEMALE NH SWIVEL	1	
			AKRON V1S FLANGE 2.5" VICTAULIC	1	
			AKRON TS HANDLE 7"	1	
			AKRON PLATE HDL STOP FOR 8825	1	
			8830 VALVE BODY	1	
			ADPT V1S 3"S/0 VLV	2	
			ATP 251-300RG	1	
			AKRON SPACER HDL STOP FOR 8830	1	
			IC LINKAGE	1	
			2.5" CHROME PLUG W/ CHAIN	1	
			INTAKE ASSY 2.5" VALVE SUPPORT W/ ETCHED LABEL POWDERCOATED BK62, 1/8 ALUM (W/ PASSTHRU)	1	

			INTAKE ASSY 2.5" VALVE SUPPORT W/ ETCHED LABEL POWDERCOATED BK62, 1/8 ALUM	1	
			2BE INTAKE ASSY ROLL GROOVE VIC X 5 THREAD PIPE 3.0 NPT X 2 CUT, POSITION, AND WELD ALL INTAKE PIPE PER PRINT "2BE INTAKE ASSY - STD"	3	
			3" S10S TEE BUTTWELD A403 304/304L SS WELD FITTING	1	
			3" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	2	
7	PUMP CONTROL SYSTEM	SWEV ELECTRIC ACTUATED (TOGGLE STYLE) 21H	TOGGLE SWITCH, MOMENTARY SPST (ON)OFF COLE HERSEE CH55037-BX	1	
			TOGGLE SWITCH, MOMENTARY DPDT (ON)OFF(ON) COLE HERSEE 55054-BP	1	
			GB EPDM SWITCH COVER BOOT	1	
			ECO-WORTHY HD LINEAR ACTUATOR 2" STROKE IP54 12V .39"/SEC [THROTTLE]	1	
			IMPORT 12V LINEAR ACTUATOR 1" STROKE 12V (FAST, 25MM/S 300N) [CHOKE]	1	
			PUSH BUTTON MOMENTARY SWITCHES, 12V W/ BOOT COVER	1	
			RELAYS, 5 PIN, 12V WATERPROOF (CHOKE AND SHUTDOWN CIRCUIT)	4	
			THROTTLE CABLES	2	
			THROTTLE CABLE STOP/CLAMP DORMAN (2/PACK)	2	
			IGNITION SWITCH, 3 POSITION, (N/C INCLUDED W/ GASOLINE PUMPS FROM DARLEY)	1	N/C INC W PUMP
			THROTTLE/CHOKE ACTUATOR CONTROL BOX (RS MECHANICAL CUSTOM BUILD)	1	
			[PER FT] 14 AWG WIRE - (COLOR) 02XXX REPLACE XXX W/ 3 DIGIT COLOR CODE	20	
			REC SHOP SUPPLIES AS NEEDED TO COMPLETE		
			HEAT SHRINK CONNECTORS, RINGS TERMINALS, MALE & FEMALE INSULATED SPADE CONNECTORS 2/3/4/6/8/12 DEUTSCH RECEPTACLE, WEDGE, SOCKET, PINS	1	
7	DUAL CONTROLS	SWEV INTERNAL CONTROL PANEL	TOGGLE SWITCH, MOMENTARY SPST (ON)OFF COLE HERSEE CH55037-BX	1	
			TOGGLE SWITCH, MOMENTARY DPDT (ON)OFF(ON) COLE HERSEE 55054-BP	1	
			GB EPDM SWITCH COVER BOOT	1	
			RELAYS, 5 PIN, PIGTAIL	4	
			CIRCUIT BREAKERS, 5AMP AUTO RESET 12V DC STUD TYPE (THROTTLE WIRING PROTECTION) (2)	2	
			PUSH BUTTON MOMENTARY SWITCHES, 12V W/ BOOT COVER	1	
			IGNITION SWITCH, 3 POSITION	1	
			IN CAB PANEL FACE	1	
			[PER FT] 14 AWG WIRE - (COLOR) 02XXX REPLACE XXX W/ 3 DIGIT COLOR CODE	20	
			REC SHOP SUPPLIES AS NEEDED TO COMPLETE		
			HEAT SHRINK CONNECTORS, RINGS TERMINALS, MALE & FEMALE INSULATED SPADE CONNECTORS 2/3/4/6/8/12 DEUTSCH RECEPTACLE, WEDGE, SOCKET, PINS	1	
7	PUMP FUEL SOURCE	FUEL CELL (ALUM W/ GAUGE) -21H	0-90 OHM FUEL GAUGE W/LED BACKLIGHT BLACK FACE WHITE LETTERS	1	
			[PER FT] 14 AWG WIRE - (COLOR) REPLACE XXX W/ 3 DIGIT COLOR CODE	20	
			FUEL PUMP - ELECTRIC IN-LINE TYPE	1	
			FUEL PRESSURE REGULATOR HI-PERF	1	
			BARRICADE FUEL LINE HOSE - 3/8" 50 PSI	8	
			HOSE CLAMP FUEL INJECTION 3/8	6	
			12 GAL ALUM FUEL CELL (RED) 18X12X12	1	
			FUEL CELL INSTALL, MOUNT TO BASE OF L3 COMPARTMENT	1	MOVED TO L3 PER GARY 12/12, SAME SIDE AS FUEL FILL
7	PUMP PANEL BOX OPTIONS	SWEV INTERNAL BOX	SWEV STANDARD PUMP PANEL BOX, BLACK POWDERCOAT - REMOVEABLE FACE BOX TO ACCOMMODATE ALL PUMP / WORK AREA CONTROLS	1	
			PUMP PANEL LIGHT STRIPS (DUAL), WHITE LED / SILICONE HOUSING - MOUNTED TO PUMP PANEL DRIP EDGE UNDERSIDE	1	
7	PUMP PANEL FACE OPTIONS	FACE 3 - ELECTRIC ACTUATED (SINGLE OR DUAL CONT. SYS)	SEAWESTERN PUMP PANEL FACE #3 (ELECTRIC ACTUATOR CONT) BLACK FINISH ETCHED: 4 WAY, THROTTLE, CHOKE, PRIMER, SHUTDOWN, ON/OFF/START, LOGO	1	
7	WATER LEVEL GAUGE	FRC TANKVISION PRO 400 WATER	LED WATER DISPLAY, TANKVISION PRO 400, PRIMARY: INSTALLED TO PUMP PANEL, TIED TO PUMP IGN POWER	1	

7	IN CAB SLAVE WATER GAUGE	FRC TANKVISION WATER (MINI)	LED WATER DISPLAY, TANKVISION CAB MINI, REMOTE: INSTALLED TO CONSOLE, TIED TO PUMP IGN POWER	1	
7	MASTER DRAIN	MASTER DRAIN	VALVE 6 PORT	1	
			3/8 PUSH X 1/4 MNPT NICKEL 90	6	
			3/8 DOT TUBING BLACK (FT)	15	
7	FOAM SYSTEM	TRIDENT	TRIDENT FOAMATE 1.0 CLASS A SYSTEM	1	
7	FOAM SYSTEM INSTALL, SUPPLY & DRAIN PLUMBING	STANDARD ATP	1/2 150 304 SS THRD STREET 90 ELBOW P/N 60859	1	
			3/4X1/2 150 304SS THRD HEX BUSH 60883	1	
			MAINLINE ML232AB-1/2 1/2 THRD BRASS ECON INLINE SPRING CHECK VLV LF	1	
			MAINLINE ML5544AB-1/2 1/2 THRD BRASS 2PC FP BALL VLV LF	1	
			3/8 DOT TUBING BLACK	4	
			3/8 DOT TUBING BLUE	20	
			3/8 DOT TUBING GREEN	6	
			1/2 DOT TUBING RED	3	
			3/8 PUSH T FITTING TEE	1	
			1/2" X CL S40 NIPPLE WELDED TBE 304/304L SS	2	
			3/8 NPT X 1/2 PUSH (NICKEL) SWIVEL 90° ELBOW	1	
			1/4 NPT X 3/8 PUSH (NICKEL) SWIVEL 90° ELBOW	1	
			1/2 NPT X 3/8 PUSH (NICKEL) SWIVEL 90° ELBOW	1	
			1/4 NPT X 3/8 PUSH (NICKEL) STRAIGHT	2	
7	PRIMER PLUMBING / INSTALL	DARLEY FLUIDLESS 12V	MEGA FUSE INLINE HOLDER W/ COVER	1	
			400A INLINE MEGA FUSE	1	
			1/2 105 304SS THRD TEE	1	
			1/2 150 304SS THRD CPLG	1	
			1/2 150 304SS THRD 45 ELBOW	3	
			2/0 CABLE, RED [PER FT]	15	
			3/4 DOT TUBING BLACK 8'	8	
			1/2" X CL S40 NIPPLE WELDED TBE 304/304L SS	2	
			1/2 MNPT X 3/4 COMPRESSION BRASS DOT STRAIGHT	4	
7	RECIRC COOLER SYSTEM & CONTROL / FOAM CONTROL	3/8 TUBING 4 WAY	4 WAY VALVE, MOELLER	1	
			1/4 NPT X 3/8 PUSH (NICKEL) STRAIGHT	1	
			1/4 NPT X 3/8 PUSH (NICKEL) SWIV 90	1	
			3/8 DOT AIR LINE TUBING - BLUE (FT)	20	
7	PRIMER	DARLEY FLUIDLESS 12V (PULL TO PRIME VERSION)	DARLEY FLUIDLESS 12V PRIMER - HEAVY DUTY AP00960, PULL TO PRIME ASSY / BEZEL - MOUNT UNDER BODY, CONTROL AT REAR BEDRAIL	1	
7	FORESTRY MONITOR	AKRON 3462	2" FLEX LINE 25'	25	
			MONITOR ASSY	1	
			2.5" DURA WRAP WOVEN NYLON SLEEVEING BLACK / VELCRO	10	
			AUTO DRAIN VALVE, 90 (2)	2	
			3/4" X 6" S40 NIPPLE: WELDED: TBE: 304/304L: STAINLESS STEEL	1	
			2" S10S SR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	3	
			2" S10S LR 45 ELL BUTTWELD: A403 304/ 304L: STAINLESS STEEL WELD FITTING	2	

			2.0 PIPE WELD CLAMP	2	
			2" X 4" S40 NIPPLE: WELDED: TBE: 304/304L: STAINLESS STEEL	1	
			2" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	1	
			EXHAUST CLAMPS 2.5"	4	
			INLINE FUSE HOLDER, 12AWG ATO/ATC	3	
			PREFAB EXT PLUMBING	1	
			2" COUPLING, FEMALE SWIVEL NPSH, 2 9/16" BOWL (2)	2	
			SWEV RECOUPLE, 2" FNPSH PER MONITOR KIT 1	1	
			[PER FT] 10 AWG WIRE - RED REC 02718	15	
			[PER FT] 10 AWG WIRE - BLACK 02720	15	
			3/8 PUSH X 1/4 MNPT NICKEL 90	6	
			3/8 DOT TUBING BLACK	4	
			2" PLUMBING VIC GROOVE BOTH ENDS, 6"		
7	TOPSIDE PRECONNECT(S)	SINGLE REAR	ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	6	
			TOPSIDE PRECONNECT TRAY ASSY	1	
			SUB ASSY: REAR SINGLE PC ROLL GROOVE VIC X1 CUT, POSITION, AND WELD ALL DC PIPE PER PRINT INSTALL TOPSIDE PC TRAY	3	
			8815 VALVE BODY	1	
			ADPT V1S 1.5"S/O VLV MCH	1	
			HANDLE R1 1.5 FINEBLANK VLV S/O	1	
			SPACER HDL STL 1/4"F/LONGTRUN .260/.240	1	
			1 1/2 X 8 SCH 40 304SS NIPLE	1	
			IC LINKAGE	1	
			1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	10	
			1-1/2" S10S SR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	3	
7	HOSE REEL MODEL	CUSTOM	Model: ESF 16.5-30-31-10.5 RT; 12V 227 MOTOR, 1" 90 DEGREE SUPER SWIVEL JOINT W/ VITON, 1" MALE NST RISER, HORIZONTAL AUXILIARY HAND CRANK, FH-308 TOP WIND, PAINT GRAPHITE. (NO HOSE)	1	
			MOUNT TO EDGE DS PUMP WORK AREA		
7	HOSE REEL REWIND(S)	REEL BASE SINGLE	PUSH BUTTON MOMENTARY REWIND BUTTON MOUNTED TO REEL BASE (INCW HOSE REELS N/C)	1	
			BLACK BEZELS ETCHED "REWIND" (INSTALLED TO REWIND BUTTON)	1	
7	HOSE REEL DISCHARGE PLUMBING	CUSTOM REAR DECK DISCHARGING ASSY	SINGLE HOSE REEL PLUMBING / DISCHARGING TO HOSE REEL FROM INITIAL PUMP DISCHARGE VERTICAL RUN, TEE TO 1" AKRON VALVE & FLEX LINE TO BOOSTER SWIVEL INLET, PER PARTS AS OUTLINED BELOW	1	
7	HOSE REEL DISCHARGE PLUMBING ASSY	CUSTOM REAR DECK DISCHARGING ASSY	1" BOOSTER HOSE - 300PSI, RED RUBBERIZED (FT)	2	
			1" NPSH BOOSTER REEL COUPLINGS - SET	1	
			BODY S/A 1.0 L/HDL F/TS	1	
			HANDLE TS 1.5 5"LENGTH CP VLV S/O#	1	
			P1-S 1" FEMALE NPT	2	
			1" VALVE BEZEL LABEL PC BLACK, LASER ETCHED "BOOSTER REEL"	1	
			1-1/2" X 1" S10S TEE BUTTWELD A403 304/304L STAINLESS STEEL WELD FITTING	1	
			1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	1	
			1" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	1	
7	CUSTOM DISCHARGE ASSY	CUSTOM DISCHARGING	1.5 NH DISCHARGE, PUMP WORK AREA CENTERED, RH OF SUCTION INTAKE, VERTICAL DC ASSY AS OUTLINED BELOW CENTER 1.5" MNH VALVED DC RH DECK CORNER BEHIND PUMP, EXTEND TO TEE - UP TO PRE CONN PLUMBING, DOWN TO FORESTRY MONITOR THRU DECK SEE PRINTS	1	
			ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	2	
			ADPT V1S 1.5"S/O VLV MCH	1	

			ADPT M1S NH 1.5 VLV S/O MCH CS	1	
			8815 VALVE BODY	1	
			HANDLE TS 1.5 5"LENGTH CP VLV S/O#	1	
			PLATE HDL STOP 1.5" 303 ST STL	1	
			1-1/2" CHROME CAP W/ CHAIN	1	
			1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	4	
			1.5 INCH PIPE WELD CLAMP	1	
			2-1/2" S10S LR 90 ELL BUTTWELD A4 304/304L SS WELD FITTING	2	
			2-1/2" X 1-1/2" S10S CONCENTRIC REDUC BUTTWELD A403 304/304L SS WELD FITTING	3	
			2-1/2" S10S A312 TP 304 /304L WELDED PE STAINLESS STEEL PIPE IMPORT	3	
			1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	5	
			ATP VICTAULIC RIGID COUPLING, 2.5", BLACK	2	
			PAT SW-DG004-15DC	1	
7	OFFICER DECK DISCHARGE SUB ASSY	STANDARD TANK FILL	ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	6	
			8815 VALVE BODY	1	
			ADPT V1S 1.5"S/O VLV MCH	1	
			HANDLE R1 1.5 FINEBLANK VLV S/O	1	
			SPACER HDL STL 1/4"F/LONGTRUN .260/.240	1	
			1 1/2 X 8 SCH 40 304SS NIPLE	1	
			IC LINKAGE	1	
			SUB ASSY: STANDARD TANK FILL ROLL GROOVE VIC X3 CUT, POSITION, AND WELD ALL DC PIPE PER PRINT "SUB ASSY: STANDARD TANK FILL"		
			1-1/2" S10S LR 90 ELL BUTTWELD A4 304/304L SS WELD FITTING	1	
			1-1/2" S10S SR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	1	
			1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	8	
7	REAR DISCHARGE ASSY	2BE OUTLET T	ATP VICTAULIC RIGID COUPLING, 2.5", BLACK	1	
			ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	6	
			2BE FLANGE - WELD	1	
			2BE INITIAL DC ASSY - STD ROLL GROOVE VIC X 2 CUT, POSITION, AND WELD ALL DC PIPE PER PRINT "2BE INITIAL DC ASSY - STD"		
			2-1/2" S10S TEE BUTTWELD A403 304/304L SS WELD FITTING	2	
			2-1/2" S10S A312 TP 304 /304L WELDED PE STAINLESS STEEL PIPE IMPORT	1	
			1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	4	
			2-1/2" X 1-1/2" S10S CONCENTRIC REDUC BUTTWELD A403 304/304L SS WELD FITTING	1	
8	BOOSTER HOSE	1" RED RUBBER X 100' NH	1" BOOSTER HOSE - 300PSI, RED RUBBERIZED (FT)	100	
			1" NH BOOSTER REEL COUPLINGS - SET	1	
			CUT, COUPLE, INSTALL TO HOSE REELS	1	
8	BOOSTER NOZZLE(S)	C&S 110/23	C&S 110/23 DUAL GALLONAGE BOOSTER NOZZLE, 1" FNH	1	
8	FLASHLIGHTS - MOUNT & WIRE	DUAL SL STINGER 2020, 12V	STREAMLIGHT STINGER 2020 W/ 12V DIRECT WIRE CHARGING HOLDER MOUNTED UPRIGHT TO BACK OF HAVIS CONSOLE, WIRED TO CONSTANT POWER	2	
8	PAC MOUNT - BOOSTER NOZZLE(S)	HANDLELOK	BOOSTER NOZZLE MOUNT, TO REEL BASE, PACT 1004	1	
8	WHEEL CHOCK MOUNTS	HORIZONTAL MNT 1 PAIR	HORIZONTAL HOLDER FOR AC-32W (SHIP LOOSE)	2	
8	WHEEL CHOCKS	1 PAIR	ZICO WILDLAND COMPLIANT WHEEL CHOCK, AC-32W	2	

8	HPI ENGINEERING	HPI DESIGN ENGINEERING (*HR)	HPI, ENGINEERING - BODY DESIGN OR EDIT (HRLY)	30	
8	INTERNAL ENGINEERING	SWEV DESIGN ENGINEERING	SWEV INTERNAL DESIGN TIME AND ENGINEERING (HRLY)	8	
8	FINAL INSP. / DELIVERY	AT SWEV (N/C)	FINAL INSPECTION AND DELIVERY TO CUSTOMER @ SWEV YAKIMA, WA REF ONLY, N/C	1	NO COST