

ASSIGN	MOD	ITEM	SELECTION	DESC	ITEM #(S)
 CUSTOMER ADAMS CO FIRE & RESCUE (CO.) GSO#: 26104 DESIGN MODEL 1 DATE 7/10/2026  					
ASSIGN	MOD	CATEGORY	SELECTION	DESC	ITEM #(S)
26104	9	CHASSIS	FORD F550 60"CA, 4X4, DIESEL	2026 FORD F550 SUPERDUTY CREW CAB 4X4,179" WB, 60" CA, DRW, 19,500 GVW, 6.7L POWERSTROKE DIESEL, RACE RED, FIRE PREP PKG, ORDERED UP FEATURES PER CUST REQUESTS ***SEE FULL SPEC SHEET***	FORD F550 - *JOB NAME*
26104	1	CHASSIS FINISH	FACTORY	CHASSIS FINISH: FACTORY PAINT COLOR N/C REF ONLY	DISCLAIMER
26104	1	SUSPENSION, WHEEL & TIRE	UPGRADE TIRES ONLY	UPGRADE FACTORY TIRES INCLUDES MOUNT & BALANCE ITOYO 265/70R-19.5/14 M-608Z TRACTION X 7 FRONT LEVEL KIT TO ACCOMMODATE	LST TIRES
26104	1	SUSPENSION, WHEEL & TIRE	POWDERCOAT WHEELS	DISMOUNT TIRES FROM WHEELS, WHEELS TO BE SANDBLASTED AND POWDERCOATED BLACK 60, REINSTALLED	CVCB POWDERCOAT
26104	1	BUMPER	BUCKSTOP STD FORD F550	BUCKSTOP STANDARD FRONT BUMPER BUMPER, FORD F550 W/ OUTBACK GRILL GAURD (PC HAMMER BLACK), DITCH LIGHT CUTOUTS, WINCH MOUNTING PLATE ASSY	BUCK F235
26104	1	CAB STEPS	FACTORY	CHASSIS FACTORY SIDE STEPS TO BE UTILIZED N/C REF ONLY	DISCLAIMER
26104	1	REAR CAB ORGANIZER	NONE	NO REAR CAB ORGANIZER	DISCLAIMER
26104	1	CAB DOME LIGHTING	WHELEN R/W COMBO (2) FRONT/REAR	MOUNTED TO HEADLINER, 1 EA FRONT / BACK ROW, WHELEN 12 DIODE LLED INTERIOR LIGHT, SPLIT RED/WHITE, 6" RND (SURFACE MOUNT)	WHE 60CREGCS
26104	2	STRIPING / GRAPHICS	CUSTOM	STRIPING PER DEPT SPECS AS FOLLOWS: FRONT CAB DOOR GRAPHICS: DEPT LOGO CAB DOORS BOTH SIDES, PRINTED REFLECTIVE REAR CAB DOOR GRAPHICS: UNIT ID ON REAR CAB DOORS, EA. SIDE BODY STRIPE: REFLECTIVE BLACK CAB LOWER, CHECK UP THROUGH REAR CAB DOOR ONTO BODY MIDLINE. CONTINUE THROUGH BODY MIDLINE TO END .75" BLACK / .75" VOID 4.5" BLACK / .75" VOID / .75" BLACK CAB ROOF ID: REAR CHEVRON: 6" NFPA CHEVRON, REAR APRON OF BODY, 3M, LIME & RED REAR GRAPHICS: BODY SIDE GRAPHICS / ADDED LETTERING: ACCENT GRAPHIC(S):	HAP TRUCK STRIPING
26104				MATERIAL TO COMPLETE GRAPHICS INSTALL (DETAIL)	SUN CUSTOM-BUILD
26104	3	BACK UP CAM	FACTORY + INSTALL TO BODY / HEAD UNIT (BODY)	FACTORY CAMERA - SUPPLIED W/ CHASSIS, MOUNT TO BODY & ROUTE HARNESS TO HEAD UNIT / PROGRAM (CHASSIS SUPPLIED W/ CAMERA & UPFITTER KIT)	SWEV CUSTOM
26104	3	BODY FINISH	POWDERCOATING - STANDARD	BODY POWDERCOATED JOB COLOR INCLUDING: FLATBED DECK, APRON, RAILS, COMPARTMENTS INSIDE & OUTSIDE, HEX PUNCH GRD, ETC ACCESSORIES POWDERCOATED BLACK BK62 INCLUDING: SHELVES, STEPS, FENDER FLARES, TOPSIDE COFFIN BOXES, TOPSIDE BASKETS, DOOR HANDLES, CROSSFRAME ROCK GUARD	HPI POWDERCOAT
26104	3	HPI MODEL 1 BODY BASE	HPI MODEL 1 BODY BASE	HPI BASE ASSY FLATBED DECK, NOTCHED, SQ CORNER, REVERSED C CHANNEL SMOOTH FRAME - INCLUDING FULL BODY ASSY KIT CONTENTS PER BELOW:	HPI 9055-01-356
26104				6" SILL KIT	HPI 9055-07-113
26104				STRT CORNER TAILBOARD	HPI 9055-03-086
26104				FULL WIDTH APRON STEP	9055-10-015
26104				LIFT DOOR TOPSIDE COMPARTMENT - L2 56"WX31.5"HX18"D, VERTICAL LIFT SINGLE DOOR W/ GAS SHOCK (2), ADJ SHELF, D RING HANDLE (BLACK), COMPARTMENT VENT & BACKSIDE LOUVER ASSY	HPI 9020-556
26104				LIFT DOOR TOPSIDE COMPARTMENT - R2 56"WX31.5"HX18"D, VERTICAL LIFT SINGLE DOOR W/ GAS SHOCK (2), ADJ SHELF, D RING HANDLE (BLACK), COMPARTMENT VENT & BACKSIDE LOUVER ASSY	HPI 9020-556
26104				FENDER SKIRT	HPI 9055-13-047

26104				FENDER FLARES	HPI 9055-13-048
26104				FRONT OVERLAY	HPI 9055-99-129
26104				SRW MUDFLAPS	HPI 550-18-002
26104				DEF COVER	HPI 9055-99-073
26104				DIESEL FILL KIT	HPI 550-09-001
26104				HOSE BOX	HPI 9055-12-028
26104				CAMERA MOUNT KIT	HPI 9055-15-027
26104				SQ CRNR LIGHT KIT	HPI 550-00074
26104				WIRING INSTALL KIT	HPI 550-22-012
26104				OUTBOUND FREIGHT TO SWEV FOR INSTALLATION	VENDOR SHIPPING
26104				INSTALLATION OF HPI BODY ASSY TO CHASSIS - INTEGRATE AND WIRE LIGHTING, INSTALL FUEL / DEF INECKS & BEZELS	SHOP SUPPLIES
26104	3	L1/R1 TRANSVERSE	OPTION 3 (300)	TRANSVERSE CROSS FRAME L1 / R1 COMPARTMENT "HORSESHOE" CENTER, SWING DOOR (HINGED CAB SIDE) W/ GAS SHOCK, ADJUSTABLE SHELF FULL LENGTH TOPSIDE X2 (BK62), D RING HANDLES (BLACK) 51.5" (31.5" TOPSIDE) H X 26" W X 18"/SIDE (+60" THRU SECTION) DEEP	HPI 9009-389
26104	3	L3 POSITION	L3 HEX PUNCH	DS FENCE: HEX PUNCH GRD INSTALLED L3 POSITION PC JOB COLOR	HPI 9027-321
26104	3	R3 POSITION	R3 COMPARTMENT	CTECH SINGLE DRAWER INSTALLED TO BASE OF R3 COMPARTMENT FULL EXTENSION	HPI 315-CFG-35025
26104				LIFT DOOR TOPSIDE COMPARTMENT R3 32"W X 31.5"H X 18" D, VERTICAL LIFT SINGLE DOOR W/ GAS SHOCK (2), ADJ SHELF, D RING HANDLE	HPI 9020-555
26104	8	L1/R1 TRANSVERSE ACCESSORIES	L1/R1 SLIDE OUT SLIDE TRAY 2X (300 ONLY)	SLIDE OUT TRAYS MOUNTED TO L1/R1 COMPARTMENT, 1 PER SIDE AT FRAMERAIL TUNNEL HEIGHT, 3/16 ALUM TOP DECK WITH BENT EDGE @ 1" SLIDEMASTER	FMI CMFAB TRANSVERSE TRAY
26104				INSTALL - TRANSVERSE SLIDE OUT	SWEV SERV - 101
26104	3	L1/R1 TRANSVERSE ACCESSORIES	STACKED DRAWERS LOWER	CTECH MFG DUAL STACKED DRAWER UNIT INSTALLED TO BASE OF TRANSVERSE R1 SIDE FULL EXTENSION RAISE DRAWER H : TOP OF UPPER DRAWER AT BASE OF TRANSVERSE FIXED SHELF - TO CREATE CUBBY UNDER DRAWERS	HPI 315-CFG-39711
26104	3	L2 OR R2 COMPARTMENT ACCESSORIES	FULL W 6" HINGED DRAWER	CTECH MFG FULL WIDTH 6" DEEP DRAWER MOUNTED TO L2 COMPARTMENT. DRAWER TO HAVE FULL W HINGED "WORK SURFACE" LID TO ENCLOSE TOP OF DRAWER WHEN EXTENDED, HINGED INSIDE EDGE W/ PIANO HINGE. FULL PERIMETER LIP AND CENTER SUPPORT	HPI 9045-876
26104	3	AFT OF AXLE UNDERBODY	GUSSET ASSEMBLY (STANDARD)	GUSSET ASSEMBLY ENCLOSURE AFT OF AXLE (KIT)	HPI 9055-99-080
26104	6	TOPSIDE WALKWAY	TANK OVERLAY - DP OVERLAY W/ TREAD SURFACE BLACK GRIP PC (300)	3/16 ALUM DMND TREAD PLATE TOPSIDE WALKWAY COVERING TOP OF TANK - NOTCHED FOR FILL TOWERS, POWDERCOATED GRIP TEXTURE BLACK - MOUNTED TO TANK MOUNT INSERTS, (300 GAL TANK)	RS MECH MOD 1 TOPSIDE WALKWAY 300
26104	3	TOPSIDE - FRONT CF	OPTION 3, COFFIN-300	TOPSIDE COFFIN BOX, T LATCH HANDLE ON TS OF LID, 48.75" X 12" X 24", W/ GAS SHOCK ASSIST, HINGED TO FRONT PC BK62	HPI 9007-761
26104	3	TOPSIDE - LH/RH BASKETS	OPTION 2, 40.5" LH & 72.25" RH (REELS FWD)	LH 40.5" X 12" X 18" HEX PUNCH BASKET PC BK62	HPI 9027-320
26104				RH 72.25" X 12" X 18" HEX PUNCH BASKET PC BK62	HPI 9027-319
26104	3	TOPSIDE ACCESSORIES	HEX PUNCH DUNNAGE FENCE (300)	HEX PUNCH RAIL AT TANK REAR EDGE - TO CREATE REAR DUNNAGE AREA, MOUNTED TO L2 & R2 COMPARTMENTS, PC JOB COLOR RH SIDE LEFT SMOOTH FOR ALIGNMENT W/ REAR PC TRAY ENCLOSURE SURROUND (ENG PROT) PC BK62	HPI 9027-203

26104	6	TOPSIDE ACCESSORIES	TOPSIDE BASKET DIVIDERS	DIVIDERS FABRICATED 3/16 ALUM IN TOPSIDE BASKETS TO DIV FUEL CANS IN LH TOPSIDE BASKET 18" X 12" W/ SLOT FOR STRAP	RS MECH CUSTOM - BUILD
26104	7	TOPSIDE ACCESS	STEP OVER PLUMBING (ENCLOSED W/ DOOR)	OS CORNER DECK MOUNT STEP OVER PLUMBING, NOTCHED FOR PLUMBING, WATERJET CUT AND FORMED 1.188" 3003 DIAMOND PLATE TOP STEP, WITH .190" 5052 SIDE WALL SUPPORT ACCESS DOOR ON FRONT OF STEP HINGED W/ SOUTHCO C2 LATCHES TO ALLOW FOR SERVICE	RS MECH MOD1 PLUMBING STEP B
26104	3	BODY SIDE STEPS	NONE	NO BODY SIDE STEPS	DISCLAIMER
26104	4	COMPARTMENT LIGHTING	SUNSTRIP - COMP LIGHT EA SIDE OPENING	27" FRC SUNSTRIP (L2, R2, R3) 2/EA SIDE OF DOOR OPENING	WB 11167003
26104				45" SUNSTRIP (L1/R1): 1/SIDE (LATCH SIDE) + 2 IN THRU SECTION, 1X TOP & 1X UNDER SHELF	WB 11167005
26104	4	MASTER BATTERY	RED ETCHED ROCKER	CONTURA V ROCKER ON-OFF 1INDB LED 4 TERM	RSP V1D1-GXXB
26104				SWITCH GUARD SHROUD	RS SWGRD
26104				RED ETCHED SW COV	RSP SW COVER : MASTER POWER
26104	4	CORE ELECTRICAL DISTRIBUTION	STANDARD	F550 BATTERY CLAMP REPLACEMENT, ELECTRONICS MOUNTING TRAY	RS F550ETRAY
26104				INLINE FUSE HOLDER, 12AWG AT0/ATC	REC 102-2230
26104				12 GANG FUSE BLOCK W/COVER	REC BLUESEA 5026ST
26104				6 GANG FUSE BLOCK W/ COVER	REC 104-2067
26104				POLLOCK 225A SPST SOLENOID, CONTINUAL DUTY	REC POL114-1211-020-0
26104				2/0 CABLE, RED [PER FT]	REC 04716
26104				BUSSMAN 300 AMP MANUAL RESET BREAKER	REC RES185-300
26104				EATON/BUSSMAN 3/8 JUNCTION STUD 250 A BLACK	REC JB3816-2
26104				EATON /BUSSMAN 3/8 JUNCTION STUD 250A RED	REC JB3816-3
26104				4 AWG CABLE, RED [PER FT]	REC 04700
26104				6 AWG CABLE, RED [PER FT]	REC 04728
26104				REC SHOP SUPPLIES AS NEEDED TO COMPLETE	REC SHOP SUPPLIES
26104				HEAT SHRINK CONNECTORS, RINGS TERMINALS, MALE & FEMALE INSULATED SPADE CONNECTORS 2/3/4/6/8/12 DEUTSCH RECEPTACLE, WEDGE, SOCKET, PINS	
26104				SOLID AND STRIPED 14AWG	REC SHOP SUPPLIES
26104				REAR SEAT AREA CORE E BRACKET / C399 POWER DIST : 3/16 ALUM	RS MECH CORE E BKT
26104	4	DOOR AJAR SYSTEM	CAB & BODY DOORS, AUDIBLE + VISUAL	RED LIGHT W/ BUZZER 12V	AZN DRAJR12V
26104				1 AMP DIODE	REV 062652V
26104				INSTALL LABOR	SWEV Serv - 101
26104	4	BATT CHARGER	KUSSMAUL CHIEF 4012	BUSSMAN 80 AMP MANUAL RESET BREAKER	REC RES185-80
26104				CHIEF 4012 (MOUNT TO R1 OPPOSITE OF STANDARD PLACEMENT)	KUSS 091-266-12-40
26104				[PER FT] 12 AWG WIRE - RED	REC 02742

26104			REC SHOP SUPPLIES AS NEEDED TO COMPLETE		
			HEAT SHRINK CONNECTORS, RINGS TERMINALS, MALE & FEMALE INSULATED SPADE CONNECTORS 2/3/4/6/8/12 DEUTSCH RECEPTACLE, WEDGE, SOCKET, PINS	REC SHOP SUPPLIES	
26104			[PER FT] 12 AWG WIRE - BLACK	REC 02744	
26104	4	AUTO EJECT	KUSSMAUL CHIEF OLED, 20A, RED (4012)	20A SUPER AUTO EJ	KUSS 091-55-20-120
26104			CHIEF OLED COVER, RED		KUSS 091-55-266-RD
26104			INLINE FUSE HOLDER, 12AWG ATO/ATC (FUSE AT 5A)		REC 102-2230
26104			[PER FT] 14 AWG WIRE - (COLOR) REPLACE XXX W/ 3 DIGIT COLOR CODE		REC 02XXX
26104	4	120V OUTLET(S) BODY - SHORELINE NONE	NO 120V OUTLET POWER POINTS ON BODY		DISCLAIMER
26104	4	INVERTER POWER 2KW	FORD PRO POWER 2KW	FORD PRO POWER 2KW FACTORY INVERTER SYSTEM, POWER POINT FLUSH MOUNTED TO L2 COMPARTMENT INSIDE WALL UPPER CORNER W SHROUD ENCLOSURE DUAL 120V 20A OUTLETS W/ REMOTE POWER TRIGGER AND FACTORY HARNESS INVERTER SYSTEM FACTORY INSTALLED UNDER REAR SEAT *NO ADDED COST FOR INVERTER OR HARDWARE - INSTALL AND INTEGRATION LABOR ONLY - PRO POWER 2KW INCLUDED IN SWEV F550 SPEC	SWEV CUSTOM
26104	4	SCENE LIGHT SWITCHING	CAB & PUMP PANEL	BODY SIDE, REAR WORK, TOPSIDE WORK ALL SWITCHED ON/OFF FROM CAB OR PUMP PANEL. PANEL: ETCHED ROCKER SW COVERS FOR FUNCTION, CARLING CONTURA V ROCKER SWITCHED, WIRING, CONNECTORS, RELAYS AND DIODES A/N TO COMPLETE	SHOP SUPPLIES
26104			[PER FT] 14 AWG WIRE - (COLOR) REPLACE XXX W/ 3 DIGIT COLOR CODE		REC 02XXX
26104			REC SHOP SUPPLIES AS NEEDED TO COMPLETE		
			HEAT SHRINK CONNECTORS, RINGS TERMINALS, MALE & FEMALE INSULATED SPADE CONNECTORS 2/3/4/6/8/12 DEUTSCH RECEPTACLE, WEDGE, SOCKET, PINS		REC SHOP SUPPLIES
26104			DRIVER SCENE SW ETCHED COVER		RSP SW COVER : DRIVERS SCENE
26104			OFFICER SCENE SW ETCHED COVER		RSP SW COVER : OFFICERS SCENE
26104			REAR WORK LIGHTS SW ETCHED COVER		RSP SW COVER : REAR WORK
26104			TOPSIDE WORK SW ETCHED COVER		RSP SW COVER : TOPSIDE WORK
26104			CONTURA V ROCKER SWITCH (ON)OFF(ON)		RSP VLD2-UXXB
26104	4	TOPSIDE WORK LIGHTING	STANDARD 5 X 9" SUNSTRIP W/SHROUD	9" FRC SUNSTRIP LIGHTS - TOPSIDE WORK 1 PER BASKE T/ TOPSIDE COFFIN TO ILLUMINATE CONTENTS 1 PER BASKET / TOPSIDE COFFIN FRONT INSIDE WALL TO ILLUMINATE TOPSIDE (W/ SHROUD) 1 ON BENT EDGE OF CATWALK TO ILLUMINATE STEP AREA (W/SHROUD) SWITCHED AT PUMP PANEL (TOPSIDE WORK) ROCKER SW.	WB 11167001
26104			PROTECTIVE SHROUD COVER MOUNT FOR UNPROTECTED TOPSIDE WORK LIGHTS X3		PAT SW-BKT004-9SS
26104	4	ROCK LIGHTS	2 PER WHEEL POSITION ANGLED TO CENTER	2 LED ROCK LIGHTS PER WHEEL WELL, FORWARD AND BACK OF EACH TIRE, ANGLED INWARDS (8 TOTAL) ROCK LIGHT KIT (ALL SWITCHED TOGETHER) WIRED TO CENCOM / SWITCHED AT CENCOM	AZN YONEDA8PDS
26104	4	GROUND LIGHTING	CAB DOOR POSITIONS & 2 UNDER APRON	ROM 6" & 12"GROUND LIGHTS - 2 UNDER REAR APRON (12") , 1 UNDER EACH CAB DOOR POSITION (6") - ILLUMINATE GROUND. AUTO ON X ALL W/ CAB DOOR OPEN OR SWITCH	ROM R04786
26104				ROM 6" & 12"GROUND LIGHTS - 2 UNDER REAR APRON (12") , 1 UNDER EACH CAB DOOR POSITION (6") - ILLUMINATE GROUND. AUTO ON X ALL W/ CAB DOOR OPEN OR SWITCH	ROM R03000-12
26104	4	FRONT FOG LIGHTING	AMBER 6" RND	6" AMBER FOG LIGHTS INSTALLED IN 6" CUTOUTS IN BUMPER - SWITCHED AT CCTL7 "FOG LIGHTS" PUSH BUTTON	AZN OWL-6021Y
26104	4	FRONT SCENE LIGHTING	LIGHTBAR - BAJA 20"	20" BAJA DESIGNS S8 STRAIGHT LED LIGHT BAR: FRONT SCENE, CLEAR, MOUNTED FRONT BUMPER - SWITCHED FROM CAB	BAJA 702006

26104	4	DRIVER SCENE LIGHTING	LIGHTBAR - BODY 20"	20" BAJA DESIGNS S8 STRAIGHT LED LIGHT BAR: WORK/SCENE, CLEAR, MOUNTED TO DS TOPSIDE - DUAL SWITCHED AT PUMP PANEL OR FROM CAB	BAJA 702006
26104	4	OFFICER SCENE LIGHTING	LIGHTBAR - BODY 20"	20" BAJA DESIGNS S8 STRAIGHT LED LIGHT BAR: WORK/SCENE, CLEAR, MOUNTED TO OS TOPSIDE - DUAL SWITCHED AT PUMP PANEL OR FROM CAB	BAJA 702006
26104	4	BODY FRONT SCENE LIGHTING	POD - WHELEN NANO BODY FRONT	WHELEN NANO PIONEER POD LIGHT ON SWEV ANGLE PEDASTAL BASE MOUNTED OUTER CORNERS OF REAR WORK AREA, REAR FACING, AUTO ON W/ REVERSE OR DUAL SWITCHED (CAB + PUMP PANEL) W/ OFFSET ANGLE MOUNT FOR WHELEN NP6BBLED POD LIGHT BK62	PAT SW-BKT001-NP6BB
26104				WHELEN NANO PIONEER POD LIGHT MOUNTED FRONT FACING UPPER OUTER CORNERS OF BODY, SWITCHED FROM CAB	WHE NP6BB
26104	4	REAR WORK LIGHTING	DUAL PODS (WHELEN NANO)	WHELEN NANO PIONEER POD LIGHT ON SWEV ANGLE PEDASTAL BASE MOUNTED OUTER CORNERS OF REAR WORK AREA, REAR FACING, AUTO ON W/ REVERSE OR DUAL SWITCHED (CAB + PUMP PANEL) W/ OFFSET ANGLE MOUNT FOR WHELEN NP6BBLED POD LIGHT BK62	PAT SW-BKT001-NP6BB
26104				WHELEN NANO PIONEER POD LIGHT MOUNTED OUTER CORNERS OF REAR WORK AREA, REAR FACING, AUTO ON W/ REVERSE OR DUAL SWITCHED (CAB + PUMP PANEL)	WHE NP6BB
26104	5	SYSTEM / CONTROLLER	CENCOM CORE WCX C399 & CCTL7 21& SLIDE CONTROLLER, 3X CEM16 EXPANSION MODULES	WHELEN CORE WCX - C399 CENCOM CORE SYSTEM - MOUNTED DS UNDER/ BEHIND SEAT	WHE C399
26104				CCTL7 WECANX SYSTEM CONTROLLER, 21 PUSH BUTTON AND 4 POS SLIDE SWITCH, PA MIC & CABLE	WHE CCTL7
26104				WHELEN 16 OUTPUT, 4 INPUT WECANX EXPANSION MODULE (3) 11 UNDER HOOD FOR FRONT ELECTRONICS, 2 IN PUMP PANEL FOR REAR ELECTRONICS	WHE CEM16
26104	5	SYNC MODULE	NONE	NO WHELEN VEHICLE TO VEHICLE SYNC SYSEM	DISCLAIMER
26104	5	LIGHTBAR	WHELEN LIBERTY II WCX (FORD CHASSIS)	WHELEN LIBERTY II WECAN X 54" CTR DDDD LIGHTBAR, MOUNTED FRONT CAB DUO R/W FRONT, R/A REAR, R/W CORNER MODULES, LEFT & RIGHT ALLEY LIGHTS, TAKEDOWNS	WHE BJ2DDDD
26104				MKAJ94 MOUNTING STRAP KIT FOR FORD F SERIES	WHE MKAJ94
26104	5	OPTICOM	LED/IR 795H	PROGRAMMED TO 3RD SLIDE POSITION 795H, GTT IR OPTICOM	WHE 795H
26104				OPTICOM PRE INSTALLED IN LIGHTBAR, IJ795HT LIBERTY II EMITTER PREWIRE W/ TO	WHE IJ795HT
26104	5	SIREN SPEAKER	F550 GRILL MNT, SA315P	WHELEN SA315P 123 DB SIREN SPEAKER	WHE SA315P
26104				SUPER DUTY HIDDEN VEHICLE SPECIFIC SIREN SPEAKER MOUNT	WHE SAK61AD
26104	5	HOWLER SYSTEM	NONE	NO WHELEN HOWLER SPEAKER SYSTEM	DISCLAIMER
26104	5	FRONT LOWER WARNINGS	M6 R/W DUO, CLR LENS	WHELEN M6 M6DD (CLR) RED, FRONT LOWER WARNING LIGHT - MOUNTED TO LOWER OUTSIDE ASPECTS OF BUMPER, FORWARD FACING	WHE M6DD
26104				FABRICATED ALUM MOUNTING FLANGE SHROUD GUARD FOR WHELEN M6 WARNING PROTECT FRONT LOWER WARNINGS FROM SURFACE IMPACT	RS MECH M6SHROUD
26104	5	FRONT LOWER WARNING BEZELS	M6 BLACK	WHELEN M6 BEZEL, BLACK M6FB	WHE M6FB
26104	5	FRONT GRILL WARNINGS	T SERIES R/W DUO, CLR LENS	WHELEN T-SERIES DUO (CLR) RED/WHITE, FRONT GRILL WARNING LIGHT - MOUNTED TO BRUSH GUARD UPRIGHTS / GRILL AREA	WHE TSS0D
26104	5	INTERSECTION WARNINGS	M2 R/B DUO, CLR LENS	WHELEN M2 SERIES LIGHthead ML2DD (CLR) RED/BLUE, INTERSECTION WARNING LIGHT, MOUNTED TO FRONT FENDER EA SIDE	WHE ML2DD
26104	5	INTERSECTION WARNING BEZELS	M2 BLACK	WHELEN M2 BEZEL, BLACK M2FB	WHE M2FB
26104	5	MIDSHIP WARNINGS	M2 R/B DUO, CLR LENS	WHELEN M2 SERIES LIGHthead ML2DD (CLR) RED/BLUE, MIDSHIP WARNING LIGHT, MOUNTED TO BEDRAIL OVER TIRE EA SIDE	WHE ML2DD
26104	5	MIDSHIP WARNING BEZELS	M2 BLACK	WHELEN M2 BEZEL, BLACK M2FB	WHE M2FB
26104	5	REAR LOWER WARNING LIGHTS	M2 1X R/A DUO, 1X B/A DUO CLR LENS	WHELEN M2 SERIES LIGHthead ML2DK (CLR) RED/AMBER, REAR LOWER WARNING LIGHT MOUNTED TO OUTSIDE BEDRAIL NEAR DOT LIGHT RH SIDE	WHE ML2DK
26104				WHELEN M2 SERIES LIGHthead ML2DM (CLR) BLUE/AMBER, REAR LOWER WARNING LIGHT MOUNTED TO OUTSIDE BEDRAIL NEAR DOT LIGHT LH SIDE	WHE ML2DM
26104	5	REAR LOWER WARNING LIGHT BEZELS	M2 BLACK	WHELEN M2 BEZEL, BLACK M2FB	WHE M2FB
26104	5	REAR UPPER WARNING LIGHTS	M6 V, 1X RED, 1X BLUE, COMBO LIGHT PER. SCENE	M6 V SERIES COMBINATION WARN / PERIMETER M6V2BC (CLR) BLUE, UPPER WARNING LIGHT, MOUNTED TO UPPER OUTSIDE BODY CORNER RH SIDE	WHE M6V2BC
26104				M6 V SERIES COMBINATION WARN / PERIMETER M6V2RC (CLR) RED, UPPER WARNING LIGHT, MOUNTED TO UPPER OUTSIDE BODY CORNER LH SIDE	WHE M6V2RC
26104	5	REAR UPPER WARNING LIGHT BEZELS	M6 BLACK	WHELEN M6 BEZEL, BLACK M6FB	WHE M6FB
26104	5	REAR TRAFFIC ADVISOR	NONE	NO ADDED REAR TRAFFIC ADVISOR	DISCLAIMER
26104	5	TRACERS - CAB	NONE	NO WHELEN TRACERS	DISCLAIMER
26104	5	PROGRAMMING	STD HARNESSSES	WHELEN SCANPORT OBDII INTEGRATION MODULE	WHE C399SP

26104				J5/J6 OUTPUT HARN, EXTENDED	KDBC0 COREHEXP16-XL
26104				J7 DATA COMM HARN	KDBC0 COREHCAN
26104				GROUND HARNESS	KDBC0 COREHGND
26104				PROGRAMMING, SWEV STD PACKAGE UNLESS OTHERWISE DISCUSSED W AGENCY PUSH BUTTON SCENE AND WORK, TOP ROW SIREN FUNCTIONS, PROGRAM H/F MODE AND TIE TO FACTORY HORN, OBDII INTEGRATE FOR PARK KILL FUNCTIONS, STD SLIDE SWITCH FLASH PATTERNS, ETC)	SWEV Serv - 101
26104	6	CENTER CONSOLE	30" FORD 13.3" CONSOLE ASSY SINGLE RAD NO PUMP CONT	30" FORD 13.3" VSW HAVIS CONSOLE FLAT (30"-9, 24.5"-3.3)	HAVIS C-VSW-3000-F150-3
26104				1" FILLER PLATE	HAVIS C-FP-1
26104				MOTOROLA APX 4500, REMOTE MOUNT HAVIS FACEPLATE: C-EB35-APRS-1P-A	HAVIS C-EB35-APRS-1P-A
26104				BK RADIO, KNG-M150 REMOTE MOUNT VHF RADIO HAVIS FACEPLATE: C-EB25-KNG-1P	HAVIS C-EB25-KNG-1P
26104				WHELEN CCTL7 CONTROLLER ACCESSORY PLATE	HAVIS C-EB40-CCS-1P
26104				CONSOLE ACCESSORY BRACKET KIT WITH 2 LIGHTER PLUG OUTLETS W/ 1 USB-C & USB TYPE A DUAL PORT CHARGER & 2 BLANKS FOR RECTANGULAR ACCESSORIES	HAVIS C-LP2-USB-BL2
26104				3" ACCESSORY POCKET, 2.5" DEEP	HAVIS C-AP-0325-1
26104				INTERNAL CUPHOLDER, DUAL, ADJUSTING	HAVIS CUP2-1001
26104				2" FILLER PLATE	HAVIS C-FP-2
26104				6" ACCESSORY POCKET W/ LID & LOCK, 4.5" DEEP	HAVIS C-AP-0645-L
26104				.5" FILLERPLATE	HAVIS C-FP-05
26104				SIDE MOUNT ARMREST	HAVIS C-ARM-102
26104				VSW 3.3 : 5" FILLER PLATE	HAVIS C-FPW-5
26104				EQUIPMENT BRACKET FOR WIDE VSW CONSOLES, FITS DUAL USB OR SWITCH PANEL	HAVIS C-EBW20-USB2-1P
26104				VSW 3.3 : 1.5" FILLER PLATE	HAVIS C-FPW-15
26104				VSW DOCUMENT POCKET : 13" X 9" D	HAVIS C-APW-1390
26104				VSW 3.3 : 3" FILLER PLATE	HAVIS C-FPW-3
26104	6	RADIO INSTALLATION	PREWIRE ONLY	INSTALL DEPT SUPPLIED RADIO ANTENNA EQUIPMENT, ROUTE POWER AND GROUND. DEPT TO INSTALL RADIOS AFTER DELIVERY	SWEV CUSTOM
26104	6	MAG MIC	DUAL - MMSU-1	MAG MIC MMSU1 FOR EA RADIO MIC, INSTALL TO HAVIS, LOCATION AS SPEC BY DEPT	KDBC0 MMSU1
26104	6	RADIO POWER DISCONNECT SW	RADIO POWER SWITCH	INSTALL MOTOROLLA RADIO TO CONSTANT POWER WITH INLINE POWER DISCONNECT SWITCH *****CUSTOM ENTRY****	SHOP SUPPLIES
26104	6	TABLET MOUNT	HAVIS TABLET / CUSTOM	HAVIS C-DMM-3026 HAVIS DASH MONITOR MOUNT WITH DEPT PROVIDED HAVIS TABLET DOCK AND POWER SUPPLY. INSTALL TO CONSTANT POWER	HAVIS C-DMM-3026
26104	6	ON BOARD AIR	VIAR SYSTEM W/ 2 X CONN POINTS (SPEC LOC.)	VIAIR 10007 HEAVY DUTY ON-BOARD AIR SYSTEM P/N VA10007, MOUNT UNDER BODY, W/ AIR LINE CONNECTION AT BED RAIL POWER CONNECTION / SWITCH IN CENTER CONSOLE. AIR PORT UNDER SHELF L2 COMPARTMENT AND AT REAR DECK UPPER LH CORNER UNDER BEDRAIL PROVIDE COIL STYLE 15' AIR LINE W/ NOZZLE TO BE PLUGGED INTO PORT TO BLOW OUT EQUIP A/N VIAIR 10007 HEAVY DUTY ON-BOARD AIR SYSTEM P/N VA10007	AZN VIAR-10007
26104				ARB HOSE COUPLING PORT - DUST COVER	AZN ARBHOSECPLCAP

26104				ARB HOSE COUPLING PORT	AZN ARBHOSECPL
26104	6	TOPSIDE TIRE MOUNT	TRIPLE LOOPS & Y STRAP TO CATWALK	Y STRAP / RATCHETING TO FASTEN TIRE DOWN TO TOPSIDE FROM D RINGS	AZN SJC-RYS
26104	6	SPITZ LIFT HOIST	NONE	NO SPITZ LIFT HOIST	DISCLAIMER
26104	6	WINCH	WARN 16.5 TI, W/ SYNTHETIC CABLE (16,500 LB)	WARN 97740 16.5 TI, 16,500 WINCH W/ SYNTHETIC CABLE	WIT WW 97740
26104	6	WINCH ACCESSORIES	ACCESSORY RECOVER KIT WARN	WARN 97570 EPIC LARGE WINCHING ACCESSORY RECOVERY KIT (W/BAG)	WRN-97570
26104	7	POLY TANK	MODEL 1 300	UPF RECTANGULAR POLY TANK PER DWG 715-TBD 300 GAL, STD SUMP / DRAIN / SUCTION / VENT 10 GAL INTEGRAL FOAM CELL FOAM CELL X2 NPT FEMALE 12" OVERFLOW VENT BOTT ITAB MOUNTING BACK, NUT INSERTS FRONT BOTT TOPSIDE MOUNTING TAPS FOR WALKWAY FOAM AND WATER FILL TOWERS ON OS EDGE, INLINE, WATER FILL ON TANK MIDLINE FORWARD OF FOAM CELL PORT NPT F PLACEMENT TBD PER STD / SEE PRINTS UPPER RIGHT CORNER SLEEVED & NOTCHED FOR TOPSIDE PLUMBING THRU ROUTING 59"W X 58"+2"L X 26" H	UPF CUSTOM POLY TANK
26104	7	PUMP	DARLEY 1-1/2AGE24K 3.17 RATIO	DARLEY 1-1/2AGE 24K PUMP (3.17 RATIO) HIGH PRESSURE, LOW VOLUME, GEAR DRIVEN, ENGINE MOUNTED KUBOTA D902 DIESEL 24HP, LIQUID COOLED 120 GPM @ 150 PSI NO-DIS-HEAD, DC: ASSY - FLANGE, 2.0 NPT 3/8-16N (4) ON 2.5 SQ ALUMINUM ALLOY CASING ALUMINUM ALLOY GEAR CASE AND ENGINE ADAPTER BRONZE IMPELLER AND WEAR RINGS STAINLESS STEEL IMPELLER SHAFT MECHANICAL SEAL HEAT-TREATED ALLOY STEEL HELICAL GEARS BALL BEARING CONSTRUCTION 12" NPT SUCTION	DARLEY STA214
26104				1.5AGE INTAKE ASSY: ATP VICTAULIC RIGID COUPLING, 2.5", BLACK	ATP VICTAULIC RIGID COUPLING - 2.5"
26104				1.5AGE INTAKE ASSY: ATP VICTAULIC RIGID COUPLING, 2.5", BLACK	ATP VICTAULIC RIGID COUPLING - 2.5"
26104				1.5AGE INTAKE ASSY: 2"-2.5" VICTAULING COUPLING - REDUCING (BLACK)	ATP VICTAULIC COUPLING REDUCING 2"-2.5"
26104				1.5AGE INTAKE ASSY: AKRON 8825 VALVE BODY	AKR 88250012
26104				1.5AGE INTAKE ASSY: AKRON F2SS FLANGE W/ 3/4 & SCREEN, 2.5" FEMALE NH SWIVEL	AKR 78250309
26104				1.5AGE INTAKE ASSY: AKRON V1S FLANGE 2.5" VICTAULIC	AKR 115312
26104				1.5AGE INTAKE ASSY: AKRON TS HANDLE 7"	AKR 78250568
26104				1.5AGE INTAKE ASSY: AKRON PLATE HDL STOP FOR 8825	AKR 742073
26104				1.5AGE INTAKE ASSY: AKRON 8825 VALVE BODY	AKR 88250012

26104	1.5AGE INTAKE ASSY: AKRON V1S FLANGE 2.5" VICTAULIC	AKR 115312
26104	1.5AGE INTAKE ASSY: AKRON R1 HANDLE	AKR 721238
26104	1.5AGE INTAKE ASSY: AKRON SPACER HDL STOP FOR 8825	AKR 742095
26104	1.5AGE INTAKE ASSY: IC LINKAGE	IC-3040559-05-02
26104	1.5AGE INTAKE ASSY: 2.5 NST M PLUG W/ CHAIN, RL CHROME - INSTALLED TO SUCTION INLET	SPC HPC3008AC
26104	1.5AGE INTAKE ASSY: INTAKE ASSY 2.5" VALVE SUPPORT W/ ETCHED LABEL POWDERCOATED BK62, 1/8 ALUM (W/ PASSTHRU)	RS MECH 8825BKTOPEN
26104	1.5AGE INTAKE ASSY: INTAKE ASSY 2.5" VALVE SUPPORT W/ ETCHED LABEL POWDERCOATED BK62, 1/8 ALUM	RS MECH 8825BKTC LSD
26104	1.5AGE INTAKE ASSY: 1.5AGE INTAKE ASSY ROLL GROOVE VIC X 5 THREAD PIPE 2.5 NPT X 2 CUT, POSITION, AND WELD ALL INTAKE PIPE PER PRINT "1.5AGE INTAKE ASSY"	SWEV SERV - 101
26104	1.5AGE INTAKE ASSY: 2-1/2" S10S TEE BUTTWELD A403 304/304L SS WELD FITTING	WIT QQ W3T10-25
26104	1.5AGE INTAKE ASSY: 2-1/2" S10S LR 45 ELL BUTTWELD A403 304/304L: STAINLESS STEEL WELD FITTING	WIT QQ W3B10-25
26104	1.5AGE INTAKE ASSY: S10S A312 TP 304 /304L WELDED PE STAINLESS STEEL PIPE IMPORT	WIT QQ IS3W10-25
26104	1.5AGE INTAKE ASSY: 2" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	WIT QQ IS3W10-20
26104	1.5AGE INITIAL DC ASSY: ATP VICTAULIC RIGID COUPLING, 2.5", BLACK	ATP VICTAULIC RIGID COUPLING - 2.5"
26104	1.5AGE INITIAL DC ASSY: ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	ATP VICTAULIC RIGID COUPLING - 1.5"
26104	1.5AGE INITIAL DC ASSY: ATP VICTAULIC RIGID COUPLING, 2", BLACK	ATP VICTAULIC RIGID COUPLING - 2"
26104	1.5AGE INITIAL DC ASSY: 1.5AGE FLANGE - WELD	RS MECH 1.5AGE FLANGE
26104	1.5AGE INITIAL DC ASSY: 1.5AGE INITIAL DC ASSY - STD ROLL GROOVE VIC X 4 THREAD PIPE 2 NPT CUT, POSITION, AND WELD ALL DC PIPE PER PRINT "1.5 AGE INITIAL DC ASSY - STD"	SWEV SERV - 101
26104	1.5AGE INITIAL DC ASSY: 2" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	WIT QQ IS3W10-20
26104	1.5AGE INITIAL DC ASSY: 2" S10S LR 90 ELL BUTTWELD: A403 304/304L SS WELD FITTING	WIT QQ W3A10-20

26104			1.5AGE INITIAL DC ASSY:	WIT QQ W3R10-2520
			2-1/2" X 2" S10S CONCENTRIC REDUC BUTTWELD A403 304/304L SS WELD FITTING	
26104			1.5AGE INITIAL DC ASSY:	WIT QQ IS3W10-25
			S10S A312 TP 304 /304L WELDED PE STAINLESS STEEL PIPE IMPORT	
26104			1.5AGE INITIAL DC ASSY:	WIT QQ W3R10-2515
			2-1/2" X 1-1/2" S10S CONCENTRIC REDUC BUTTWELD A403 304/304L SS WELD FITTING	
26104			1.5AGE INITIAL DC ASSY:	WIT QQ IS3W10-15
			1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	
26104			1.5AGE INITIAL DC ASSY:	WIT QQ W3T10-25
			2-1/2" S10S TEE BUTTWELD A403 304/304L SS WELD FITTING	
26104	7	PUMP CONTROL SYSTEM	DARLEY DIGITROL+ PANEL 24K	DARLEY DIGITROL+
			DIGITROL+ FOR MAIN PANEL: DUAL DIGITAL READOUT INTERFACES W/ HOUR MEETER, OIL PSI, ENG COOLANT TEMP, VOLT METER, AND DIGITAL PRESSURE ELECTRONIC THROTTLE, PUSH BUTTON PRIMER, INTEGRATED PRESSURE GOV INTEGRATED AUTO SHUTDOWN: LOW OIL PRESSURE & LOSS OF WATER	
26104	7	PUMP FUEL SOURCE	CHASSIS DIESEL - 24K	SHOP SUPPLIES
26104			FUEL PUMP - ELECTRIC IN-LINE TYPE (PROVIDED W/ DARLEY PUMP)	SHOP SUPPLIES
26104			FUEL PRESSURE REGULATOR HI-PERF (PROVIDED W/ DARLEY PUMP)	NAPA NBH H313
26104			BARRICADE FUEL LINE HOSE - 3/8" 50 PSI	NAPA BK 7051227
26104			HOSE CLAMP FUEL INJECTION 3/8	NAPA NOE 7305618
26104	7	PUMP PANEL BOX OPTIONS	SWEV INTERNAL BOX	PAT SW-PUMP1-BOX
			FUEL TANK QUICK CONNECT ADAPT 90°, 5/16" X 5/16" (SUPPLY & RETURN)	
26104			SWEV STANDARD PUMP PANEL BOX, BLACK POWDERCOAT - REMOVEABLE FACE BOX TO ACCOMMODATE ALL PUMP / WORK AREA CONTROLS	AZN 12PUMPPANELLIGHT
26104	7	PUMP PANEL FACE OPTIONS	FACE 1 - DIGITROL	PAT SW-PFACE-001
			12" PUMP PANEL LIGHT STRIP, WHITE LED / SILICONE HOUSING - MOUNTED TO PUMP PANEL DRIP EDGE UNDERSIDE	
26104	7	SUB PANEL BOX OPTIONS	SWEV INTERNAL SUB BOX + FACE	RS MECH SUB PANEL BOX W/ FACE
			SEAWESTERN PUMP PANEL FACE #1 (DARLEY DIGITROL) BLACK FINISH ETCHED: 4 WAY, LOGO	
26104	7	PUMP REMOTE OIL	24K REMOTE OIL	DISCLAIMER
			SUB PANEL BOX W/ BLANK FACE TO CONTAIN EXPANDED CONTROLS (*SPECIFY*) BOX PC BK62, FACE PC BLACK 60 FACE TO BE CUT FOR JOB SPECIFIC CONTROL MOUNTING NEEDS	
26104	7	WATER LEVEL GAUGE	FRC TANKVISION PRO 400 WATER	FRC WLA400-A00
			REMOTE OIL FILTER AND DRAIN KIT INCLUDED W/ 24K DIESEL PUMPS, N/C (REF ONLY) DRAIN LINES ROUTED FOR EASE OF USE / SERVICE	
26104	7	IN CAB SLAVE WATER GAUGE	FRC TANKVISION WATER (MINI)	FRC WLA205-A00
			LED WATER DISPLAY, TANKVISION PRO 400, PRIMARY: INSTALLED TO PUMP PANEL, TIED TO PUMP IGN POWER	
26104	7	AUXILLARY WATER LEVEL GAUGE	FRC MAXVISION (QTY 2) SIDES	FRC WLA280-A00
			LED WATER DISPLAY, MAXVISION, LARGE, REMOTE: INSTALLED TO SIDES OF BODY UPPER FORWARD DOOR FRAME (EA SIDE) L1 / R1 (2), TIED TO PUMP IGN POWER	
26104	7	FOAM LEVEL GAUGE	TANK SIGHT WINDOW	DISCLAIMER
26104	7	MASTER DRAIN	MASTER DRAIN	HALE 104961
			N/VALVE 6 PORT	
26104			3/8 PUSH X 1/4 MNPT NICKEL 90	WIT W169PLP-6-4
26104			3/8 DOT TUBING BLACK (FT)	WIT 1120-6B-BLK-500
26104	7	FOAM SYSTEM	FOAMPRO	FRC S107-1601-2.0M
26104			FOAMPRO 1601 ASSY	FRC 2510-0032
26104			SWITCH - LEVEL (SIDE MOUNT)	FRC 6032-0015
26104			PLACARD - SYSTEM	FRC 6032-0019
26104			SPEC PLACARD 1601	FRC 3430-0835
26104			3/4" EXTERNAL FLUSH KIT	
			12"-2.5" VICTAULIC COUPLING - REDUCING (BLACK)	ATP VICTAULIC COUPLING REDUCING 2"-2.5"
26104				
26104			3/4XCLOSE SCH 40 304SS NIPPLE	INSUP 21546
26104				
26104			3/4 150 304SS THRD STREET 90 ELBOW P/N 40824	INSUP 40824

26104				3/4 150 304SS THRD 90 ELBOW	INSUP 40824
26104				1/2 150 304 SS THRD STREET 90 ELBOW P/N 60859	INSUP 60859
26104				3/4X1/2 150 304SS THRD HEX BUSH 60883	INSUP 60883
26104				MAINLINE ML232AB-1/2 1/2 THRD BRASS ECON INLINE SPRING CHECK VLV LF	INSUP 909078
26104				MAINLINE ML232AB-3/4 3/4 THRD BRASS ECON INLINE SPRING CHECK VLV LF	INSUP 909082
26104				MAINLINE ML5544AB-1/2 1/2 THRD BRASS 2PC FP BALL VLV LF	INSUP 909178
26104				MAINLINE ML5544AB-3/4 3/4 THRD BRASS 2PC FP BALL VLV LF	INSUP 909184
26104				3/4 150 304SS THRD TEE FITTING	INSUP 40818
26104				[PER FT] 10 AWG WIRE - RED	REC 02718
26104				3/4 DOT TUBING GREEN 10'	WIT 1120-12B-GRN-250
26104				3/8 DOT TUBING GREEN 4'	WIT 1120-6B-GRN-500
26104				3/8 DOT TUBING GREEN 12'	WIT 1120-6B-GRN-500
26104				1/2 DOT TUBING GREEN 6'	WIT 1120-8B-GRN-500
26104				1/2" X CL S40 NIPPLE WELDED TBE 304/304L SS	WIT QQ N3WST-0500
26104				3/4 MPNT X 3/4 PUSH BRASS DOT STRAIGHT	WIT VS68PTC-12-12
26104				1/2 MNPT X 3/8 PUSH FITTING, STRAIGHT (NICKEL)	WIT W68PLP-6-8
26104				1/2 MNPT X 1/2 PUSH FITTING, STRAIGHT (NICKEL)	WIT W68PLP-8-8
26104		7	RECIRC COOLER SYSTEM & CONTROL NONE / FOAM CONTROL	NO RECIRCULATION COOLING SYSTEM	DISCLAIMER
26104		7	PRIMER	DARLEY FLUIDLESS 12V (PUSH BUTTON ELECTRIC VERSION - DIGITROL)	DARLEY AP01707
26104				MEGA FUSE INLINE HOLDER W/ COVER	REC 02980900Z
26104				400A INLINE MEGA FUSE	REC AMG400
26104				1/2 105 304SS THRD TEE	INSUP 60865
26104				1/2 150 304SS THRD CPLG	INSUP 60871
26104				1/2 150 304SS THRD 45 ELBOW	INSUP 61752
26104					

26104				2/0 CABLE, RED [PER FT]	REC 04716
26104				3/4 DOT TUBING BLACK 8'	WIT 1120-12B-BLK-250
26104				1/2" X CL S40 NIPPLE WELDED TBE 304/304L SS	WIT QQ N3WST-0500
26104				1/2 MNPT X 3/4 COMPRESSION BRASS DOT STRAIGHT	WIT VS68NTA-12-8
26104	7	FRONT DISCHARGE	SINGLE - IN PLACE	2" FLEX LINE 25'	A-1 ICH-ADSB0R-600-2
26104				2.0 VIC, RIGID, BLACK	ATP VICTAULIC RIGID COUPLING - 2"
26104				ADPT V1S 1.5"S/O VLV MCH	AKR 115243
26104				ADPT M1S NH 1.5 VLV S/O MCH CS	AKR 104981
26104				18815 VALVE BODY	AKR 88150020
26104				HANDLE TS 1.5 5"LENGTH CP VLV S/O#	AKR 78150064
26104				PLATE HDL STOP 1.5" 303 ST STL	AKR 742074
26104				2.5" DURA WRAP WOVEN NYLON SLEEVING BLACK / VELCRO	AZN DW-250-150
26104				AUTO DRAIN (2)	HALE 34AD
26104				1/2" X CL S40 NIPPLE WELDED TBE 304/304L SS	WIT QQ N3WST-0500
26104				BUMPER PASSTHRU ASSY , STAINLESS	PAT SW-FLANGE-01
26104				2" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	WIT QQ IS3W10-20
26104				HOSE COUPLE, 2" FNPSH	RHB 7720 FNPSH
26104				HOSE COUPLE, 1.5" FNH	RHB 7720 FNH
26104				COUPLE FLEX LINE PER FRONT DC KIT 1: 2" FNPSH X 1.5" FNH	SWEV RECOUPLE DBL
26104				6" LENGTH OF 2" PLUMBING ABOVE - WELD X VIC	SWEV SERV - 101
26104				1' 2" PLUMBING ABOVE - 2" MNPT X VIC	
26104	7	GROUND SWEEPS	NONE	NO GROUND SWEEPS	DISCLAIMER
26104	7	DISCHARGE DISTRIBUTION - TOPSIDE	SLEEVED THROUGH TANK TO TOPSIDE OUTLETS - REELS ONLY	SUB ASSY: SUB ASSY: THRU TANK PLUMBING TO TOPSIDE ROLL GROOVE VIC X1 CUT, POSITION, AND WELD ALL DC PIPE PER PRINT "SUB ASSY: THRU TANK PLUMBING TO TOPSIDE"	SWEV SERV - 101
26104				1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	WIT QQ IS3W10-15
26104				1.5" S10S SR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	WIT QQ W3D10-15
26104	7	TOPSIDE PRECONNECT(S)	SINGLE REAR - ELECTRIC VALVE	ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	ATP VICTAULIC RIGID COUPLING - 1.5"
26104				VLV 1.5 V1S X V1S 12V P-A&C	AKR 861580078
26104				CONTROLLER VLV MINI W/10" WH	AKR 93270003
26104				POWDERCOATING - JOB COLOR / BK62 - UPRIGHT PLUMBING SHROUD + TOPSIDE PC TRAY ASSY	CVCB CUSTOM-BUILD
26104				UPRIGHT PLUMBING SHROUD ASSY	RS MECH PLUMBING SHROUD
26104				TOPSIDE PRECONNECT TRAY ASSY	RS MECH TS REAR PC TRAY
26104				SUB ASSY: REAR SINGLE PC ROLL GROOVE VIC X1 CUT, POSITION, AND WELD ALL DC PIPE PER PRINT "SUB ASSY: REAR SINGLE PC"	SWEV SERV - 101
26104				INSTALL REAR UPRIGHT PLUMBING ASSY AND TOPSIDE PC TRAY	
26104				1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	WIT QQ IS3W10-15

26104			2" S10S SR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	WIT QQ W3D10-20
26104	7	HOSE REEL MODEL REEL 1 (TOPSIDE, DUAL)	MODEL: EF4038-17-18 LT 12V 227 MOTOR, 1" 90 DEGREE SUPER SWIVEL JOINT W/ VITON, 1" MALE RISER, BEARING MOUNTED STRAP BRAKE, FH-330 TOP WIND, PAINT BLACK. (NO HOSE) CAPACITY: 125' 1" / 200' 3/4 MOUNTED TO TOP OF BODY LH SIDE (SPECIFY REEL FORWARD OR REEL MID PLACEMENT) NPSH OUTLET	HAN EF4038-17-18 LT
26104			MODEL: EF4038-17-18 RT 12V 227 MOTOR, 1" 90 DEGREE SUPER SWIVEL JOINT W/ VITON, 1" MALE RISER, BEARING MOUNTED STRAP BRAKE, FH-330 TOP WIND, PAINT BLACK. (NO HOSE) CAPACITY: 125' 1" / 200' 3/4 MOUNTED TO TOP OF BODY RH SIDE (SPECIFY REEL FORWARD OR REEL MID PLACEMENT) NPSH OUTLET	HAN EF4038-17-18 RT
26104	7	HOSE REEL REWIND(S) BEDRAIL DUAL TOPSIDE	PUSH BUTTON MOMENTARY REWIND BUTTONS BUTTON MOUNTED TO BEDRAIL INLINE W/ HOSE REELS (EA SIDE)	HAN 90030
26104			BUSSMAN 40 AMP MANUAL RESET BREAKER	REC RES185-40
26104			BLACK BEZELS ETCHED "REWIND" (INSTALLED TO REWIND BUTTONS)	PAT SW-DG005-RWND
26104	7	HOSE REEL DISCHARGE PLUMBING TOPSIDE DUAL - FORWARD	1" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	WIT QQ IS3W10-10
26104			ATP VICTAULIC RIGID COUPLING, 1", BLACK	ATP VICTAULIC RIGID COUPLING - 1"
26104			1" S10S LR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	WIT QQ W3A10-10
26104			1-1/2" X 1" S10S CONCENTRIC REDUC BUTTWELD A403 304/304L SS WELD FITTING	WIT QQ W3R10-1510
26104			1" S10S TEE BUTTWELD A403 304/304L SS WELD FITTING	WIT QQ W3T10-10
26104			BODY S/A 1.0 L/HDL F/TS	AKR 88100010
26104			HANDLE TS 1.5 5"LENGTH CP VLV S/O#	AKR 78150064
26104			P1-S 1" FEMALE NPT	AKR 104976
26104			1" VALVE BEZEL LABEL PC BLACK, LASER ETCHED "BOOSTER REEL"	PAT SW-DGR002-1BR
26104			SUB ASSY: TOPSIDE DUAL HOSE REEL DC FWD ROLL GROOVE VIC X8 CUT, POSITION, THREAD, AND WELD ALL DC PIPE PER PRINT "SUB ASSY: TOPSIDE DUAL HOSE REEL DC FWD"	SWEV SERV - 101
26104	7	DRIVER DECK DISCHARGE ASSY TANK FILL LOWER CORNER (FOAMPRO)	ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	ATP VICTAULIC RIGID COUPLING - 1.5"
26104			VLV 1.5 V1S X V1S 12V P-A&C	AKR 861580078
26104			CONTROLLER VLV MINI W/10' WH	AKR 93270003
26104			DS DC ASSY - ELECTRIC TANK FILL ROLL GROOVE VIC X5 CUT, POSITION, AND WELD ALL DC PIPE PER PRINT "DS DC ASSY -ELECTRIC TANK FILL" INSTALL, CALIBRATE, WIRE IN ELECTRIC VALVE CONTROLLER	SWEV SERV - 101
26104			1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	WIT QQ IS3W10-15
26104			1-1/2" S10S LR 90 ELL BUTTWELD A4 304/304L SS WELD FITTING	WIT QQ W3A10-15

26104	7	OFFICER DECK DISCHARGE ASSY	OS DISCHARGE ASSY - DISTRIBUTION W/ FOAMPRO	S10S A312 TP 304 /304L WELDED PE STAINLESS STEEL PIPE IMPORT	WIT QQ IS3W10-25
26104				2"-2.5" VICTAULING COUPLING - REDUCING (BLACK)	ATP VICTAULIC COUPLING REDUCING 2"-2.5"
26104				2-1/2" S10S LR 90 ELL BUTTWELD A4 304/304L SS WELD FITTING	WIT QQ W3A10-25
26104				2-1/2" X 1-1/2" S10S CONCENTRIC REDUC BUTTWELD A403 304/304L SS WELD FITTING	WIT QQ W3R10-2515
26104				1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	WIT QQ IS3W10-15
26104				ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	ATP VICTAULIC RIGID COUPLING - 1.5"
26104				2-1/2" X 1-1/2" S10S TEE BUTTWELD A403 304/304L: STAINLESS STEEL WELD FITTING	WIT QQ W3T10-2515
26104				2" WELD CROSS	GRAIN 60WM37
26104				2" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	WIT QQ IS3W10-20
26104				ATP VICTAULIC RIGID COUPLING, 2.0", BLACK	ATP VICTAULIC RIGID COUPLING - 2"
26104				2" 304SS S10 WELD CAP / INTERNAL FAB FROM 2" PIPE + PLATE	SWEV CUSTOM
26104				1.5" 304SS S10 WELD CAP / INTERNAL FAB FROM 1.5" PIPE + PLATE	SWEV CUSTOM
26104				ADPT V1S 1.5"S/O VLV MCH	AKR 115243
26104				ADPT M1S NH 1.5 VLV S/O MCH CS	AKR 104981
26104				8815 VALVE BODY	AKR 88150020
26104				HANDLE TS 1.5 5"LENGTH CP VLV S/O#	AKR 78150064
26104				PLATE HDL STOP 1.5" 303 ST STL	AKR 742074
26104				1.5 NST F CAP W/ CHAIN, RL CHROME - INSTALLED	SPC HCC2804AC
26104				1.5" VALVE DECK LEVEL VALVE SUPPORT, MOUNTED TO INLET FLANGE BOLTS, POWDERCOAT BK62	RS MECH 8815BKTDECK
26104				1.5" VALVE BEZEL LABEL PC BLACK, LASER ETCHED "1.5" DISCHARGE"	PAT SW-DG004-15DC
26104				1.5 INCH PIPE WELD CLAMP	WIT BEH SH61900-PP
26104				2.5 INCH PIPE WELD CLAMP	WIT BEH SH72875-PP
26104				OS DISCHARGE ASSY - DISTRIBUTION W/ FOAMPRO ROLL GROOVE VIC X9 CUT, POSITION, FAB AND COPE CORNER, AND WELD ALL DC PIPE PER PRINT "OS DISCHARGE ASSY - DISTRIBUTION W/ FOAMPRO"	SWEV SERV - 101
26104	7	DISCHARGE SUB ASSY - 2ND OS DISCHARGE	2ND STACKED DS OS CORNER	ATP VICTAULIC RIGID COUPLING, 1.5", BLACK	ATP VICTAULIC RIGID COUPLING - 1.5"
26104				ADPT V1S 1.5"S/O VLV MCH	AKR 115243
26104				ADPT M1S NH 1.5 VLV S/O MCH CS	AKR 104981

26104				8815 VALVE BODY	AKR 88150020
26104				HANDLE TS 1.5 5"LENGTH CP VLV S/0#	AKR 78150064
26104				PLATE HDL STOP 1.5" 303 ST STL	AKR 742074
26104				1.5" VALVE BEZEL LABEL PC BLACK, LASER ETCHED "1.5" DISCHARGE"	PAT SW-DG004-15DC
26104				1.5 NST F CAP W/ CHAIN, RL CHROME - INSTALLED	SPC HCC2804AC
26104				SUB ASSY: 2ND STACKED OS CORNER DC ROLL GROOVE VIC X2 CUT, POSITION, AND WELD ALL DC PIPE PER PRINT "SUB ASSY: 2ND STACKED OS CORNER DC"	SWEV SERV - 101
26104				2" S10S SR 90 ELL BUTTWELD A403 304/304L SS WELD FITTING	WIT QQ W3D10-20
26104				2" X 1-1/2" S10S CONCENTRIC REDUC BUTTWELD A403 304/304L SS WELD FITTING	WIT QQ W3R10-2015
26104				2" S10S A312 TP 304/304L WELDED PE STAINLESS STEEL PIPE IMPORT	WIT QQ IS3W10-20
26104				1-1/2" S10S A312 TP 304/304L WELDED PLAIN END STAINLESS STEEL PIPE	WIT QQ IS3W10-15
26104	7	DISCHARGE SUB ASSY - STD TANK FILL	NONE	STANDARD TANK FILL OS NOT SELECTED	DISCLAIMER
26104	7	SPECIALTY / CUSTOM DISCHARGE(S)	NONE	NO SPECIALTY / CUSTOM DISCHARGES	DISCLAIMER
26104	8	BOOSTER HOSE	CUSTOM - DUAL	1" BOOSTER HOSE - KEY REEL LITE, RED, LIGHTWEIGHT BOOSTER, NPSH (2 @ 100') W/ FIELD REPLACEABLE COUPLINGS 1 INSTALLED TO EACH HOSE REEL	KEY RB10-800
26104	8	BOOSTER NOZZLE(S)	C&S 110/23 (DUAL)	C&S 110/23 DUAL GALLONAGE BOOSTER NOZZLE, 1" FNPSH (QTY 4 TOTAL)	C&S 110/23
26104	8	DRIP TORCH MOUNTS	DUAL MOUNT	DUAL DRIP TORCH MOUNT, FAB ASSY FOR DUAL TRAY HOLDER PER PRINT, CUSTOM / PROTOTYPE (SEE JORDAN PRINT)	C&S DT125-MB
				CUSTOM CLEAT / REMOVEABLE TRAY ASSY FABRICATE PER PRINT / ABOVE	RS CUSTOM
26104	8	DRIP TORCHES	2X DRIP TORCH	C&S SUPPLY DRIP TORCH 1.25 GAL, INCLUDED (QTY 2)	C&S DT125
26104	8	FLASHLIGHTS - MOUNT & WIRE	NONE	NO PROVIDED (MOUNTED / INSTALLED) FLASHLIGHTS	DISCLAIMER
26104	8	HARD SUCTION	2.5 X BODY LENGTH (2) NH	2.5" SPIRAL SUCTION HOSE	A-1 S115-2.5
26104				2.5 COUPLINGS NH	RHB 7725
26104				CUT, COUPLE, INTALL IN HOSE BOX (2 @ 8')	SWEV RECOUPLE DBL
26104				PROVIDED BARREL STRAINER, 2.5" FNH RIGID, ANODIZED ALUM	HAR HTBS-25NH
26104	8	REAR GRAB HANDLES	2 HANDLES PLACEMENT TBD REAR, 12-18"	FT BAR MATERIAL	REV 088821V002
26104				STANCHION 90	REV BH-10089
26104	8	HITCH STEP	SWEV HITCH STEP / SHACKLE	SWEV HITCH STEP / REC MOUNT SHACKLE COMBO FLIP STEP ON DROP, 2.5" HITCH MOUNT, ACCEPTS / ADAPTS TO 2" & PRE INST W/ INCLUDED 2" HITCH SHACKLE, DOUBLE PINS, W/ INTEGRATED LIGHT	SWEV DROP STEP SHACKLE ASSEMBLY
26104	8	PAC MOUNT - BOOSTER NOZZLE(S)	FLEXMOUNT (DUAL)	BOOSTER NOZZLE MOUNT TO FRONT OF BODY, PACT 1002-HD (2)	PACT 1002-HD-B
26104	8	SWING OUT HOSE HOOK	SWEV CUSTOM	SWING OUT HOSE HOOK INSTALLED TO BACK OF R3 COMPARTMENT, SWEV FABRICATED / PROTOTYPE	SWEV CUSTOM
26104	8	TOW HOOK / SHACKLE (ADDED)	2" HITCH MNT SHACKLE	INCLUDE 2" HITCH MOUNTED SHACKLE. 15 TON, RED	AZN ABTS-R-07
26104	8	WHEEL CHOCKS AND MOUNTS	HORIZONTAL MNT 1 PAIR	HORIZONTAL HOLDER FOR AC-32W (SHIP LOOSE)	ZICO QCH-32-H
26104				ZICO WILDLAND COMPLIANT WHEEL CHOCK, AC-32W	ZICO AC-32-W
26104	1	INTERNAL ENGINEERING	SWEV DESIGN ENGINEERING	SWEV INTERNAL DESIGN TIME AND ENGINEERING (HRLY)	SWEV CUSTOM

26104	8	FINAL INSP. / DELIVERY	AT SWEV (N/C)	FINAL INSPECTION AND DELIVERY TO CUSTOMER @ SWEV YAKIMA, WA REF ONLY, N/C	DISCLAIMER
26104	8	CHANGE ORDERS	CHANGE ORDERS	<u>CHANGE ORDERS TO PROJECT PER CUSTOMER INSPECTION, SEE STANDALONE SHEET, SUMMARIZED BELOW</u> L1/R1: PLUG LOWER HOLES X4 FROM DRAWERS, FINALIZE AND INSTALL SLIDEMASTER OPPOSING TRAYS, INSTALL TURTLE TILE TO SM TRAYS AND TOP SHELF L2: SHELF UP 1 POSITION, ADD DIVIDERS PER SKETCH, SLOTTED. 3" H 1'1/8 ALUM JK DRAW AND RS WATERJET & FORM FOR INSTALL, ENCLOSE VOID SPACE W ANGLE ALUM BOTH SIDES DRAWER BOX, MOVE DRAWER HANDLE UP AND REMEDIATE PINCH POINT, TURTLE TILE SHELF AND BOX TOP, DRAWER INNER R2:ADD 2x L BRACKETS TO COMPARTMENT FLOOR FOR DRIPT STORED, TURTLE TILE SHELF AND BASE R3: MOVE TOP SHELF DOWN 1X POSITION, MOVE LOWER SHELF TO BE FLUSH W TOP OF DRAWER BOX, TURTLE TILE SHELF SURFACES TOPSIDE: TURTLE TILE IN BASKET AND COFFIN BASES, ADD 2X DIVIDERS TO LH BASKET / 3RD DIV SHIP LOOSE, INSTALL TOPSIDE WALKWAY, INSTALL REAR DUNNAGE FENCE, LOAD SPARE TIRE REAR: PLUG BODY HOLE / BEDRAIL, FIX MAIN PANEL LIGHT, ADD 6" LIGHT TO SUB PANEL BOX, LABEL MINI NAV X2 SUB PANEL BOX, LABEL / COLOR CODED TO NAV REAR PC OUTLET, LABEL FOR TANK-PUMP & PULL TO CLOSE, SAND DOWN HOSE HOOK SHAFT / CLEARANCE, FINISH INSTALL OF CUBBY & STEP TREAD, ADD WILDLAND LOGO TO BACK OF R3 COMPARTMENT, REAR LOWER WARNING PROGRAMMING / AMBER FLASH FRONT: FRONT DC PLUMBING NEEDS COMPLETED, ADD CAP TO FRONT DC CAB: RUN 4GA. POWER/GND/IGN FROM CURRENT STUDS TO UNDER REAR SEAT, DRIVERS' SIDE, 24-36" COILED LOOSE., RUN VHF COAX TO UNDER REAR SEAT, DRIVERS' SIDE, COILED LOOSE. (CURRENTLY ROUTED TO CONSOLE - MOVE), RUN STAR LINK PWR/GND UNDER REAR SEAT, DRIVERS' SIDE, COILED LOOSE. (CURRENTLY SITTING ON PASS SIDE REAR FLOOR), RUN USB-C TO USB-C CABLE 6' FROM CORE PROGRAM PORT TO UNDER REAR SEAT, DRIVERS' SIDE, COILED LOOSE., MOUNT HAVIS DASH MOUNT TO DASH. RUN 2C PWR/GND FROM CENTER CONSOLE TO TOP OF DASH. BLUNT CUT ENDS, 24" COILED BOTH ENDS FOR FUTURE TERMINATIONS., RELOCATE CURRENT FORD POWER & USB PORTS TO HAVIS CONSOLE CONFIGUE FACEPLATE LAYOUTS, MATCH CUSTOMER LAYOUT DRAWING: 1 CUP2-1001-HAVIS, 3 C-FP-05-HAVIS, 1 EBW20-USB2-1P, 2 C-W-LP1-USB-1 (INSTALLED FROM ON HAND, WIRE SPADES FOR 2ND UNIT NEXT TO EA, 2 C-W-LP1-USB-1 SHIP LOOSE W TRUCK, C-FPW-1 MISC: LANYARDS FOR ALL PINS (DT & HOSE HOOKS), FAMA AND DATA LABELS AS NEEDED, WINDOW TINT	MULT